



Promoting awareness of the history
and archaeology of North Devon

LITHIC COLLECTION FROM BURYMOOR BRIDGE, HUISH, MERTON, NORTH DEVON

2012 AND 2016



Derry Bryant
North Devon Archaeological Society
2018

CONTENTS

| | |
|---|----|
| INTRODUCTION | 1 |
| LOCATION/GEOLOGY | 1 |
| ANALYSIS AND RECORDING | 3 |
| - Methodology | |
| - Worked pieces | |
| - Waste | |
| RAW MATERIAL | 3 |
| - Cortical Pieces | |
| - Materials | |
| - Colours | |
| - Cortex | |
| FINDS SUMMARY | 5 |
| Photographs of Waste | |
| OBSERVATIONS ON WORKED PIECES | 8 |
| - Examples of Tools and distinctive types | |
| - Burning/patination | |
| - Notes on cores | |
| CUPPED PEBBLE | 10 |
| PHOTOGRAPHS OF SAMPLES – Raw material and cores | 11 |
| CONCLUSION/SUMMARY | 13 |
| FUTURE SURVEY | |
| - Geophysical survey 2018 of adjacent field | |
| ACKNOWLEDGMENTS/REFERENCES | 14 |

Appendix 1: Lithic Assemblage Analysis 2012

Appendix 2: Waste Assemblage Record 2012

Appendix 3: Illustrations 2012

Appendix 4: Lithic Collection from Fieldwalk at Bury Moor Bridge 2016

Appendix 5: Lithic Assemblage Analysis 2016

Appendix 6: Geophysics Survey 2018

**LITHIC COLLECTION FROM BURYSMOOR BRIDGE, HUSH, (MERTON), NORTH DEVON
2012 AND 2016**

REPORT ON ANALYSIS OF FINDS

INTRODUCTION:

A substantial collection of lithics was picked up during random walking over a large field at Burysmoor Bridge, Hush, North Devon by Phil Collins and Dave Lock in 2011. The collection was passed to NDAS in 2012 for recording and analysis. The field (previously three fields known as Higher Lower Lodge, Higher Beacon and Hush Moor), is located on Hush Farm. Derry Bryant, NDAS, advised Phil to bag up the flints individually, to roughly divide the collection into cores, worked pieces, and waste. The fields were not gridded during walking which occurred over a period of three days, of approximately three hours each day.

It was not possible to provide a density plot of the finds as the finders did not make an accurate plan of where the lithics were found, just a general indication of their position in the field.

A small sample of the lithics was inspected and analysed by an NDAS working group under the leadership of Henrietta Quinnell and the late John Newberry, assisted by Trev and Sue Dymond, at a lithics recording workshop at South Molton in June 2015. This training was followed by a second event led by Henrietta on flint recording. The whole collection, however, was subsequently analysed and recorded by Derry Bryant of North Devon Archaeological Society.

In a revision of the final report and part of the collection with Henrietta Quinnell, a number of changes were suggested and are noted in red on the spreadsheet (Appendix 1).

A small display, nine pieces, of the Hush collection was included in the "New Archaeology" exhibition at the Museum of North Devon in Barnstaple in 2016, and returned to the main collection.

Because of the poor quality of much of the material, it was uncertain how much of it was actually worked. Here 'Worked pieces' describe pieces which appear definitely to have been struck intentional, and 'Waste' those which do not.

LOCATION: NGR: SS526109

The field is located beside the Little Mere river, at the bottom of a shallow valley at the foot of a South Western slope. A round barrow (Scheduled Monument No. 016210, SS5172 1055, Devon HER MDV307), lies 1km to the West, in the same valley, part of the Petrockstowe Basin, a tributary of the Torridge.


The fields are regularly ploughed, which might account for many of the broken pieces. In wet weather the field floods at its lowest point by the river, forming a small lake, with waterfowl making use of it.

The geology: angular and sub-angular light-coloured sandstones, reddish clay soil with bands of whitish/yellow clay, and frequent quartz. The area has historically been used for the white clay industry, which continues into the present, with the Sibelco clay works close by. A sample (handful) of the white clay was collected and is part of the archive.



Tithe map showing original field layout. Location of flint field is indicated by arrow, upper left. Original three fields now combined into one large field.

Location of finds and survey area



Flints found here

Geophysics survey 2018

Tumulus SMN **016210**

Circles showing on GoogleEarth

(Reproduced with the permission of the National Library of Scotland)

ANALYSIS AND RECORDING

Methodology

Worked Pieces

809 lithic pieces were individually bagged and recorded onto a spreadsheet (Appendix 1). These pieces were individually numbered using the prefix BB12 eg BB12430

Suspected raw material pieces (heavy, nodular) were also recorded.

Pieces were measured and recorded according to length, width and thickness. A brief description of each tool type and type of retouch if any was given. Colour was noted as it was felt this may be of significance – a predominance of one or two colours might indicate a local source. Some microdenticulates were observed using a Digital Blue™ electronic microscope.

Waste

A further 325 pieces were categorised as “waste” (pieces with no apparent detachment scars), shown on a separate spreadsheet in this report (Appendix 2). Waste was sorted into categories: chips, pebble/nodular fragments, burned pieces. Counted, bagged and recorded but not individually numbered. Colours of flint and cortex were noted. Some possible raw material pieces were included.

RAW MATERIAL

Cortical pieces

Of 809 worked pieces, 48% were cortical, 32.8% of cortical pieces of nodular, and 15.7% of pebble origin.

Of 325 waste pieces, 53% were cortical. 37% of cortical pieces nodular, 16% pebble origin

Worked pieces were thus both nodular and beach/riverine pebble in origin. Several larger nodular fragments were of poor quality; a nodular light grey flint with sandy coloured cortex (discarded testing core BB12236), a heavy nodular fragment with rough cortex with small amounts of cream coloured flint embedded and yellow staining (BB12265). A heavy coarse flake of orange chert with black staining (thick notched flake with possible retouch at the distal end (possible adze?) BB12235). It is not known if this is raw material from the immediate area but this might be the case, given the known existence of flint in the nearby Petrockstowe Basin where flint deposits are recorded (Edmonds et al 1969, 78; Edwards and Freshney 1982, 22-31; Newberry 2002). It does not seem probable that such poor quality flint would have been carried a long distance.

It was suggested that a further study be undertaken to try and establish if there was any raw material flint in situ. A limited fieldwalk survey was therefore carried out in 2016 (Appendix 4) but did not produce any raw material. No complete nodules were found.

Materials

Chert: yellow, orange, red, brown, light cream and greensand chert. Several pieces of dark brown fine textured chert (“chocolate” chert) e.g. BB12653. A dark yellow chert with white spotty inclusions.

Portland chert: 4 pieces of grey Portland chert (nodular flake BB12396).

Flint: in white, black, light grey, mid grey, grey mottled, honey, pink, red, red mottled, yellow, cream and “Orleigh Court” toffee colour

Quartz:

Several tiny pieces of quartz.

One heavy quartz flake with possible retouch at distal end (adze?) BB12728.

Colours

A number of pieces were of a honey, yellow, pink or red colour – quite different from a collection found on West Yeo Farm, Witheridge (Bryant D, 2013) which consisted of a lot of grey, grey mottled or black flint - possibly from the Blackdown Hills or Haldon Hills. The Huish collection showed a different variety of colours,

notably red, pink, honey, light grey, cream, yellow, suggesting possibly a different source. The rough nodular pieces in the waste collection are cream coloured with a yellowish/light grey flint embedded.

Some unusual pieces of “Orleigh Court” flint; (khaki/toffee coloured flint).

Note: Orleigh Court is one of the few known sources of flint in North Devon and the toffee-coloured flint from Orleigh Court is easily recognisable (Newberry 2002, 19-23). Also, dark brown “chocolate chert” (pebble, with cortex remaining) is unusual – also noted (Ann and Martin Plummer pers.comm) (Ibid, 9).

Further note on cortex

Some cortex iron-stained. Some with a line of yellow immediately under the cortex. Some of the pink/red flint (nodular) with a red line immediately below the cortex.

Many of the pink/red pieces contain multiple fracture lines. This pink flint appears to be of poor quality. Some honey-coloured flint is lustrous and of good quality.

A red flint BB12319 nodular serrated flake (waterworn) showed a thin red line directly underlying the cortex, with red smudgy area before turning a lighter pink.

A honey-coloured nodular small scraper BB12656 with a red line directly under the cortex.

FINDS SUMMARY

| Summary of worked pieces recorded on spreadsheet | TOTAL 809 | % of Total Assemblage |
|--|-----------|-----------------------|
| Scrapers | 177 | 21.8 |
| End scrapers | 41 | 5.0 |
| Side scrapers | 54 | 6.7 |
| Side and end scrapers | 57 | 7.4 |
| Thumbnail scrapers | 13 | 1.8 |
| Double-ended scrapers | 2 | 0.24 |
| Discoidal scrapers | 2 | 0.24 |
| Piercers | 44 | 5.4 |
| Blades | 92 | 11.37 |
| Broken blades | 60 | 7.4 |
| Bladelets | 29 | 3.5 |
| Broken bladelets | 55 | 6.7 |
| Cores | 43 | 5.3 |
| Bladelet cores | 48 | 5.9 |
| Core fragments inc. core tablets | 37 | 4.5 |
| Serrated flakes (not blades) | 206 | 25.5 |
| Denticulates | 25 | 3.1 |
| Microdenticulates | 123 | 15.2 |
| Burins | 10 | 1.2 |
| Microburins | 9 | 1.2 |
| Awls | 16 | 2.2 |
| Piercers | 48 | 5.5 |
| Microliths (inc. mesial segments, tips, bladelet butts) | 35 | 3.9 |
| Possible transverse arrowhead | 1 | |
| Rod | 1 | |
| Notched pieces | 96 | 11.8 |
| Use wear | 47 | 5.8 |
| Combination tools | 11 | 1.3 |
| Nodular | 266 | 32.8 |
| Pebble | 127 | 15.7 |
| Chert | 43 | 5.5 |
| Portland chert | 4 | 0.49 |
| Quartz | 5 | 0.6 |
| Flint | 752 | 93.0 |
| Burned pieces | 65 | 8.0 |
| Patinated pieces | 94 | 11.6 |
| Cupped pebble (broken) | 1 | |
| Colours: | | |
| "Orleigh Court" toffee coloured - typical of Orleigh Court | 13 | 1.8 |
| Black | 27 | 3.3 |
| White (some with orange staining) | 95 | 11.7 |
| Cream | 27 | 3.3 |
| Honey (some with cream inclusions) | 160 | 19.7 |
| Lt grey | 267 | 33.0 |
| Mid grey | 47 | 5.8 |
| Dark grey | 36 | 4.4 |
| Grey mottled | 14 | 1.7 |
| Pink | 50 | 6.18 |
| Red | 27 | 3.3 |
| Yellow | 8 | 0.9 |
| Yellow/grey | 5 | 0.6 |
| Orange | 7 | 0.8 |
| Dark brown | 7 | 0.8 |
| Light brown/cream | 17 | 2.1 |



Waste – red and pink



Waste – raw material



Waste – nodular fragments



Waste – pebble fragments



Waste – chips



Waste - burned

OBSERVATIONS ON WORKED PIECES

Lithics were noted as mostly Mesolithic origin, microliths, bladelets (Waddington 2007), microburins, microdenticulates and, small bladelet cores and also scrapers. Microburins include distal and proximal ends. Mesial segments of bladelets (Butler 2005 115, No. 46). There were some combined tools, for example side scraper/piercer BB12430 with invasive retouch and use wear and some cores used as scrapers.

Some examples of worked pieces, illustrated by the author, all pieces drawn at actual size, 1:1, are shown in Appendix 3.

Examples of Tools and distinctive types

Backed microliths.

Small, fine bladelets.

Blades backed with cortex or by retouch (BB12269).

A fine cutting tool (hafted) BB12160.

Denticulates and microdenticulates. Some microdenticulates identified under a microscope BB12210, BB12211, BB12341.

Many serrated blades (Butler 2005, 130).

Notched pieces: flakes and bladelets.

Hafted flakes e.g. BB12701

A notched blade with serrated opposing edges BB12231.

Nosed scraper BB12303.

Side scrapers, end scrapers, side and end scrapers, double-ended scraper.

Thumb scrapers, a discoidal scraper.

Hollow scraper (pink) BB12311.

A rod BB12480 microdenticulate.

A notched blade with serrated opposing edge BB12231

No complete fabricators found although there were some possible broken ends of fabricators.



Possible "Orleigh Court" flint (BB12691) and yellow chert from BB12

NB: For comparison of colour, see below a Neolithic flint knife found by Martha Mills on the beach at Northam Burrows, Westward Ho! in 2009. Identified by John Newberry as “Orleigh Court” in origin. Scale in cms. Historic Environment Record MDV104112



Burning/Patination

Partial patination, complete patination, some cores and flakes completely burned white. Several pieces with blackened points (deliberate?) eg BB12561 – a small flake with black burning around the point (awl?)

Some notes on cores

Core rejuvenation flakes and core tablets evident.

Some core pieces with a small amount of retouch.

Evidence that cores have been turned; with two platforms, right-angled platforms, opposing platforms, (BB1282), multiple platforms.

Worked-out (exhausted) cores. Bladelet cores made on thick flakes as well as complete cores.

Small single platform bladelet cores. eg BB12749

“Pyramid cores”

CUPPED PEBBLE – Late Mesolithic

On a later walk by Phil Collins in May 2016, half of an oval brown sandstone cobble was found, broken across its width, with circular hollows worked on both faces; its location in the field is uncertain. Evidence of use wear, rubbed smooth on both flat surfaces, pecking marks from hammer use at the ends and both hollows with possible wear from circular motion. Identified by Henrietta Quinnell as a cupped pebble.

Cupped pebbles have a long date range, from Mesolithic until Early Bronze Age and their function is uncertain; they are sometimes considered as partly made pebble hammers (Christie 1985). The presence of this in a field with only Mesolithic lithics may indicate a similar date.

Cupped Pebble 2016



PHOTOGRAPHS OF SAMPLES – Raw Material and Cores



Nodular variety including raw material and quartz tool (BB12728)



Nodular cores



Bladelet cores



Pebble cores

CONCLUSION/SUMMARY

The site, previously unknown, has evidence of flint working and use almost certainly restricted to late Mesolithic (H.Quinnell pers.comm). It is close to a scheduled round barrow. The flint used was mostly nodular and probably local but with some and river/beach pebble material. The microliths would suggest hunting activity while knife blades, piercers, awls, and many different kinds of scrapers indicate daily living activities. The small size and shape of the microliths is indicative of Mesolithic activity around c 6000 cal BC or later (Barton and Roberts 2004, 346).

The predominance of red/pink and honey-coloured flint and the nodular raw material may indicate that most of the raw material is from the local area but more work would be required to establish this and locate possible sources.

FUTURE SURVEY

It was brought to the attention of NDAS by Phil Collins that an adjacent field (previously known as Petrockstowe Moor), on the Southern side of the river, shows circular crop marks in a 1940's aerial photo. The field was viewed on foot and anomalous earthworks were visible. NDAS carried out a partial geophysical survey of this area of the field in October 2018, with some positive results which may be to do with historic straightening and clearing of the river. However, a GoogleEarth (2010) view of the field shows more circular and linear marks in the field to the South. It would seem this general area was an active location in prehistoric times, and may be associated with the known bowl barrow in the woods close by (MDV307). More detailed survey of this field would be useful to add to the historic record.

The lithics collection and copies of the report will be lodged with the Museum of Barnstaple and North Devon, copies will also go to the Devon Historic Environment Record, and the landowners.

Derry Bryant
2019

Acknowledgments

The author is grateful to landowners, Clinton Estates (Adrian Pitts for liaison), and farmers Mark and Elliot Stephens. Thanks also to Henrietta Quinnell for advice on lithics, and NDAS members who carried out the survey in 2016. Most of all, thanks to Phil Collins and Dave Lock for bringing the collection to the attention of NDAS.

Clinton Estates (Adrian Pitts) - cooperation and coordination
Phil Collins and Dave Lock, finders
Mark Stephens, farmer
Henrietta Quinnell, Exeter University – flint training, expertise and advice
John Newberry – flint training and expertise
Sue and Trev Dymond, Tiverton Archaeology Group – flint recording training
John Bradbeer (NDAS) for help with Geology documentation
Terry Green, NDAS
NDAS volunteers

References

- Barton, N and Roberts, A 2004. The Mesolithic Period in England: Current Perspectives and New Research, in Saville, A, *Mesolithic Scotland and its Neighbours: The Early Holocene Prehistory of Scotland, its British and Irish Context and some Northern European Perspectives* 339-358. Society of Antiquaries of Scotland, Edinburgh
- Bryant D, 2013 NDAS Archaeological and Historical Project at West Yeo Farm, Witheridge 2009 -2012 www.ndas.org.uk
- Butler C, 2005. *Prehistoric Flintwork*. Stroud, Tempus Press
- Edmonds, E A, McKeown, M C and Williams, M 1969. *British Regional Geology: South-West England 3rd Ed.* London, British Geological Survey
- Edwards, R A and Freshney, E C 1982. The Tertiary Sedimentary Rocks, in Durrance, E M and Laming, D J C (eds), *The Geology of Devon, 204-37*. University of Exeter
- Newberry J, 2002. Inland Flint in Prehistoric Devon; Sources, Tool-making Quality and Use, *Proceedings Devon Archaeological Society* 60, 1-36
- Roe, F 1985. Report on the Cupped Pebble, in Christie, Barrows on the North Cornish Coast: Wartime Excavations by C K Croft Andrew 1939-1944, *Cornish Archaeology* 24, 56-9.
- Waddington, C 2007. *Mesolithic Settlement in the North Sea Basin*. Tempus, Stroud

Maps

- Ordnance Survey Explorer 127 map 1:25 000 scale Edition A revised 1997
- National Library of Scotland. Ordnance survey map 6" England and Wales 1842-1952

Appendix 1

Lithics Assemblage Analysis 2012

| Appendix 1: Burymoor Bridge, Huish, Merton LITHICS ASSEMBLAGE ANALYSIS 2012 Location: SS527108 | | | | | | | | | Site Code: Prefix BB12 | | | North Devon Archaeological Society | | Finder: P.Collins/D.Lock | | | |
|---|--------------------|----------|-------------|---------------|-----------------------|----------------------|-------------------|----------------|------------------------|---------------------|-------------|--|---------------------|-----------------------------|-----------|------------|------|
| Small Find No. | Location (grid no) | Material | Cortex type | Cortex amount | Colour | Origin (e.g. pebble) | Burned/patinated? | Flake/fragment | Tool type | Sub tool type | Size (cm) | Comments | Retouch type | Tool broken? | Use wear? | Multi-tool | Date |
| BB1201 | F | | N | 0.00 | Yellow/grey | Nodular | | Flake | Knife broken | | | Broken blade. Neolithic, early Bronze Age | | Y | | | |
| BB1202 | F | | N/C | | White | | | Flake | Blade denticulate | Microdenticulate | 2 x 1.4 | Fine retouch along LH edge. Mesolithic/neolithic | | Y | | | |
| BB1203 | F | | N/C | | Grey | | | Flake | Microburin | | 1.4 x 1 | Microburin with remnant of notch. Mesolithic | Invasive | Y | | | |
| BB1204 | F | | C | 0.10 | Honey + White | | | Flake | Irregular blade | | 3.5 x 2.5 | Narrow thick flake with some cortex on RH edge (for holding) .Invasive retouch at distal end | | | | | |
| BB1205 | F | | N/C | | Mid grey | | | Flake | Blade | | 5 x 1.2 | Core trimming blade with edge of platform(triangular) | | | | | |
| BB1206 | Greensand chert | | C | 0.10 | Mid grey | Pebble | Burned | Flake | | | 3.5 x 3 | Flake with cortex at distal end. Sandy textured chert | | | | | |
| BB1207 | Flint | | N/C | | Dk grey | | Burned | Flake | | Side scraper | 3 x 1.8 | Thick flake - burned- retouch around all edges | Abrupt | Y | Y | | |
| BB1208 | Flint | | C | 0.20 | Red/grey | Nodular | | Flake | Blade | Piercer | 3.7 x 2 | Thick flake with cortex along LH edge and at bottom RH edge dorsal face.Abrupt retouch on both sides of distal point to make piercing tool | Abrupt | | Y | | |
| BB1209 | Flint | | C | 0.60 | Cream | Nodular | | Fragment | Core fragment | | 5.5x2.8x1.8 | False start at core | | | | | |
| BB1210 | Flint | | C | 0.10 | Honey | Nodular | | Flake | Flake | Notched tool | 4.5 x 3.6 | Notched flake with fine retouch along LH edge and across distal edge, including small notch. With possible burin detachment | Abrupt | | Y | | |
| BB1211 | Flint | | C | 0.50 | Lt grey | Pebble (river) | | Fragment | Core prep | Small scraper | 3 x 3 x 2 | End of small pebble with evidence of core prep. | | | Y | | |
| BB1212 | Flint | | | 0.10 | Grey with white spots | | | Flake | Blade | Blade with use wear | 3.5 x 2 | Blade with retouch along RH edge (invasive) and abrupt retouch along LH edge | Abrupt and invasive | Y | Y | | |

| | | | | | | | | | | | | | | | | | | |
|---------|--|----------------|-----|------|----------------------|--------------|-----------|--------------------|------------------------|----------------------|---------------|--|-------------|---|---|--|--|--|
| BB1213 | | Portland chert | | 0.00 | Dk grey | | | Flake (broken) | Trimming flake | | 1.5 x 2 | Thin curved trimming flake | | Y | | | | |
| BB1214 | | Flint | | 0.30 | Lt grey | | Burned | Flake | Flake with use wear | | 4 x 3 x 1.2 | Thick flake with cortex covering 50% of butt. One sharper cutting edge. Possible utilised piece | | | Y | | | |
| BB1215 | | Chert | C | 0.40 | Pink | Nodular | Patinated | Flake | Flake with use wear | Scraper | 4 x 3.8 x 1.7 | Thick flake (poor quality) with 80% dorsal covered in cortex. One long edge with retouch to form scraping edge | Abrupt | | Y | | | |
| BB1216 | | Chert | | | Red/pink | | | Flake (broken) | Bladelet notched | | 2.2 x 1.0 | Narrow notched bladelet, broken. | Abrupt | Y | | | | |
| BB1217 | | Flint | N/C | | Honey | | | Flake | Scraper | End and side scraper | 2.5 x 2.4 | Squarish flake with hole through (natural). V. fine nibbling along LH edge and across distal edge | | | | | | |
| BB1218 | | Flint | N/C | 0.10 | Yellow | Nodular | | Flake | Blade | | 6 x 2 | Blade, curved, with short lengths of fine retouch | | | | | | |
| BB1219 | | Flint | N/C | | Black | | | Flake (broken) | Notched flake Burin | Notched tool | 3 x 2.5 | Notched flake. Fine black lustrous flint | Semi abrupt | Y | | | | |
| BB1220 | | Flint | N/C | 0.30 | Lt brown/cream spots | Nodular | | Flake | Blade (broken) | | 4 x 2.6 | Blade on flake (broken) with heavy use wear | Y | Y | | | | |
| BB1221 | | Flint | N/C | | Lt grey | | | Flake | Notched blade | | 4x1x0.5 | Fine notched bladelet with direct retouch around edges | Abrupt | | | | | |
| BB1222 | | Chert | C | 0.20 | Red | Pebble | Burned | Flake | End scraper | | 4 x 3 | Burned end scraper - Mesolithic | | | | | | |
| BB1223 | | Flint | C | 0.10 | Dk bluey grey | Pebble | Burned | Flake | Notched flake | Notched flake/awl | 3.1 x 2.2 | Dark E.Devon flint Burned. Use wear ?awl? | | | | | | |
| BB1224 | | Flint | C | 0.50 | Honey | Nodular | N | Flake with retouch | Piercer | | 4.7x2.5 | Thick nodular flake with dorsal covered in cortex. Distal point with some cortex removed to form point | | | | | | |
| BB1225 | | Flint | C | 0.20 | Black | Beach pebble | | Core fragment | Bladelet core | | 2.5 x 1.8 | Single platform core | | | | | | |
| BB1225A | | Flint | C | 0.60 | Lt grey/white | Nodular | Burned | Core | 2 platforms | | 3.5x2.9x2.5 | Horn of nodule with flake removal on 3 sides. Cortex covering 60% of nodule. Exposed surfaces white crazed (burnt) | | | | | | |
| BB1226 | | F | N/C | | Dk yellow | | | Core frag | | | 4 x 2 | Core prep | | | | | | |
| BB1227 | | F | N/C | | Lt grey | | | Core | Bladelet Core | | 4 x 1.5 | Exhausted bladelet core, complete Circular platform end | | | | | | |

| | | | | | | | | | | | | | | | | |
|----------|-------|-----|------|--------------------------------|--------------|--------|--------------------|---------------------|----------------------|-------------|--|----------|--|--|--|--|
| BB1227A | F | C | 0.25 | Honey/white | Nodular | | Core | Bladelet core | 2 opposing platforms | 4.5x1.5x1.5 | Worked out bladelet core with cortex covering one face (square in cross section) | | | | | |
| BB1228 | F | N/C | | Yellow/grey | | N | Core frag | | | 4 x 3.5 | Blade core frag | | | | | |
| BB1228A | F | C | 0.50 | Cream/white with iron staining | N | | Core fragment | | 2 platforms | 6x4.5x2.0 | Rough nodule with cortex over ventral face. Evidence of flake removal dorsal face. 2 platforms. Red iron staining. Smoothed edge ?use wear | Y | | | | |
| BB1229 | F | C | 0.25 | Yellow/grey | Nodular | N | Core | Core | | 3.5 x 3 | Multi platform core | | | | | |
| BB1229A | F | C | 0.30 | Grey/white | N | Burned | Core | Bladelet core | Single platform | 5x4.8x2.5 | Nodular core with horn still intact. Ventral face with blade removal. Burned white | | | | | |
| BB1230 | F | C | 0.60 | Dk grey | Beach pebble | N | Core flake | Awl | | 3.5 x3 | Half pebble core preparation flake with 90% of dorsal face covered with cortex. Evidence of retouch at pointed end to form piercing tool | | | | | |
| BB12230A | F | C | 0.05 | Red/pink | Nodular | Burned | Core | Bladelet core | Multiple platforms | 3.8x4x2.8 | Burned core with red and pink colouration. Worked out core | | | | | |
| BB1231 | F | C | 0.50 | | Beach pebble | N | | | | 4 x 1.5 | Cone of percussion + fossil | Invasive | | | | |
| BB1231A | F | C | 0.10 | lt grey/cream | Nodular | N | Core | Flake core | Single platform | 3.5x4.5x1.5 | Thick flake core with single platform. Cortex on LH of dorsal face (red staining) | | | | | |
| BB1232 | F | | | White | | Burned | Core | Core | | 4x4x3 | Totally burned core | | | | | |
| BB12232A | F | C | 0.50 | Toffee (Orleigh Court?) | Nodular | | Core | Multi platform core | | 4x4x3 | Rough nodular piece with multi directional platforms. Light coloured cortex and spotty inclusions | | | | | |
| BB1233 | F | N/C | | Lt grey + wh. inc | | N | Core rejuv piece | | | | Tip of core rejuvenation piece | | | | | |
| BB1234 | F | C | 0.30 | Lt grey | Nodular | N | Blade with retouch | Backed Knife | | 3.6x1.6x1 | Thick triangular section flake with retouch along edge | Abrupt | | | | |
| BB1234A | F | C | 0.40 | Lt grey | Nodular | N | Fragment | Core fragment | | 4x3.5x2 | | | | | | |
| BB1235 | Chert | C | 0.05 | Yellow | Nodular | N | Flake with retouch | Scraper | | 4.5x3.5 | Thick flake with cortex along LH edge. Abrupt retouch at top right distal | Abrupt | | | | |
| BB135A | F | C | 0.01 | Lt grey | Nodular | N | Core | Core | | 3.5x4.5x4 | Multidirectional core | | | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|-----|------|--------------------------------------|---------|-----------|--------------------|-------------------------|---------------------|-------------|--|---------------------|---|---|--|--|--|
| BB1236 | F | N/C | | Red + white inclusions | | N | Flake with retouch | Microdenticulate | Microdenticulate | 2 x 1 | Oval flake bladelet with v.fine retouch around all edges. Microdenticulate. | Abrupt | | | | | |
| BB1236A | F | C | 0.30 | Lt brown | Nodular | | Core | 2 platform core | | 4.5x3x2.5 | Core with cortex over 50% of dorsal face. Triangular in profile Flatter ventral face. Right angled platforms | | | | | | |
| BB1236B | F | C | | Lt grey with white inclusions | Pebble | N | Flake | Core fragment (Broken) | Bladelet core | 4x3x2 | Rounded thick flake with cortex over 80% of dorsal face. | | Y | | | | |
| BB1237 | F | N/C | | Dk grey/white | | Burned | Bladelet core | | | 5 x 3.5 | Burned bladelet core | | | | | | |
| BB1237A | Flint | C | 0.10 | Lt brown with white inclusions | Nodular | N | Fragment | Core fragment (Broken) | Bladelet core | | | | Y | | | | |
| BB1238 | F | | | Pink | | | Flake | Blade | Microdenticulate | 2.8 x 1 | Very thin curved flake with v.fine retouch along both lateral edges. Microdenticulate | Abrupt | | Y | | | |
| BB1238A | Flint | C | 0.50 | Honey | Nodular | N | Fragment | Core fragment (Broken) | | 3x3.5x1.8 | Core fragment with platform visible | | Y | | | | |
| BB1239 | Flint | C | 0.05 | Honey | N | N | Flake | Scraper | Side and end | 2.9x2.3 | Thin translucent flake with cortex along LH edge. Invasive retouch along RH edge dorsal. Abrupt retouch along distal end | Abrupt and invasive | | | | | |
| BB1239A | Flint | C | 0.05 | Lt grey | N | N | Fragment | Core fragment | | 3.3x4x1.5 | Core made on thick flake | | | | | | |
| BB1240 | Flint | N/C | | Lt grey with white/yellow inclusions | | N | Flake | Notched blade | | 3.1x1.5 | Blade with triangular section. Notch in RH edge . Invasive retouch on dorsal face, LH edge.Hinge fracture at distal end | | | | | | |
| BB1240A | Flint | C | 0.05 | Red | N | Burned | Fragment | Core fragment | | 2.5x2.1.4 | | | | | | | |
| BB1241 | Flint | C | 0.40 | Honey | Nodular | Patinated | Fragment | Core prep | Core trimming flake | 3.5x2.6 | Thick flake with cortex on dorsal face | | | | | | |
| BB1241A | Flint | C | .01 | Lt grey | | N | Core | Core | 2 platform core | 3.5x2.5x1.5 | Core made on thick flake. 2 platforms | | | | | | |
| BB1242 | Flint | N/C | | Honey | | | Flake | Core rejuvenation flake | | 4.5x2.5x1.5 | Thick flake with triangular section. Core rejuvenation flake | | | | | | |
| BB1242A | Flint | C | 0.10 | Honey | Nodular | | Fragment | Core fragment | | 3.8x2.5x2.5 | | | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|-----|------|------------------------------|---------|-----------------|---------------------|-------------------------|-------------------------|-------------|---|--------|-----|--|--|--|
| BB1243 | Flint | N/C | | Lt grey | | | Flake with retouch | Microdenticulate | | 2.5x1.5 | Wedge shaped flake with v.fine retouch along LH edge and across distal end | | | | | |
| BB1244 | Flint | N/C | | Lt brown | | Patinated | Flake broken | Core prep flake | | 4x1.5x1.5 | Thick flake broken with patination on outside surfaces | | Y | | | |
| BB1245 | Flint | C | 0.05 | Lt pink | Nodular | | Fragment | Side/end scraper | Core prep fragment | 3.5x1.5x1 | Thick fragment with cortex. Some retouch at distal end. Possible scraper | | | | | |
| BB125A | Flint | C | 0.50 | Lt grey | Pebble | Patinated | Fragment | Core fragment | Core prep flake | | Poor quality flint with large inclusion. Yellow staining | | | | | |
| BB1246 | Chert | N/C | | Honey with white inclusion | | | Flake with retouch | Scraper | Discoidal scraper | 3.8x3 | ?Orleigh Court .Thick round flake with abrupt retouch around 3 edges. Some invasive retouch on ventral face. | Abrupt | | | | |
| BB1246A | Flint | C | 0.20 | Lt grey + white inclusions | Nodular | Yellow staining | Core | Multidirectional core | | 4x3x3 | Multidirectional core with yellow staining under cortex | | | | | |
| BB1247 | Flint | N/C | | Honey | | | Flake | Core rejuvenation flake | | 4.5 x 2 | Thin flake with evidence of old platform | | | | | |
| BB1247A | Flint | C | 0.25 | Lt grey | Nodular | | Fragment | Core fragment | | 3.5x3x3 | Rough core fragment | | | | | |
| BB1248 | Flint | C | 0.25 | Lt grey | Pebble | N | Flake | Core prep | | 2.2x1.6 | Thick flake with cortex around LH edge. Core prep piece | | | | | |
| BB1249 | Chert | N/C | | Yellow with white inclusions | | N | Flake with use wear | Piercer | Microdenticulate | 3 x 2 | ?Orleigh Court Thick flake with sharp distal point (microdenticulated). Abrupt retouch dorsal face at distal point, invasive retouch ventral face at distal point | Abrupt | | | | |
| BB1249A | Flint | C | 0.30 | White | Nodular | N | Fragment | Core fragment | Piercer? | 3x2.5x4 | Thick squarish core fragment with 2 platforms and long distal point possibly used as piercer | | Yes | | | |
| BB1250 | Flint | C | 0.01 | Lt grey | Nodular | N | Flake | | | 3.5x2.6 | Rough flake | | | | | |
| BB1250A | Flint | C | 0.05 | Honey | Nodular | N | Flake | Core damaged | 2 platform Core | 4x3x2 | Core made on thick flake with 2 platforms | | | | | |
| BB1251 | Flint | C | 0.20 | Lt grey | Nodular | N | Flake | Core tablet | Core rejuvenating piece | 4.2x3.5x1.2 | | | | | | |

| | | | | | | | | | | | | | | | | |
|--------|-------|-----|------|----------------------------|---------|-----------|----------------|-----------------------------------|--------------------------------|-------------|--|----------|--|--|--|--|
| BB1252 | Flint | C | 0.25 | Red with white inclusions | Nodular | | Flake | Blade | Piercer | 5 x 3 | Thick triangle shaped with triangle cross section. Cortex along LH edge dorsal face (for holding). Retouch at distal end and along top RH edge to form scraping edge. Crushing/use wear evidence | Y | | | | |
| BB1253 | Flint | N/C | | Cream | | N | Fragment | Core fragment (broken) | | 2.8x2.8x1.5 | | Y | | | | |
| BB1254 | Flint | C | 0.10 | Lt grey | Pebble | N | Fragment | Core | | 3x2x1.6 | Tiny core | | | | | |
| BB1255 | Flint | C | 0.25 | Lt brown | Nodular | N | Fragment | Core fragment (broken) | Core rejuvenation piece | 6 x 3.5 x 2 | Long thick rejuvenation flake with several platforms evident. Thick cortex with iron staining. Bulb evident on ventral face | Y | | | | |
| BB1256 | Flint | C | 0.05 | Lt brown | Nodular | | Flake | cortical flake with retouch | End scraper | 4.5x3.5x1 | Thick cortical flake with small amt cortex at distal end dorsal. Invasive retouch at distal end ventral. | | | | | |
| BB1257 | Flint | NC | | Lt brown | | | Flake | Flake with retouch | Piercer | 4.5x3.1.2 | Thick leaf shaped flake with smooth ventral face. Invasive retouch towards distal RH edge and LH distal edge of point | Invasive | | | | |
| BB1258 | Flint | C | 0.10 | Lt brown with orange spots | Nodular | Patinated | Core | Bladelet Core | Multidirectional platform core | 3.5x3.5x1.5 | Small bladelet core (multidirectional) | | | | | |
| BB1259 | Flint | C | 0.01 | Lt brown | Nodular | | Flake(broken) | Flake with retouch | | 4x3.5 | Thick cortical flake with distal end missing. Light retouch along LH edge | | | | | |
| BB1260 | Flint | C | 0.10 | Orange | Nodular | | Core (damaged) | | | 3x3x2.5 | Small core with some nodular cortex | | | | | |
| BB1261 | Flint | C | 0.30 | White | Pebble | | Flake | Core prep and trim flake (broken) | | 3.2x1.8x1.2 | Thick flake with cortex over half of dorsal face. Broken across width. Ventral face smooth | Y | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|----|------|--------------------|---------|-----------|----------------|------------------------|-------------------------|---------------|---|----------|-----|-----|--|--|
| BB1262 | Flint | C | 0.45 | Grey/brown | Nodular | Patinated | Flake (broken) | Core prep flake | Knife/cutting tool | 6 x 4.3 x 1.0 | Thick flake with cortex covering 50% proximal end. V.fine retouch along LH edge dorsal face and along LH curved edge of blade on ventral face. Broken in antiquity. | Direct | Y | Y | | |
| BB1262A | Flint | NC | | Lt grey | | | Fragment | Core fragment | | 2.2x2.5x1.5 | | | | | | |
| BB1263 | Flint | C | | Lt grey | Nodular | Patinated | Fragment | Core fragment | | 3.5x3 | | | | | | |
| BB1264 | Flint | C | 0.01 | Dk grey | Pebble | | Fragment | Core fragment | | 3.9x2.5x2 | | | | | | |
| BB1265 | Flint | C | 0.05 | Lt grey | Nodular | | Fragmen | Core fragmen | | 4x3x2.5 | Core fragment.Platform visible. Possible use wear | | | Yes | | |
| BB1266 | Flint | C | 0.30 | Honey/yellow | Nodular | Patinated | Flake | | | 4x2.6x1.2 | Thick flake with bulb.Yellow stripes under cortex | | | | | |
| BB1267 | Flint | C | 0.01 | Lt grey/dk grey | Pebble | | Flake | Core tablet | | 2.7x2.2x1 | | | | | | |
| BB1268 | Flint | C | 0.20 | Lt grey | Pebble | N | Flake | Utilised piece | | 3.3x2.5x1.4 | Direct retouch along LH edge.Thick flake with cortex on dorsal face at proximal end | Direct | | Yes | | |
| BB1269 | Flint | C | 0.50 | Lt grey | Pebble | N | Fragment | Core fragment | | 2.5x2.8x1.5 | Fragment (cortical piece)of core with pebble cortex | | | | | |
| BB1270 | Flint | C | 0.10 | Ltt grey | Nodular | N | Fragment | Core fragment | Core rejuvenation piece | 2.5x3x2 | Core rejuvenation piece | | | | | |
| BB1271 | Flint | C | 0.30 | Lt grey | Pebble | N | Fragment | Core | Bladelet core | | | | | | | |
| BB1272 | Flint | C | 0.50 | Lt grey | Nodular | N | Fragment | Core fragment | 2 platform core | 4x2.8x2 | Core fragment. 2 platforms. Iron stained cortex | | | | | |
| BB1273 | Flint | C | 0.01 | Lt grey | Pebble | N | Fragment | Core fragment | Cone | 4x4x3 | Cone with flake removals | | | | | |
| BB1274 | Flint | C | 0.40 | Honey + inclusions | Nodular | Patinated | Core | Bladelet core | Single platform core | 4x3.3x2.8 | Complete core with single platform with some retouch at distal sharp edge. Possibly reused as scraper | Invasive | | | | |
| BB1275 | Flint | C | 0.50 | Honey | Nodular | Patinated | Core | Core reused as scraper | | 3x4x2 | Triangular shaped core with cortex over 50% of dorsal surface. Evidence of bladelet removal. Slight patination on ventral face. Abrupt retouch around platform to form scraping edge. | Abrupt | Yes | | | |

| | | | | | | | | | | | | | | | | |
|----------|-------|---|------|------------------------------------|---------|--------------------|---------------|-----------------------------|-----------------------------------|-------------|--|----------|-----|--|--|--|
| BB1275A | Flint | C | 0.40 | Lt grey | Pebble | | Core | Bladelet core | 2 platforms | 2.8x2.5x1.5 | Oval bladelet core | | | | | |
| BB1276 | Flint | C | 0.25 | Lt grey | Pebble | | Flake | Core prep ad trimming flake | Core prep flake with use wear | 3,5x2.3x1.0 | Oval shaped flake with cortex along LH edge. Invasive retouch along RH edge dorsal and LH edge ventral to form scraping/cutting edge | Invasive | Yes | | | |
| BB1276A | Flint | C | 0.40 | Lt grey/yellow | Nodular | N | Core | | | 4x3x2 | Nodular piece with thick cortex. Platform. Evidence of bladelet removal. Inclusions. Yellow staining | | | | | |
| BB1277 | Flint | C | 0.01 | White | Nodular | | Core | Bladelet core | 2 platform core | 3.5x3.5x3 | | | | | | |
| BB1278 | Flint | C | 0.10 | Grey | Pebble | | Core fragment | Core fragment | Core rejuvenation piece | 3x2x2 | Pointed end of core | | | | | |
| BB1279 | Flint | C | 0.50 | Honey | Nodular | Patinated | Core | Core | Bladelet core with retouch | 3x3.5x2 | Complete small bladelet core with (single platform) 50% of surface in cortex., wide part narrowing to knife like edge with retouch on both faces to form cutting edge. Platform still evident. Some patination | | | | | |
| BB1280 | Flint | C | 0.20 | L grey | Nodular | | Core | Bladelet core | | | | | | | | |
| BB1281 | Chert | C | 0.40 | Honey | Nodular | Patinated | Flake | Core | Core reused as tool (end scraper) | 4.2x3x1.5 | Thick flake with cortex. Cone of percussion visible at distal end of ventral face. Negative scars along length of dorsal face towards distal end. Proximal end with direct retouch for scraping edge. Use wear | | Yes | | | |
| BB12281A | Flint | C | 0.40 | White | Pebble | | Core | Multi platformed core | | 3x2.5x1.5 | Half pebble with cortex over 45 % dorsal face. Flake removal from visible platform | | | | | |
| BB1282 | Flint | C | 0.25 | Lt grey | Nodular | Burned | Core | Bladelet core | Opposing platforms | 3.1x2.4x2 | Tiny complete core with opposing platforms at distal and proximal end | | | | | |
| BB1282A | Flint | C | 0.40 | Lt pink/white + dk grey inclusions | Nodular | Burned + patinated | Core | | | 5.8x4x2.2 | Thick rectangular flake with cortex over 40% dorsal face, Lt pink with grey inclusions. White patination over parts of dorsal face. Burned. Frost fractures on ventral face. | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|-----|------|---------------------------------|---------|-----------|-----------|---------------------|------------------------|-------------|--|----------------------|---|--|--|---|
| BB1283 | Chert | C | 0.20 | Honey | Nodular | Patinated | Core | Bladelet core | Right angled platforms | | Small core with cortex at distal end by platform. Patinated. 2 directions of striking | | | | | |
| BB1284 | Flint | C | 0.50 | Honey | Nodular | Patinated | Flake | Bladelet core | | 5.7x2.3x1.2 | Thick flake with thick cortex on dorsal face (50%) and around edge of ventral face. Some bladelet removal. | | | | | |
| BB1284A | Flint | N | | Pink | | Burned | Core | Bladelet core | Single platform core | 2.5x2.5x2 | Small complete core. Single platform. Burned | | | | | |
| BB1285 | Chert | C | 0.05 | Honey/black | Pebble | Burned | Fragment | Core fragment | | 3.0x3.5x2 | Burned core fragment | | | | | |
| BB1286 | Flint | C | 0.30 | L grey | Nodular | N | Core | Core damaged | | 3.8x4x3 | 2 platform core (damaged) | | | | | |
| BB1287 | Flint | C | 0.30 | Lt brown | Nodular | Patinated | Core | Core | | 4.4x3.5x2.2 | Multi directional core | | | | | |
| BB1288 | Flint | N | 0.30 | Lt grey + yellow stained cortex | Nodular | N | Core frag | | | | Core fragment | | | | | |
| BB1288A | Flint | C | 0.10 | Pink with red line under cortex | Nodular | N | Flake | Core | Bladelet | | Single platform bladelet core made on thick flake. Dark red line under cortex and one red inclusion. White spot inclusions | | | | | |
| BB1289 | Flint | N/C | | Yellow brown | | N | Flake | Blade | | 4.4x1.8 | Blade | | | | | |
| BB1289A | Flint | C | 0.50 | Grey | Pebble | N | Flake | Core prep flake | | 3.5x3x1 | Thick flake with cortex covering all of dorsal face. Grey lustrous flint | | | | | |
| BB1290 | Flint | N/C | | Lt grey | | N | Flake | Piercer | | 2.5x1.5 | Small piercing tool made on bulb of broken flake. Abrupt retouch both sides of LH end to form point | Abrupt | Y | | | |
| BB1291 | Flint | N/C | | Mid grey | | N | Flake | Notched flake | | 2 x 1.5 | Notched flake - on bladelet snapped in antiquity. | Abrupt & semi abrupt | Y | | | |
| BB1292 | Flint | N | 0.50 | Lt brown | Nodular | N | Flake | Cortical flake | | 5 x 3.5 | Primary flake . All of dorsal face cortex. Evidence of bulb | | | | | |
| BB1293 | Flint | | | White/lit brown | | N | Flake | Bladelet | | 2 x 1.2 | Some invasive retouch on ventral face RH edge | | Y | | | |
| BB1294 | Chert | | 0.05 | Lt grey + white inclusions | | | Flake | Blade with use wear | | 5 x 1.8 | Long pointed blade with curved ventral face. Serrations along RH edge. Use wear | | | | | Y |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|---------------|---------|---|----------|---------------------|-------------------------|-------------|--|--------|---|---|--|--|--|
| BB1295 | Flint | | | Dk grey | | | Flake | Bladelet broken | | 1.5 x 0.9 | Tiny bladelet butt with retouch upper LH edge near distal end. | Abrupt | Y | | | | |
| BB1296 | Flint | N | | Lt brown | | N | Flake | Blade with retouch | | 2 x 1. | Blade with retouch - bulb/conch rings | Abrupt | | | | | |
| BB1297 | Flint | | 0.25 | Lt grey | | N | Flake | Flake with use wear | | 2 x 2 | Flake with abrupt retouch around rounded edge. Cortex smooth (for holding). | Abrupt | | | | | |
| BB1298 | Flint | | | Grey | | N | Flake | Blade broken | | 2 x 1.2 | Broken blade. Small amt cortex dorsal face at proximal end | | Y | | | | |
| BB1299 | Flint | | | Lt grey/white | | N | Flake | Core trimming flake | | 2 x 2 x 1 | Thick core trimming flake - no retouch | | | | | | |
| BB12100 | Flint | C | | Lt grey | Nodular | N | Flake | Scraper | End scraper | 3.7x3.8 | Cortex covering complete dorsal face. Bulb at proximal end ventral face. Fine retouch along thick distal wide edge and around LH end to form scraping edge | Abrupt | N | | | | |
| BB12101 | Flint | | 0.50 | White | | | Flake | Blade | Blade with use wear | 4.4 x 1.6 | Blade with use wear. Very thin with small amt cortex bottom right of butt | | N | Y | | | |
| BB12102 | Flint | C | 0.10 | Lt honey | | N | Flake | Denticulate flake | Microdenticulate | 2.5 x 2 | Wide squat flake with straight butt with cortex. Abrupt retouch around rounded edge with slight notch on RH side and microdenticulate retouch on upper RH edge | Abrupt | N | Y | | | |
| BB12103 | Flint | C | 0.50 | Lt grey | Pebble | N | Fragment | Core prep | Core prep with use wear | 3x2x2 | Some retouch around edge of smooth ventral face - possibly used as tool | | | Y | | | |
| BB12104 | Flint | N | | Mid grey | | N | Flake | Blade | Microdenticulate | 3.5x1.5x0.5 | Narrow bladelet with serrated LH edge | | | N | | | |
| BB12105 | Flint | C | 0.10 | Pink | Nodular | N | Flake | Blade | Microdenticulate | 3.5x1.2x0.5 | Curved bladelet with cortex backing. Fine retouch around curved edge | | | Y | | | |
| BB12106 | Flint | C | 0.05 | Pink | Nodular | N | Flake | Blade | Microdenticulate | 3.8x1.5 | Triangular in section, long narrow blade with cortex at butt end dorsal. Fine retouch along RH edge. Abrupt . Retouch along LH edge and at nose. | | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|----|------|--|---------|---|-------|----------------------|----------------------|-------------|--|----------|---|---|--|---|
| BB12107 | Chert | N | | Dk yellow/orange with white inclusions | | | Flake | Bladelet | Piercer | 3.4x0.8 | Narrow bladelet with triangular cross section. Central ridge up to curved distal point. With a little use wear | Y | | | | |
| BB12108 | Flint | N | | Lt grey | | N | Flake | Bladelet broken | Microdenticulate | 1.8x1.3 | Thin blade broken across width. Bulb on ventral face. V.fine serration along LH edge. | Y | | | | |
| BB12109 | Flint | C | 0.01 | Honey | Nodular | N | Flake | Blade | | 3.5x1.6x0.5 | Invasive retouch around edges dorsal face and around proximal point. Bulb evident ventral face | Invasive | | | | |
| BB12110 | Flint | C | 0.10 | Dk honey | Nodular | N | Flake | Core prep flake | Scraper (side) | 3.6x2.6x1 | Thick flake with cortex at distal edge dorsal face. Retouch along RH edge to form scraping edge | Abrupt | | | | |
| BB12111 | Flint | C | 0.01 | Honey | Nodular | N | Flake | Flake with retouch | | 3x1.7x0.5 | Flake with retouch | Abrupt | | | | |
| BB12112 | Flint | C | .10 | Lt honey | Nodular | N | Flake | Notched flake | | 3.5x1.7x0.5 | Fine retouch along RH edge plus notch RH edge | | | | | |
| BB12113 | Flint | NC | | Lt grey | | N | Flake | | Awl | 3x1.5x0.4 | Flake with bulb/conch rings on ventral face. Evidence of platform at butt end . Abrupt retouch around RH edge to form sharp edge up to distal point. | Abrupt | | | | |
| BB12114 | Flint | NC | | Dk brown | | | Flake | Blade (broken) | Denticulate | 3x1.5x0.3 | Point of blade -broken across width. Abrupt retouch around all edges to form serrations. Use wear. | Abrupt | Y | Y | | |
| BB12115 | Flint | NC | | Orange | | N | Flake | Core prep & trimming | | 2x0,.8 | Thick flake with triangular section. Core prep | | | | | |
| BB12116 | Flint | NC | | Pink/white | | N | Flake | Notched blade | | 1.7x1.2 | Blade broken across width distal and proximal ends. Invasive retouch along RH edge dorsal. | Invasive | Y | | | |
| BB12117 | Flint | C | 0.20 | Lt grey/blue | Nodular | N | Flake | Scraper | Side and end scraper | 2.4x2.2x0.6 | Small side and end scraper with cortex backing for hand holding. Abrupt retouch around LH edge and distal edge | Abrupt | | | | |
| BB12118 | Flint | NC | | Lt grey | | N | Flake | Blade - serrated | | 3.2x1.5x0.3 | Blade with abrupt retouch along RH edge with small notch. Broken tip with use wear | | | | | Y |

| | | | | | | | | | | | | | | | | |
|---------|-------|----|------|---------|---------|-----------|-------|-------------------------------|---------------|--------------|--|------------------------|---|--|--|--|
| BB12119 | Chert | NC | | Lt grey | | N | Flake | Broken blade with use wear | | 1.8x1.4 | Broken blade with retouch LH edge up to distal point. Use wear | Abrupt | Y | | | |
| BB12120 | Flint | NC | | Dk grey | | N | Flake | Bifacially worked Flake point | | 1.8x1.6 | Flake point with retouch along LH and RH edge up to distal point (dorsal) and bottom 50% of RH edge ventral. | Abrupt | Y | | | |
| BB12121 | Flint | NC | | Cream | | N | Flake | Point | | 2.1x1.6 | Flake point with retouch along LH edge (invasive) dorsal up to distal point and abrupt retouch at top RH edge of point | Invasive and abrupt | | | | |
| BB12122 | Flint | C | 0.50 | Lt grey | Pebble | N | Flake | Primary flake | Rough scraper | 3.5x2.5x1 | Oval flake, broken across one end (possibly to use as cutting edge). Use wear. (smooth at holding bottom edge on cortex and abrupt retouch along distal edge for scraping. Possible residual charcoal. | Abrupt | Y | | | |
| BB12123 | Flint | NC | | Honey | | | | Broken flake | | | Flake with evidence of platform. Patinated both sides. Broken in 2 places | | Y | | | |
| BB12124 | Flint | NC | | Lt grey | | | Flake | Piercer | | 1.8x1.6x0.3 | Thin D shaped flake . Abrupt and semi abrupt retouch round edges to form sharp point | Abrupt and semi abrupt | | | | |
| BB12125 | Flint | C | 0.01 | Honey | Nodular | Patinated | Flake | Blade Bifacial retouch | | 3.2x1.4 x0.5 | Long blade with cortex at butt end. Abrupt and semi abrupt retouch along RH and LH edges up to distal end (broken in antiquity).. Abrupt retouch also on ventral face. | Abrupt and semi abrupt | Y | | | |
| BB12126 | Flint | C | 0.01 | Lt grey | Pebble | N | Flake | Primary flake | End scraper | 3.5x2.1x0.5 | Oval primary flake of cortex. Distal end with abrupt retouch to form cutting edge - possible abrupt retouch also at proximal end. Rough scraper | Abrupt | | | | |
| BB12127 | Flint | C | 0.05 | Lt pink | Nodular | N | Flake | Core prep | Side scraper | 2.8x2x0.5 | Thick flake at butt end, with cortex. RH upper edge curved and abrupt retouch to form scraping edge | Abrupt | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------------|---------|-----------|-------|---------------------------|----------------------------------|-------------|--|----------|---|--|--|--|
| BB12128 | Flint | C | 0.05 | Black | Pebble | N | Flake | | End and side scraper | 2x1.5x0.3 | Small oval flake with cortex at distal end of dorsal face. Invasive retouch at distal end and along RH edge of ventral face. | Invasive | | | | |
| BB12129 | Flint | N | | Lt grey/yellow | | N | Flake | Core prep/trimming | | 3x1.7x1 | Core prep and trimming flake | | | | | |
| BB12130 | Flint | C | 0.50 | Yellow | Nodular | N | Flake | Primary flake | End scraper | 5x2x1 | Long flake with cortex over 99% of dorsal face Narrow butt, wider distal end with abrupt retouch at distal edge to form scraping surface. | | | | | |
| BB12131 | Flint | C | | Lt grey | | N | Flake | Broken flake (microburin) | | 1.5x1.2x0.3 | Small broken flake. Burin | | Y | | | |
| BB12132 | Flint | C | 0.01 | Lt grey | | Patinated | Flake | Broken flake | Core rejuvenation | 3x2.5x1.2 | Thick flake with tiny amt of cortex. Core rejuvenation piece | | Y | | | |
| BB12133 | Flint | N | | Dk grey | | | Flake | Bladelet broken | Microlith | 1.3x1.0.2 | Microlith. Mesolithic. Broken bladelet. Abrupt retouch along LH edge | Abrupt | Y | | | |
| BB12134 | Flint | C | 0.25 | Black | Pebble | N | Flake | Scraper | Side and end (horseshoe) scraper | 2.5x1.6x0.8 | Oval shaped flake with cortex on left side of dorsal face up to 75% of length. Fine abrupt retouch around distal edge and along RH side of flake to form end and side scraper. | | | | | |
| BB12135 | Flint | N | | Lt grey | | N | Flake | Bladelet | | 3.5x1x0.3 | Long, narrow thin bladelet with very fine retouch along LH edge and across distal point. | | | | | |
| BB12136 | Flint | C | 0.04 | White | Pebble | N | Core | Broken core | Multi directional | 3x3x2.5 | Broken core with small amt cortex | | Y | | | |
| BB12137 | Flint | N | | White | | | Flake | Bladelet | Microlith. Denticulate | 1.7x0.8x0.2 | Late Mesolithic. Rod shaped microlith. Steep retouch, backed. | Abrupt | Y | | | |
| BB12138 | Flint | C | 0.05 | Lt honey | Pebble | N | Flake | Serrated flake | Microdenticulate | 1.3x1.5x0.5 | Small flake with light cortex at distal end of dorsal face. V.fine serrations along LH edge. Abrupt retouch along RH edge dorsal face | Abrupt | | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|--|---------|-----------|------------------|--------------------------------|----------------------|-------------|---|---------------------|---|---|--|--|--|
| BB12139 | Flint | N | | Red | | N | Notched Flake | Notched flake with use wear | | 2.7x1.4x0.7 | Long oval narrow flake with notch 45% up RH edge dorsal face.Red. Central ridge along length dorsal face. Abrupt retouch around distal point and along LH edge LH side. | Abrupt | | Y | | | |
| BB12140 | Flint | C | 0.45 | Honey | Nodular | N | Core fragment | Core fragment with use wear | Awl | 4x2.2x1.5 | Core fragment (broken in antiquity) with natural hole and cortex through flake. Invasive retouch along 3 edges of point to form tool, possible awl. | Invasive | Y | Y | | | |
| BB12141 | Flint | C | 0.05 | Honey | | N | Flake | Blade | Microdentic ulate | 3.2x1.2x0.6 | Curved narrow blade with small amt cortex along top 50% of LH edge dorsal.V.fine serrations along RH edge | Abrupt | | | | | |
| BB12142 | Flint | | | White | | N | Flake | Bladelet broken | Microlith | 1x1x0.3 | Distal tip of bladelet | | Y | | | | |
| BB12143 | Flint | | | White | | N | Flake | Notched flake | | .22x1.5x0.5 | Triangular shaped point with retouch along LH curved edge and notch in LH edge of ventral face. | Abrupt | | | | | |
| BB12144 | Flint | C | 0.15 | Orange | Pebble | Patinated | Flake | Serrated /notched flake | | 2.1x1.3 | Flake with slight notch in RH edge dorsal face Serrations along LH edge dorsal face. | Abrupt | | | | | |
| BB12145 | Flint | C | 0.45 | Yellow | Pebble | Patinated | Flake | Serrated flake | Micro scraper | 2.7x1.8x0.4 | Oval primary flake with cortex covering most of dorsal face. Removal scar on ventral face. Bulb on ventral face. Abrupt retouch around edges to form scraper | Abrupt | | | | | |
| BB12146 | Flint | | | Grey | | | Flake broken | Serrated flake broken | | | Butt of flake with serrations along LH edge | Abrupt | Y | | | | |
| BB12147 | Flint | | | Dk grey spotty; white inclusions | | N | Flake | Flake with retouch | | 3.5x1.9x1 | Thick flake point with possible retouch at distal point | | | | | | |
| BB12148 | Flint | | | Lt honey | | Patinated | Flake | Serrated/notc hed Blade | Microdentic ulate | 3.4x1.5x0.7 | Thick blade with 2 notches, LH and RH side. Fine serrations around edges . Abrupt retouch to form notch from dorsal face RH edge. Invasive retouch from ventral face RH edge | Abrupt/inv asive | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------|--|-------|--------------|------------------------------|---------------------------|-------------|--|-------------|---|---|--|--|
| BB12149 | Flint | C | 0.05 | Lt grey | | Burnt | Flake | Core trimming blade | | 3x1.9x1 | Thick flake with platform evident. Small hollow cortex on ventral face. Completely burnt surface | | | | | |
| BB12150 | Flint | | | Black | | | Flake | Notched/serrated flake | | 3x2x0.4 | Flake with thick butt. Fine serrations along top LH edge dorsal face. Square notch in lower LH edge dorsal face. Abrupt retouch around edges | | | | | |
| BB12151 | Flint | | | White | | | Flake | Serrated flake | Piercer? | 3.2x1.8x0.5 | Flake with fine serrations around edges up to tiny point. Possible piercer. Weatherworn. | | | | | |
| BB12152 | Flint | | | Lt brown | | | Flake broken | Serrated flake | | | Piece of broken serrated flake | Semi abrupt | Y | | | |
| BB12153 | Flint | | | Black | | | Flake | Notched Flake with retouch | | 2x1.5x0.3 | Flake with abrupt retouch around edges except for semi-abrupt retouch on RH edge dorsal face to form notch | Abrupt | | | | |
| BB12154 | Chert | C | 0.20 | Honey | | | Flake | Serrated flake, broken blade | Blade | 2.5x2.1x0.5 | Butt end of broken blade with cortex along LH side of dorsal face up to break, across width. Fine retouch along RH edge dorsal face | Abrupt | Y | | | |
| BB12155 | Flint | | | White | | | Flake | Serrated/notched flake | | 2.3x1.5x0.4 | Leaf shaped point with slight notch in RH edge dorsal face. Fine serrations around edges up to point from dorsal and ventral face | Abrupt | | | | |
| BB12156 | Flint | C | 0.10 | White | | | Flake | Broken blade with use wear | End scraper | 2x1.4x0.4 | End scraper made on broken blade. Invasive retouch along distal break, then abrupt retouch on cutting edge of break to form scraping edge. Invasive retouch from ventral face bottom LH edge possibly for hafting. | Invasive | Y | Y | | |
| BB12157 | Flint | | | White | | | Flake | Serrated flake | Piercer. Microdenticulate | 3.3x2.1x0.5 | Wide flat flake with shoulders tapering up to sharp point. Fine serrations along RH edge dorsal side up to RH side of distal point. Retouch from ventral face up to distal point | Abrupt | | | | |
| BB12158 | Flint | C | 0.05 | Lt grey | | | Flake | Serrated flake | End scraper | 2x1.5x0.7 | Thick flake with cortex at butt end dorsal face. Fine serrations along distal end. Probable scraper | Abrupt | | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|--------------------------------------|---------|----------------|----------------|-----------------------------|--|-------------|---|----------------|---|--|--|--|--|
| BB12159 | Flint | | | Lt grey | | | Flake broken | Serrated /notchedflake | Blade | 2x1.5x0.4 | Broken flake with notch RH edge dorsal face. Fine serrations along LH edge dorsal | Abrupt | Y | | | | |
| BB12160 | Flint | | | Lt grey/black | | | Flake | Serrated /notched bladelet | Microlith (backed) Microdenticulate | 1.5x0.6 | Narrow bladelet with curved RH edge dorsal. V fine serrations along RH edge dorsal. Notched at lower RH edge close to butt (possibly for hafting). Long straight LH edge straight and abruptly retouched to form backed edge. Mesolithic knife blade/cutting tool | Abrupt | | | | | |
| BB12161 | Flint | | | Honey | | Patinated 100% | Flake | Serrated flake | Microlith | 1.5x1.3x0.4 | Squarish flake with evidence of bulb at butt end ventral. Abrupt retouch around edges, forming point at distal end RH side. Possible piercer. Mesolithic | Abrupt | | | | | |
| BB12162 | Flint | | | Dk grey spotty with white inclusions | | | Flake (broken) | Serrated flake | | 2x1.8x0.4 | Triangular shaped piece with one end broken off. Edges retouched abruptly. Frost fracturing on dorsal face. Flake with heavy use wear | Abrupt | | | | | |
| BB12163 | Flint | | | Honey | | | Flake | Serrated /notched flake | Notched Blade | 3x1.5x0.5 | Narrow blade with serrations (abrupt) along RH edge and around distal end ventral face, 2 notches in LH edge, cut from ventral face (inverse) | Abrupt/inverse | | | | | |
| BB12164 | Flint | | | Lt grey | | Burnt | Flake (broken) | | | 1.8x2x1.0 | Thick broken flake with one polished surface (dorsal). | | y | | | | |
| BB12165 | Flint | | | Mid grey | | | Flake (broken) | Serrated flake Denticulate. | End/side scraper - both sides (broken) | 2.2x1.5x0.5 | Thick flake broken across width. Abrupt retouch (denticulation) round remaining edges. End/side scraper | Abrupt | Y | | | | |
| BB12166 | Flint | C | 0.05 | Honey | Nodular | Patinated | Flake | Serrated flake | End/side scraper | 3x1.6x0.5 | Thick flake with small amt cortex at butt end. Patinated white both faces. Heavy steep retouch along distal edge. Slight abrupt retouch RH edge dorsal face. Scraper | Abrupt | Y | | | | |

| | | | | | | | | | | | | | | | | |
|----------|-------|---|------|------------|---------|-----------|----------------|----------------------------|--------------------------------|-------------|---|------------------------|---|--|--|--|
| BB12167 | Flint | C | 0.01 | Honey | Nodular | | Flake | Flake with retouch | End and side scraper | 2.7x2.2x1.0 | Kite shaped thick flake with narrow butt. Small amt cortex at butt. Abrupt/semi abrupt retouch along LH edge dorsal face. Invasive retouch lower RH edge dorsal face. | Abrupt and semi abrupt | | | | |
| BB12168 | Flint | C | 0.25 | Lt grey | Pebble | | Flake | Blade (broken) | | 2.3x1.40.4 | Blade (broken across width) with cortex at butt end and along RH edge dorsal face. | | Y | | | |
| BB12168A | Flint | | | Pinky grey | | | Serrated flake | Microburin | Microlith | 1.9x1.2 | Bladelet with upper RH corner distal end missing. Abrupt retouch around all edges dorsal | Abrupt | Y | | | |
| BB12169 | Flint | C | 0.10 | Honey | Nodular | | Flake | Serrated blade | Microdenticate | 2.6x1.5x0.5 | Sharp point with cortex along LH lower edge. Long distal edge with v fine serrations | | | | | |
| BB12170 | Flint | | | Lt grey | | | Flake | Bladelet (broken) | Microlith | 1.9x0.9x0.3 | Butt end of bladelet, snapped across width. Abrupt retouch along LH edge dorsal and around distal point and down RH edge | Abrupt | Y | | | |
| BB12171 | Flint | | | Lt grey | | | Flake | Notched flake | Bladelet (broken) Microlith | 1.2 | Bladelet with direct retouch along RH edge dorsal face. Small notch in LH lower corner. Bulb present at butt end. Microburin | Abrupt | Y | | | |
| BB12172 | Flint | C | 0.15 | Honey | Nodular | Patinated | Core fragment | Core Rejuvenation fragment | Side scraper | 4x3x2.8 | Thick flake/fragment with evidence of bulb on ventral face. V fine serrations along long LH edge to form scraper | | Y | | | |
| BB12173 | Flint | C | 0.10 | Lt grey | Nodular | | Core fragment | | Side and end scraper | 4.5x3.8x2.1 | Triangular shaped thick flake with invasive retouch along long cutting edge. Retouch around 2 points. Rough scraper | Invasive | Y | | | |
| BB12174 | Flint | | | White | | | Flake | Serrated flake | Point | .5x1.5x0.5 | Flake point triangular in shape with serrations along both left and right hand edges. | Abrupt | | | | |
| BB12175 | Flint | | | White | | | Flake | Serrated flake (broken) | Broken point | 1.8x1.6x0.4 | Flake with fine serrations around edges. Bulb on ventral face at butt end. Distal point broken off | | Y | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-----------|---------|-----------|----------------|-------------------------------|------------------------------------|-------------|---|---------------------|---|--|--|--|--|
| BB12176 | Flint | | | Lt grey | | | Flake | Serrated flake blade (broken) | Microdenticate | 2.3x1.8x0.3 | Blade broken across distal end. V.fine serrations top LH edge dorsal and bottom RH edge dorsal | Abrupt | Y | | | | |
| BB12177 | Flint | | | White | | | Flake | Notched flake point | Microlith with backing | 2.5x1.3x0.3 | Leaf shaped sharp point with direct retouch around all edges up to distal point. Slight notch lower LH edge near butt | Abrupt | | | | | |
| BB12178 | Flint | | | Mid grey | | | Flake | Serrated flake | Bladelet (broken) Microburin | 1.7x1.2x0.2 | Distal end of microburin, broken across width. Invasive retouch on ventral face RH edge. Abrupt retouch along RH edge dorsal to form serrations | Abrupt and invasive | Y | | | | |
| BB12179 | Flint | | | White | | | Flake | Serrated bladelet (broken) | Microdenticate | 1.5x0.8x0.2 | Narrow bladelet broken across width at distal end. Serrated LH edge dorsal created by tiny abrupt retouch. Mesolithic | Abrupt | Y | | | | |
| BB12180 | Flint | | | Lt grey | | | Flake | Serrated flake (broken) | Blade Point | 2x1.1x3 | Flake point with abrupt retouch around all edges and distal point. Broken across width at proximal end | Abrupt | Y | | | | |
| BB12181 | Flint | | | Pink | | | Flake | Flake broken | Bladelet mesial segment. Microlith | 1.2x1.4 | 4 sided mesial segment of bladelet snapped across proximal end. Direct retouch around 4 edges up to distal point | Abrupt | Y | | | | |
| BB12182 | Chert | C | 0.05 | Red | Nodular | Patinated | Flake | Blade with retouch | | 3.3x1.0x0.5 | Curved blade with cortex at lower RH edge dorsal. Translucent piece with red line running along length under cortex. Small amt retouch at distal end | Abrupt | | | | | |
| BB12183 | Flint | C | 0.20 | Lt grey | Pebble | | Flake (broken) | Blade (broken)with retouch | Saw blade | 2.3x1.5x0.4 | Blade (broken across width at distal end) with cortex along LH edge dorsal. Direct/abrupt retouch along RH edge dorsal and LH edge ventral to form saw-like blade | Abrupt | Y | | | | |
| BB12184 | Chert | | | Blue/grey | | | Flake (broken) | Blade (broken) | Blade w. Retouch | 2.2x1.4x0.5 | Blade with bulb. Snapped across distal end. Waterworn/burned. Retouch along LH lower edge dorsal. | | Y | | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-----------|---------|-----------|----------------|----------------------------|--------------------------------|-------------|--|-------------|---|--|--|--|--|
| BB12185 | Flint | C | 0.50 | mid grey | Pebble | | Flake | Primary flake with retouch | Scraper (side and end scraper) | 4.5x3.5x1.0 | Primary flake with dorsal face covered in cortex with red iron stain central. Hard hammer struck with hinge at distal end. Abrupt retouch RH and LH edge dorsal face. Use wear along hinge fracture at distal end. Scraper | Abrupt | Y | | | | |
| BB12186 | Flint | | | mid grey | | | Flake (broken) | serrated flake | Microdenticulate | 2x1.4x0.3 | Blade snapped across width at distal end. Fine serrations along edges | Abrupt | Y | | | | |
| BB12187 | Flint | C | 0.05 | honey | Nodular | | Flake | Serrated/notched flake | | 3.1x2.8x0.9 | Thick broad flake with small amt cortex at butt. Large notch in lower LH edge dorsal face. RH edge with sharp serrations caused by semi abrupt retouch on ventral face | Semi abrupt | | | | | |
| BB12188 | Flint | | | Lt grey | | | Flake (broken) | Serrated flake (broken) | Blade | 2x1.7x0.2 | Proximal end of blade with bulb. Serrations along both edges | | Y | | | | |
| BB12189 | Flint | | | Lt grey | | | Flake | Serrated Blade | | 2.4x1.5x0.3 | Very thin, flat blade, wide at proximal end, narrowing up to distal point with notch lower RH edge (for hafting?) V.fine retouch RH edge distal end of point. | | | | | | |
| BB12190 | Flint | C | 0.05 | Red/brown | Nodular | Patinated | Fragment | Core fragment | Core | 3.4x1.8x1.3 | Core fragment - reused as core | | | | | | |
| BB12191 | Flint | | | White | | | Flake | Serrated blade | | 2.5x1.2 | Curved blade with fine retouch around all edges from dorsal and ventral face | Abrupt | | | | | |
| BB12192 | Flint | C | 0.25 | Lt grey | Pebble | | Flake | Blade | | 2.7x1.2x0.3 | Blade with small amt.direct retouch on RH edge dorsal. Bulb scar evident on ventral face | Abrupt | | | | | |
| BB12193 | Flint | | | Lt grey | | | Flake | Blade | Blade with retouch | 4x1.2x0.5 | Long blade with invasive retouch along RH edge up to distal point. Triangular in section. Curved profile | Invasive | | | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-------------------------------|---------|-----------|-------------------------|---------------------------------------|-------------------|-------------|---|-------------|---|--|--|--|--|
| BB12194 | Flint | | | Black | | | Flake (broken) | Flake with retouch | | 2.1x1.5 | Flake broken across width. Semi abrupt retouch along curved edge and bulb scar on ventral face | Semi abrupt | Y | | | | |
| BB12195 | Flint | C | 0.01 | Orange | | | Flake | Flake with retouch | Microlith | 1.5x1.3 | Tiny flake point with thin cortex at butt of LH edge. Abrupt retouch along both edges dorsal face. Microlith. | Abrupt | | | | | |
| BB12196 | Flint | C | 0.20 | Honey | Nodular | | Flake | Scraper | End/ side scraper | 1.8x1.5x0.4 | Side/end scraper (left side)with cortex along RH edge and across top 50% of dorsal face. | | | | | | |
| BB12197 | Flint | | | Brown | | | Flake (broken) | Broken flake with retouch | | 1.2x1.1 | Broken flake with light retouch along RH edge dorsal | | Y | | | | |
| BB12198 | Flint | C | 0.25 | Honey | Nodular | Patinated | Flake | Scraper | End/side scraper | 3.6x2.6x1.2 | Thick scraper with cortex across 50% of dorsal face. Retouch at distal end and along top 50% of LH side dorsal, Invasive retouch from ventral face. | Invasive | | | | | |
| BB12199 | Flint | | | Lt grey | | | Flake | Microdenticulate | | 1.7x1.1x0.3 | Tiny flake point - triangular shape. Tiny serrations around edges up to distal point. | | | | | | |
| BB12200 | Flint | C | 0.01 | Dk grey/spotted | Nodular | | Flake(broken) | Notched Blade (broken) | Denticulate | 2.9x1.8 | Blade, broken across width at distal end. Cortex at bottom across butt, dorsal face. Small notch on LH edge. Direct retouch along LH edge dorsal face to make serrations. | Abrupt | Y | | | | |
| BB12201 | Flint | | | Lt grey | | | Flake | Microdenticulate | | 2x1.8x0.5 | Circular flake with tiny serrations around 75% of edge dorsal face. Microdenticulate | Abrupt | | | | | |
| BB12202 | Chert | | | Grey | | | Notched Flake | Bladelet (notched) | Microdenticulate | 2x1.1x3 | Blade with 2 notches (waisted). Light serrations along edges | Abrupt | | | | | |
| BB12203 | Flint | | | Lt grey | | | Flake | Serrated bladelet (broken) | Microdenticulate | 1.7x1.1x0.3 | Blade (broken across width) with tiny serrations along RH edge. | Abrupt | Y | | | | |
| BB12204 | Flint | | | Mid grey with yellow staining | | | Flake (broken) | Notched Blade (broken) | | 1.9x1.9 | Wide flake broken across width. Notch bottom RH edge of dorsal face. | Abrupt | Y | | | | |
| BB12205 | Flint | C | 0.05 | Lt grey | | | Flake with central hole | Flake point (core rejuvenation flake) | microdenticulate | 3.5x2.5x1 | Triangular leaf shaped point with central hole through flint, lined with cortex.Thick butt. | Abrupt | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|---------------------------|---------|-----------|-----------------|-------------------------|--------------------------|-------------|--|-------------|---|---|--|--|
| BB12206 | Flint | | | Lt grey | | | Flake (damaged) | Serrated Flake point | Microdenticate | 2.8x2x0.9 | Thick flake with damaged point. Triangular cross section. Tiny serrations around edges (microdenticate) | Abrupt | | | | |
| BB12207 | Flint | | | Lt grey | | | Flake | Bladelet serrated | Microdenticate | 1.7x0.9x0.2 | Narrow bladelet with tiny serrations along both edges. Microdenticate | Abrupt | | | | |
| BB12208 | Flint | | | White | | | Flake | Blade (broken) | blade (broken) | 2.2x1.2 | Blade with serrations along RH edge. LH edge broken across width | | Y | | | |
| BB12209 | Flint | | | Honey/cream | | | Flake (broken) | Blade (broken) | Blade segment | 1.7x1.2 | Segment of blade with retouch along RH edge | Abrupt | Y | | | |
| BB12210 | Flint | | | White | | | Flake | Serrated flake point | Microdenticate | 1.2x0.8 | Tiny flake point with denticulation around all edges | Abrupt | | | | |
| BB12211 | Flint | | | Pink | | | Flake | Serrated flake point | Microdenticate | 1.5x0.9 | Tiny flake point with denticulation around all edges | Abrupt | | | | |
| BB12212 | Flint | | | Honey | | Patinated | Flake | Blade (broken) | Serrated blade (waisted) | 2.5x1.5 | Blade broken across both proximal and distal ends. Retouch along LH edge. "Waisting" bottom LH edge | Abrupt | Y | | | |
| BB12213 | Flint | C | 0.05 | Honey | Nodular | | Flake | Scraper | End Scraper | 3.7x2.0x0.8 | Thick flake broken in antiquity, retouch at distal end and smooth end opposite end. Possible use wear | Abrupt | Y | Y | | |
| BB12214 | Flint | | | White | | | Flake | Serrated blade | Microdenticate | 2.5x1.2 | Curved blade with v.fine serrations along RH edge dorsal face and abrupt retouch long RH edge (inner curve) of ventral face | Abrupt | | | | |
| BB12215 | Flint | C | 0.01 | White | | | Flake | Serrated Blade | Point | 2.8x1.1 | Flake blade with sharp point with cortex on LH edge of distal point. Small amt retouch RH bottom edge proximal end ?waisting for grip? | Abrupt | | | | |
| BB12216 | Flint | | | Lt grey | | | Flake | Serrated Blade (broken) | Microdenticate | 1.5x1 | Narrow blade (broken) across width. V.fine serrations along RH edge dorsal face. Possible waisting near butt | Abrupt | Y | | | |
| BB12217 | Flint | | | Lt grey | | | Flake | Blade (broken) | Serrated blade (broken) | 2.3x1.5 | Blade broken across width. Retouch along LH edge from butt up to broken distal end | Semi abrupt | Y | | | |
| BB12218 | Flint | C | 0.01 | Lt grey with yellow stain | | | Flake | Serrated Blade | Microdenticate | 3.2x1.2x0.6 | Blade with curve to left. Small amt cortex at butt. V.fine serrations around left and right edges. Microdenticate | Abrupt | | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------|---------|-----------|----------------|--------------------------|----------------------------------|-------------|--|------------------------|---|--|--|--|--|
| BB12219 | Flint | | | Lt brown | | | Flake (broken) | Serrated blade (notched) | Denticulate | 1.8x1.3 | Broken blade with notch at lower RH edge of butt (ventral face) possibly for hafting. Blade snapped across width. Fine denticulations along LH edge dorsal face. | Abrupt and semi abrupt | Y | | | | |
| BB12220 | Flint | C | 0.30 | Honey | | Patinated | Flake | Serrated blade | Side and end scraper | 3.5x1.2x0.5 | Narrow blade with cortex over 55% of dorsal face. LH edge and distal square end retouched to form scraping edges. | Abrupt | | | | | |
| BB12221 | Flint | | | White | | | Flake | Serrated Blade (broken) | Denticulate | 2x1.2 | Serrated point (distal point) of blade broken across width. Retouch around LH and RH edges dorsal | Abrupt | Y | | | | |
| BB12222 | Flint | | | Lt honey | | | Flake | Serrated blade | Knife (backed) | 2.6x1.5 | Blade with upper LH edge blunted for hafting - RH edge with invasive and abrupt retouch to form curved cutting edge | Invasive and abrupt | | | | | |
| BB12223 | | C | 0.05 | Lt grey | | | Flake | Notched flake | | 2.4x2.3 | Wide flake with cortex 20% across RH edge of dorsal face. Curved cutting edge with slight notch. | Abrupt | Y | | | | |
| BB12224 | Flint | C | 0.20 | White | Nodular | Patinated | Flake | Serrated Backed blade | Side and end scraper (left) | 4.2x1.8 | Long narrow blade with cortex along RH edge for holding. Direct retouch along LH edge up to distal end. Distal end retouched to form "nose". End scraper with use wear | Abrupt | Y | | | | |
| BB12225 | Flint | | | Pink | | | Flake | Notched blade (broken) | MicroBurin | 1.8x1.2 | Butt end of blade with wide notch on LH edge dorsal. Snapped across width. Burin | | Y | | | | |
| BB12226 | Flint | C | 0.20 | Lt grey | Nodular | | Fragment | Core fragment | Possible utilised piece ?piercer | 2.2x1.6 | Core fragment triangular 4 sided piece with sharp point. Cortex across width. Possibly utilised piece | | Y | | | | |
| BB12227 | Flint | | | Mid grey | | | Serrated Flake | Scraper | End/side scraper both sides | 2.5x3 | Wide flake with abrupt retouch both sides and at the distal end. | Abrupt | | | | | |
| BB12228 | Flint | | | Honey | | | Serrated flake | Blade (broken) | | 2.1x1.6 | Serrated blade with distal end snapped across width. Abrupt retouch along both edges | Abrupt | Y | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------------|---------|-----------|-------------------------|--|--------------------------------|-------------|--|--------|---|--|--|--|
| BB12229 | Flint | C | 0.20 | Lt grey | Pebble | | Flake | Core rejuvenation flake | Side Scraper (both sides) | 3.2x2.8x1 | Thick flake, almost round with cortex across 20% of thick lower butt edge. Abrupt retouch LH edge dorsal and along RH edge up to distal edge. | Abrupt | | | | |
| BB12230 | Flint | | | Lt grey | | | Serrated flake (broken) | Blade (broken) Scraper | End scraper & Microdenticulate | 2x1.6x0.5 | Distal end of broken flake. V.fine retouch along RH edge. Steep retouch across distal end. Finer retouch along LH edge. | | Y | | | |
| BB12231 | Flint | | | Cream/yellow | | | Flake | Notched serrated blade | Denticulate | 3x1x0.4 | Long narrow blade with 2 deep notches on RH edge. Use wear, double notch at RH edge | | Y | | | |
| BB12232 | Flint | | | White | | | Flake | Spall/chip | | 1.7x0.8 | Spall/chip | | | | | |
| BB232A | | | | | | | | Core | Exhausted core | | | | | | | |
| BB12233 | Flint | C | 0.40 | Honey | Nodular | Patinated | Fragment | Core fragment | ?piercer | 4.5x2.1x1.5 | Thick cortical fragment with point - possibly used as piercer | | Y | | | |
| BB12234 | Flint | C | 0.20 | Lt grey/yellow | Nodular | | Notched Flake | Scraper | Side scraper left | 4.5x2.2x1 | Side scraper formed on thick flake with cortex along RH thick edge for holding. Retouch along left hand cutting edge. Slight notch in upper LH edge near distal end. | | | | | |
| BB12235 | Chert | C | 0.05 | Orange/black | Nodular | Patinated | Notched Flake | Heavy scraper/tool side and end (left) notched | | 9x6x2.5 | Thick, heavy chert flake with square distal end. Wide notch in upper LH edge. Evidence of retouch along distal end. Small amt cortex in butt ventral face. Coarse flake with detachment due to thermal shock | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|----------------|---|-------|-------------------------|---------|--------|----------------|----------------------------|--------------------------------|-------------|--|---------------------|---|--|--|--|
| BB12236 | Flint | C | 50.00 | Lt grey/white | Nodular | | Core fragment | Testing core (discarded) | | 9x7x4 | Thick heavy core fragment with cortex over 50% of dorsal face. Evidence of flake removal on ventral surfaces. | | | | | |
| BB12237 | Flint | | | Lt grey | | | Flake | Thumb scraper | | 1.8x1.8x0.7 | Thick flake with bulb evident at butt of ventral face. Rounded distal end and RH side with steep retouch | | | | | |
| BB12238 | Flint | | | Honey | | | Flake | Flake point | Microdenticulate | 1.3x0.9 | Tiny triangular flake point with minute serrations along LH edge | | | | | |
| BB12239 | Flint | | | Lt grey | | | Flake | Blade (broken) | Serrated blade | 3x 1.8 | Wide blade broken across distal end. Evidence of retouch (direct) on RH edge | | Y | | | |
| BB12240 | Portland chert | | | Lt grey | | | Flake | Blade tip (broken) | | 1..6x1 | | | | | | |
| BB12241 | Flint | | | Lt grey | | | Flake | Bladelet (broken) | Burin (Mesial section)) | 1.3x1.1 | Nice example of mesial segment of blade, broken across both ends. Direct abrupt retouch on both sides. | Abrupt | Y | | | |
| BB12242 | Flint | | | Lt grey | | | Flake | Serrated Blade | Microdenticulate | 3.2x1 | Complete blade with serrated RH edge | Abrupt | | | | |
| BB12243 | Chert | | | Red | | Burned | Flake (broken) | | | 2.4x2 | Burned broken flake | | Y | | | |
| BB12244 | Flint | C | 0.45 | Dk honey | | | Flake | Scraper | Side and end scraper | | Early neolithic side and end scraper. Oval shaped thick flake with cortex over most of dorsal face. Steep retouch around RH edge up to distal point. | Abrupt | | | | |
| BB12245 | Flint | | | (Orleigh Court) Honey | | | Flake | Serrated bladelet (broken) | | 3 x 1.2 | Bladelet broken with use wear - evidence of core edge preparation at butt end | | Y | | | |
| BB12246 | Flint | | | Dk grey with inclusions | | | Flake | Serrated backed blade | Knife | 2.7x1.8x0.4 | Blade with sharp cutting edge on LH edge ?knife | Abrupt and invasive | | | | |
| BB12247 | Flint | C | 0.50 | Lt grey + cortex | Pebble | | Flake | Scraper (notched) | Side and end scraper | 3.5x3.6x0.8 | Round thick flake with cortex over dorsal face.Fits in hand.Slight notch at distal end. Removal of cortex middle of dorsal face for ease of holding. Neolithic | Abrupt | Y | | | |
| BB12248 | Flint | | | Lt grey | | | Flake (broken) | scraper | Side scraper. Microdenticulate | 3.4x4.2x0.9 | Thick triangular shaped flake broken across width. RH edge with microdenticulation | Abrupt | Y | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-------------|---------|-----------|----------------|-------------------------|--|-------------|--|--------|---|---|--|--|
| BB12249 | Flint | | | White | | | Flake (broken) | Serrated Blade (broken) | Piercer | 2x2 | Blade broken across width. Tiny serrations along RH edge . Sharp point on LH edge. Possible piercer | Abrupt | Y | | | |
| BB12250 | Flint | C | 0.10 | Honey/grey | Nodular | | Core fragment | Scraper | Side scraper | 4x3.8x1.9 | Thick core fragment with iron stained cortex at butt and partially on dorsal face. Retouch at top LH point and at RH edge of dorsal. Heavy scraper/crusher | Abrupt | | Y | | |
| BB12251 | Flint | C | 0.05 | Red | Nodular | | Flake | Core rejuvenation flake | | 2.5x1.5 | | | | | | |
| BB12252 | Flint | | | Grey spotty | | | Flake | Serrated blade | | 3.3x1.8 | Complete blade with retouch along both RH and LH edges. | Abrupt | | Y | | |
| BB12253 | Flint | | | Lt grey | | | Flake | Scraper | Side scraper | 2.6x2.4x0.9 | Thick flake, square shape, one edge with fine retouch to form scraping edge | | | | | |
| BB12254 | Flint | | | Lt grey | | | Flake | Notched flake | Awl | 2.5x1.5x0.5 | Thick flake point with curved notch upper LH edge dorsal. Some fine serration. Possible awl | | | | | |
| BB12255 | Flint | | | White | | | Flake | Serrated blade | Denticulate | 2.2x1.2 | Flake point with fine serrations along RH edge dorsal and abrupt retouch on LH edge (for hafting?) | Abrupt | | | | |
| BB12256 | Flint | | | Lt grey | | | Flake | Serrated blade | Microdenticulate | 2.7x1.3 | Blade with tiny serrations upper RH edge dorsal | | | | | |
| BB12257 | Flint | | | Lt brown | | | Flake (Broken) | Bladelet (broken) | Piercer | 2.1x1.1 | Narrow blade broken across width. Abrupt retouch LH edge dorsal | Abrupt | Y | | | |
| BB12258 | Flint | | | White | | | Flake (broken) | Serrated Blade (broken) | Denticulate-Burin | 1.6x1.4 | Bladelet with serrations along both edges. Abrupt. | Abrupt | | Y | | |
| BB12259 | Flint | | | Lt grey | | | Flake (broken) | Bladelet (broken) | Microdenticulate | 1 x 0.8 | Mesial segment of broken bladelet | | | Y | | |
| BB12260 | Flint | C | | Red spotty | | Patinated | Flake | Serrated flake | | 2.5x1.8 | Thin flake with serrations around 3 edges dorsal, except for butt. Slight notch lower RH edge for "waisting"? | Abrupt | | | | |
| BB12261 | Flint | C | 0.10 | Lt grey | Pebble | | Flake | Serrated flake | Side and end scraper. Microdenticulate | 1.8x1.5 | Squat flake with cortex across butt. Distal sharp edge denticulated, with fine denticulations on LH and RH edges. | Abrupt | | | | |

| | | | | | | | | | | | | | | | | |
|---------|------------------|---|------|-----------------|---------|-----------|---------------|---------------------------|----------------------|-------------|---|---------------------|---|--|--|--|
| BB12262 | Flint | | | Lt honey | | Patinated | Flake | Serrated flake | | 2 x 1.6 | Thick flake with serrations /retouch around all edges | Abrupt | | | | |
| BB12263 | Flint | | | White | | | Notched Flake | Serrated blade (notched) | Denticulate | 2.4x1.5x0.3 | Blade with serrations around 3 sides. Notch at distal end to form point | Abrupt | | | | |
| BB12264 | Flint | | | Lt honey | | | Notched flake | Serrated blade (notched) | | 2.4x1.5 | Blade with curved right edge. Small notch lower LH edge dorsal. | Abrupt | | | | |
| BB12265 | Flint and cortex | C | | Cream | | | | | | 10x5x4 | Rough nodule of cortex with traces of cream coloured flint embedded. | | | | | |
| BB12266 | Flint and cortex | C | 0.05 | White | U/K | | Flake | Serrated Bladelet | Microdenticulate | 2.5x1.1 | Bladelet with small bulb at butt end ventral. Tiny serrations along RH edge dorsal. Small amt cortex lower LH dorsal face. Curved profile | | | | | |
| BB12267 | Flint | | | Lt grey | U/K | | Flake | Notched Bladelet serrated | Side and end scraper | 2.2x1.1 | Narrow square ended (distal end) bladelet with fine serrations at distal edge and RH edge dorsal. Notch in LH edge dorsal. | | | | | |
| BB12268 | Flint + cortex | C | 0.02 | Lt grey/dk grey | Nodular | | Flake | Serrated flake | Microlith | 1.5x1.7 | Tool made from butt of flake with tiny serrations along LH edge up to distal point | | | | | |
| BB12269 | Flint + cortex | C | 0.30 | Lt honey | Nodular | | Flake | Bladelet | Backed Knife | 2.4 x 1 | Narrow bladelet with cortex along RH edge dorsal as backing for sharp blade on opposite edge. V tiny serrations along LH edge to form cutting edge | | | | | |
| BB12270 | Flint | | | Lt pink | U/K | | Flake | Scraper | Side and end scraper | 2.5x2 | Squarish flake with thick edge of opaque flint, square distal end with scraping edge. RH edge thin and sharp with abrupt/semi abrupt retouch to form thin scraping edge | Abrupt/ semi-abrupt | | | | |
| BB12271 | Flint+ cortex | C | 0.20 | honey | Nodular | | Flake | | Microdenticulate | 2.8x1.5 | Leaf shaped point with cortex along RH face dorsal. Triangular cross section. LH edge with tiny serrations up to distal point. Piercer/drill bit. | | Y | | | |

| | | | | | | | | | | | | | | | | |
|----------|-------|---|------|--------------|---------|-----------|--------------------------|------------------------|---------------------------|-------------|--|---------------------|---|--|--|--|
| BB12272 | Chert | | | Lt grey | | | Flake (damaged) | Possible piercer | | 3.3x2.6 | Thick heavy square flake broken across width. (proximal end) Notch on ventral face close to proximal point. Direct retouch along LH edge dorsal. | | Y | | | |
| BB12273 | Chert | | | Mottled grey | | | Flake | Piercer | Microdentate | 2.6x1.8x0.5 | Flake with bulb on ventral face. Tiny serrations along both edges up to distal point at LH edge. Possible piercer | Abrupt/se mi-abrupt | | | | |
| BB12274 | Flint | C | 0.25 | honey | Nodular | Patinated | Notched Flake (damaged) | | | 2.0x1.7x0.4 | Flake broken across width with patination on both faces. Cortex along RH half of dorsal face. Slight notch in LH edge | | Y | | | |
| BB12275 | Flint | C | 0.50 | Dk red | Nodular | ?burnt | Notched flake (damaged) | | | 1.5x1.8x0.5 | Thick flake with cortex across dorsal face. Broken across width. Small notch lower RH edge of dorsal face. | | Y | | | |
| BB12276 | Flint | | | White | | | Serrated Flake | Microlith with backing | | 2.5x1.5x0.4 | Leaf shaped point with bulb on dorsal face. Direct abrupt retouch along LH edge dorsal face. Tiny serrations along RH edge | | | | | |
| BB12277 | Flint | C | 0.10 | Grey | Pebble | | Serrated blade | | | 2.7x1.2x0.7 | Thick blade with cortex lower LH edge dorsal. Tiny serrations upper LH edge dorsal up to distal point and along RH edge dorsal face. | | | | | |
| BB12278 | Flint | C | 0.10 | Honey | Nodular | | Serrated flake | Scraper | Side scraper Microdentate | | Flake broken across width. Burned | | Y | | | |
| BB12279 | Flint | C | 0.05 | White | Nodular | Burned | Serrated blade (Damaged) | | Blade (broken) | 1.7x1.2x0.3 | Blade (broken across width). Burned | | Y | | | |
| BB12279A | Flint | C | 0.25 | White | ? | Burned | Serrated blade (damaged) | | Blade (broken) | 2.9x1.5x0.5 | Burned blade broken across width. Cortex on 50% of dorsal face LH side. | | | | | |
| BB12280 | Flint | C | 0.05 | Lt grey | Pebble | | | Scraper | Side and end scraper | 3 x 2 x 0.8 | Thick flake with small amt cortex at butt end. Evidence of abrupt retouch along long distal edge to form scraping edge | Abrupt | | | | |

| | | | | | | | | | | | | | | | | |
|----------|--------|---|-------|------------|---------|--------|-------------------------|-------------------------|-----------------------------|---------------------|---|----------|---|-----|--|--|
| BB12281 | Flint | | | Lt grey | | | Notched serrated flake | Microburin | Microolith.Microdenticulate | 1.2x1.0 | Small square flake with small notch lower RH edge dorsal.Tiny serrations around LH and upper edge | | | | | |
| BB12282 | Quartz | | | White | | | | | Point?graver | 1.4x1.6x0.7 | Thick small quartz point. | | | | | |
| BB12282A | | | | | | | Core | Core (discarded) | | | | | | | | |
| BB12283 | Flint | C | 0.50 | Red | Nodular | Burned | Notched Flake | Scraper | Side and end scraper | 2.4x2.1x0.7 | Thick flake with cortex over 50% of flake on dorsal face. Large notch lower RH edge. Burned | | | Yes | | |
| BB12284 | Flint | C | 0.25 | Dk grey | Nodular | | Notched Flake | Scraper | | 3.7x2.6x0.4 | Oval flake with notch lower RH edge dorsal face. Cortex over lower third of dorsal face and along dorsal ridge. Abrupt retouch along LH edge to make serrations and long RH edge dorsal | Abrupt | | | | |
| BB12285 | Flint | C | 0.10 | Grey/white | Nodular | | Blade | Scraper | Side scraper | 2.5x 1.4x0.5 | Thick flake with cortex along RH edge and at butt end. | Invasive | | | | |
| BB12286 | Flint | | | Lt grey | | | Serrated flake | Piercer | | 1.8x1.4 | Leaf-shaped point with straight butt (snapped off original flake). Sharp abrupt retouch around RH edge up to distal point. Fine serrations along LH edge dorsal. Neolithic | Abrupt | | | | |
| BB12287 | Flint | C | 50.00 | Honey | Nodular | | Flake | Scraper | End scraper (hafted) | 2.5x1.8 down to 0.5 | Y shaped flake with cortex over whole of dorsal face. Narrow butt (for hafting?). Distal edges (2) curved with retouch to form scraping edges. | | | Y | | |
| BB12288 | Flint | C | 0.05 | Lt grey | Nodular | | Flake | ?Piercer Burin | | 3x1.9 | Flake with cortex along LH edge dorsal. Very sharp distal point. | | | | | |
| BB12289 | Flint | | | Dk grey | | | Broken bladelet | Serrated bladelet | Microolith | 0.8 x 1.0 | Mesial segment of bladelet (microlith) | | Y | | | |
| BB12290 | Flint | | | Pink | | | Notched Flake (damaged) | Serrated flake(damaged) | Microburin | 2.5x1.4 | Leaf shaped flake with notch at lower RH edge dorsal. Serrated edges up to distal point. Broken upper RH edge. With irregular fracture | | Y | | | |
| BB12291 | Flint | | | Lt grey | | | Flake (broken) | | | 1.0x 0.8 | Butt end of tiny flake broken across width | | Y | | | |
| BB12292 | Flint | | | Lt grey | | | Flake | rejuvention flake | | 2.5x1.2 | Thick flake with remnants of platform | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------|---------|-----------|----------------|-------------------------|-----------------------------|--------------|---|------------------------|--|--|---|--|
| BB12293 | Flint | C | 0.05 | Lt grey | Pebble | | Flake | Piercer | | 2.5x2.3x0.7 | Thick squareish flake with cortex at lower LH edge dorsal. Retouch around edges up to sharp distal point. Bulb and scar at butt end of ventral face. Fits in hand. | Abrupt/se mi abrupt | | | | |
| BB12294 | Flint | C | 0.01 | Honey | Nodular | Patinated | Flake | Core tablet | Side scraper | 2.7x2.4x0.6 | Thick cortical flake patinated on both sides Tiny amt of cortex at butt. Large bulb on ventral face at butt.Small amt abrupt retouch upper RH edge dorsal | Abrupt | | | | |
| BB12295 | Flint | C | 0.05 | Lt grey | Nodular | | Flake | Serrated blade | Knife | 3.8x1.7 | Oval shaped flake with cortex at lower RH edge adjacent to narrow butt. Possibly hafted. Retouch along LH edge - serrations and at upper RH edge dorsal. | Abrupt | | | | |
| BB12296 | Flint | | | Honey | | | Flake | Notched flake | Piercer/mic odenticulate | 3x1.1x0.5 | Narrow flake with deep ridge along length. Sharp distal point with tiny serrations along upper RH edge up to distal point. Slight notch in RH edge near butt. Piercer | Abrupt | | | | |
| BB12297 | Flint | | | White | | | Flake | Notched Bladelet | Microdenticulate | 2x0.9 | Narrow blade with slight notch lower Lh edge dorsal, tiny serrations along Lh edge and upper RH edge dorsal. Microdenticulate | | | | | |
| BB12298 | Flint | | | Mid grey | | | Flake (broken) | Serrated flake (broken) | | | Lower section of flake - broken across width | | | | Y | |
| BB12299 | Flint | | | Lt grey | | | Flake | Serrated blade | Blade (Knife) | 1.2x0.8 x0.2 | Tiny cutting blade. Straight edge LH edge dorsal with tiny serrations, curved RH edge with direct retouch to from saw edge. Use wear - shiny patch on ventral face adjacent to cutting edge | | | | Y | |
| BB12300 | Flint | | | Lt grey | | Patinated | Flake | Blade (broken) | Microburin | 1.8x1.1x0.3 | Butt end of blade -broken across width. Patinated both faces | | | | Y | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|-------|----------------|---------|-----------|----------------|-------------------------|------------------|-------------|--|--------|---|---|--|--|--|
| BB12301 | Flint | | | White | | | Flake | Serrated flake (broken) | Blade (broken) | 1.9x1.12 | Narrow blade with sharp serrations along RH edge dorsal, tiny serrations along LH edge dorsal. Snapped across width | abrupt | Y | | | | |
| BB12302 | Flint | C | 0.10 | Black | Nodular | | Flake | Scraper | Side scraper/awl | 2.3x1.6x0.6 | Triangular shaped flake with curved profile. Thick cortex along one edge(smooth with use wear). Fits in hand. LH edge with fine serrations to form cutting edge.. 50% of dorsal face frost fractured | abrupt | | Y | | | |
| BB12303 | Flint | C | 0.01 | Honey | Nodular | Patinated | Core fragment | Scraper | Nose scraper | 3x1.3x0.8 | Narrow thick flake with 2 patches of cortex, one at butt end and one 50% along centre of dorsal face on ridge. Distal end rounded with flake removal to form nose scraper. V fine serrations upper LH edge . Complete patination | | | | | | |
| BB12304 | Flint | | | Lt grey | | | Flake | Serrated Blade (broken) | | 2.2x1.5x0.3 | Blade with sharp serrations along RH edge dorsal and finer serrations along LH edge dorsal. Snapped across width | | | Y | | | |
| BB12305 | Flint | | | Lt grey | | | Flake | Blade (broken) | | 1.4x1.2 | Butt end of blade snapped across width | | | Y | | | |
| BB12306 | Flint | C | 0.01 | Lt grey/orange | Nodular | | Flake | Serrated blade | | 3x1.5x0.3 | Thin flake with cortex at butt end dorsal face. Fine retouch around all edges. | Abrupt | | | | | |
| BB12307 | Flint | | | White | | | Flake | Bladelet (broken) | | 2.2x1.1 | | | | Y | | | |
| BB12308 | Flint | C | 0.05 | Grey/orange | Nodular | | Flake (broken) | | | 2x1.1x0.5 | Partial thick flake with curved edge with regular retouch around curved edge | | | Y | | | |
| BB12309 | Chert | C | 55.00 | Pink | Nodular | | Fragment | | | | | | | | | | |
| BB12310 | Flint | C | 0.05 | Pink/white | Nodular | | Flake | Notched blade | Denticulate | 2x1.2x0.4 | Short blade with cortex at lower RH of butt dorsal. Small notch in RH edge dorsal. Abrupt retouch around upper edges and along LH edge. Possibly hafted tool. | Abrupt | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-----------------|---------|-----------|---------------------------------|-----------------------------|---------------------------------|-------------|--|--------------------|---|--|--|--|
| BB12311 | Flint | | | Pink | | | Flake | Scraper | Hollow scraper/thumb scraper | | Pink flake with concave dorsal face with jagged retouch at distal edge. Possible microdenticulate RH edge dorsal. Fits in thumb. | Abrupt and inverse | | | | |
| BB12312 | Flint | | | Lt grey/dk grey | | | Flake | Bladelet | Microdenticulate | 3.8x1.0x0.4 | Long thin narrow blade with sharp distal point, small notch lower RH edge dorsal face. Tiny serrations/denticulations around all edges. | | | | | |
| BB12313 | Flint | C | 0.15 | Honey | Nodular | Patinated | Flake (core rejuvenation flake) | Scraper | Side scraper/thumb nail scraper | 2.7x2.1x0 | Thick flake with cortex lower RH edge dorsal. Left hand edge with notch and jagged scraping edge formed by invasive retouch on ventral face. Fits in hand | Inverse | | | | |
| BB12314 | Chert | C | 0.40 | Brown | Nodular | | Flake (broken) | Serrated flake | ?side scraper | 2.9x2.5x0.3 | Flake with cortex covering 40% of dorsal face. Broken across width in antiquity. LH edge ventral with continuous semi abrupt retouch along edge to form scraping edge. | Semi abrupt | Y | | | |
| BB12315 | Flint | | | Cream | | | Bladelet | Serrated blade | | 3.4x1.1x0.7 | Curved long narrow blade with serrations around all edges | | | | | |
| BB12316 | Flint | C | 0.40 | Lt grey | Pebble | | Flake | Scraper | Thumb nail scraper | 2.3x3.3x1.0 | Thick round flake with cortex over 40% dorsal face. Thin scraping edge with tiny invasive retouch | Invasive | | | | |
| BB12317 | Flint | C | 0.45 | Honey | Pebble | | Blade | Core trimming flake (blade) | Awl | 3.7x1.7x1.0 | Triangular shaped and triangular in cross section. Thick at butt end, tapering up to distal point. Cortex (waterworn) upper RH face dorsal. Small amt retouch upper RH edge of distal point. Awl | Abrupt | | | | |
| BB12318 | Flint | C | 0.50 | Honey | Nodular | | Flake | Serrated flake | | 2.0x1.2x0.5 | Flake with cortex at lower Lh of dorsal face. Direct abrupt retouch along RH edge. Distal end snapped across width. Bulb evident on ventral face | Abrupt | Y | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------|---------|-----------|------------------------|-------------------------------|-------------------------------------|-------------|---|------------------------|---|--|--|--|
| BB12319 | Flint | C | 0.50 | Red/pink | Nodular | | Core trimming Flake | Serrated flake | | 2.1x2.5x0.6 | Square shaped flint with cortex up to 50% on both dorsal and ventral faces opposite butt end. Bulb evident on ventral face, including evidence of old platform on dorsal face. Waterworn. Thin red line underlining cortex, then red smudgy area followed by light pink flint | Abrupt | | | | |
| BB12320 | Flint | C | 0.45 | Grey | Pebble | | Notched Flake | Scraper | Side and end scraper - hollow | 2.1x1.2x0.5 | Small semi circular piece with cortex along LH edge dorsal. Abrupt and semi abrupt retouch along curved cutting edge, up to distal end which is straight at an oblique left angle. slight notch in centre. Slight gloss on ventral face (use wear) | | Y | | | |
| BB12321 | Flint | C | 0.50 | Dk grey | Nodular | | Bladelet (broken) | Microlith | | 1.4x1.4x0.4 | Mesial segment of blade with cortex on 50% of dorsal face. Abrupt retouch along both edges. | | | | | |
| BB12322 | Flint | | | Grey | | | Flake | Serrated flake | ?Piercer | 1.6x1.1x0.3 | Leaf shaped flake with serrations along LH edge up to distal sharp point | | | | | |
| BB12323 | Flint | | | Grey | | | Serrated Flake | Spall or chip from retouch | | 1.0x0.6x0.2 | Tiny flake point with serrations along LH edge. Sharp distal point. Abrupt retouch along RH edge dorsal. | | | | | |
| BB12324 | Flint | | | Honey | | | Bladelet (broken) | Microlith | | 0.7x1.0 | Mesial segment of blade . Abrupt retouch along both edges. | | Y | | | |
| BB12325 | Flint | C | 0.30 | Honey | Nodular | Patinated | Blade | Microdenticulate | Piercer | 2.5x1.4x1.1 | Thick flake with cortex along LH edge dorsal face. Narrow at butt, widening to straight edge at distal end with rough scraping edge and sharp distal point on RH edge. Tiny serrations along RH edge (Invasive retouch on ventral face) | Abrupt and invasive | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|------------|---------|--|-------------------------|-------------------|----------------------|-------------|--|---------------------|---|--|--|--|
| BB12326 | Flint | | | Dk honey | | | Notched Bladelet | Microdenticulate | Microlith | 1.6x0.7 | Dark honey narrow bladelet with notch in RH edge dorsal face. Tiny serrations along RH edge and LH edge dorsal. | Abrupt | | | | |
| BB12327 | Flint | | | White | | | Serrated Flake | Scraper | Side scraper | 2.5x1.2x0.3 | Core rejuvenation flake with evidence of old platform along RH edge dorsal. Thin cutting edge along LH edge with abrupt retouch along edge. Evidence of flake removal on dorsal face (core rejuvenation flake). Fits in hand | Abrupt | | | | |
| BB12328 | Flint | C | 0.05 | White | Nodular | | Serrated flake | Bladelet (broken) | Microdenticulate | 1.3x1.1 | Butt end of bladelet broken across width. Tiny serrations along RH edge dorsal and some on ventral face LH edge | Abrupt | Y | | | |
| BB12329 | Flint | | | White | | | Serrated flake | Bladelet (broken) | Microdenticulate | 2x0.9 | Butt end of bladelet broken across width. Tiny serrations along LH edge dorsal formed from the ventral face. | Abrupt | Y | | | |
| BB12330 | Flint | C | 0.05 | Honey | Nodular | | Notched Serrated flake | Thumbnail scraper | Side and end scraper | 2.9x2.2x0.4 | Flake with cortex along RH curved edge. Curved profile. Fits in hand. LH edge dorsal with notches (abrupt retouch). Distal edge sharpened with invasive retouch | Invasive and abrupt | | | | |
| BB12331 | Flint | C | 0.05 | Black | Pebble | | Serrated flake (Broken) | Microdenticulate | | 1.7x1.5x0.3 | Small amt cortex at lower LH edge dorsal face. V fine serrations along RH edge up to distal end (broken across width) | Abrupt | Y | | | |
| BB12332 | Flint | C | 0.40 | White/grey | Nodular | | Serrated flake | Microdenticulate | | 2.2x1.6x0.6 | Flake point with cortex over 75% of dorsal face. Tiny serrations along RH edge dorsal. Waterworn | Abrupt | | | | |
| BB12333 | Flint | C | 0.10 | Lt grey | Pebble | | Serrated flake (Broken) | Double Scraper | Side scraper | 3.8x2.9x1.1 | Thick flake point with bulb visible on ventral face at butt end. Cortex upper RH dorsal face to right of central ridge. Serrations along both RH and LH edges up to distal point (missing) | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|--------------|---------|-----------|-------------------------|------------------|----------------------------|--------------|--|---------------------|---|---|--|--|
| BB12334 | Flint | C | 0.50 | Lt grey | Nodular | | Serrated flake | Scraper | Side & end scraper | 3.7x2.2x0.4 | Primary flake with cortex over 85% of dorsal surface. Bulb at butt end of ventral face. Distal end with abrupt retouch to form scraping edge. Slight retouch at LH edge midpoint. | Abrupt | | | | |
| BB12335 | Flint | C | 0.50 | Lt grey | Pebble | | Serrated Flake (broken) | Scraper (broken) | | 2 x 1.9 x0.6 | Flake with cortex across 75% of dorsal face. Broken across width. Possible retouch along LH edge dorsal up to broken distal end. Coarse flake with detachment due to thermal shock | Abrupt | Y | | | |
| BB12336 | Chert | C | 0.15 | Red-brown | Nodular | | Flake | | Side & end (Nosed) scraper | 3x1.6x1.2 | Thick flake point with central ridge from butt up towards distal point. Cortex from butt up to 75% of central ridge. Retouch along RH edge, LH edge of dorsal and around point. | Abrupt | | | | |
| BB12337 | Flint | | | Honey | | | Core fragment | | Side & end scraper | 3.5x1.7x1.2 | Thick flake point with evidence of old platform. Invasive retouch along upper LH edge from butt to distal end (dorsal). Distal end with abrupt retouch to form scraping edge. RH edge dorsal with invasive retouch to form scraping edge | Invasive and abrupt | | | | |
| BB12338 | Flint | C | 0.50 | Lt grey | Pebble | | Flake | | Thumb scraper | 2.2x2.4x0.4 | Primary flake with prominent bulb on ventral face. Direct retouch around edges to form scraper. Fits in hand | Abrupt | | | | |
| BB12339 | Flint | C | 0.40 | Grey mottled | Pebble | | Flake | | Side scraper | 2.6x1.6x1 | Thick flake with triangular cross section. Curved cutting edge on ventral face with abrupt retouch along curved edge up to distal point | Abrupt | | | | |
| BB12340 | Flint | C | 0.50 | Lt grey | Pebble | Patinated | Flake (broken) | | | 2.6x2.6x1 | Thick flake broken across width. Cortex across all of dorsal face. Possible tool | | Y | Y | | |

| | | | | | | | | | | | | | | | | |
|----------|-------|---|------|-------------|---------|-----------|-------------------------|---------|---------------------|-------------|--|-------------|---|---|--|--|
| BB12350 | Chert | C | 0.50 | Yellow | Pebble | | Serrated flake | Scraper | Side scraper | 3.7x2.3x1 | ?Orleigh Court . Thick flake with cortex over 90% of dorsal face.Abrupt retouch to form rough serrations along RH edge | Abrupt | | | | |
| BB12351 | Flint | | | Grey/yellow | | | Notched flake | | | 3.5x2.5x0.7 | Long flake with retouch around all edges including nosed end. Bulb evident at butt on ventral face | | | | | |
| BB12352 | Chert | C | 0.75 | Yellow | Nodular | | Flake | | | 5x4.5x1 | Thick heavy flake with cortex over 75% of dorsal face. Large bulb at butt end of ventral face.Cortical flake with retouch | Abrupt | | | | |
| BB12353 | Flint | C | 0.25 | Honey | Nodular | | Notched Flake | | | 2.3x2x0.6 | Squarish thick flake with cortex over 50% dorsal face. Irregular flake with use wear | | Y | | | |
| BB122354 | Flint | | | White | | | Serrated flake (broken) | | | 2.4x1.8x0.5 | Flake with bulb at butt of ventral face. Broken down length of flake. Distal horizontal edge retouched to form scraping edge. Fine retouch along LH edge dorsal face. | Abrupt | Y | Y | | |
| BB12355 | Flint | C | 0.40 | Honey | Nodular | Patinated | Flake | scraper | Side scraper (left) | 2.8x2.6x1.4 | Thick, heavy flake squarish. Cortex at butt end dorsal face and upper LH quartile ventral face. Patination upper quartile of dorsal face.LH edge dorsal with steep retouch to form scraping edge | Abrupt/step | | | | |
| BB12356 | Flint | C | 0.05 | Dk pnk | Nodular | Patinated | Serrated flake point | Awl | | 4x2.2x2 | Thick flake with point. Cortex at butt end. Patinated on dorsal and RH face. Signs of use wear/retouch along edges up to distal point | Abrupt | Y | | | |
| BB12357 | Flint | C | 0.30 | Honey/white | Nodular | Patinated | Serrated flake | Scraper | Side scraper(left) | 3x2.8x1 | Roundish flake with thick butt. Dorsal face with cortex at upper and lower quartiles. LH edge dorsal; fine cutting edge with fine serrations. | Abrupt | | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|---------|---------|-----------|-------------------------|-------------------|----------------------------------|-------------|---|---------------------|---|--|--|--|--|
| BB12358 | Flint | C | 0.40 | White | Nodular | Patinated | Serrated flake (broken) | Blade (broken) | | 2..5x1.6 | Blade with cortex along RH edge of dorsal face. Snapped across width. Serrations along LH cutting edge | Abrupt | Y | | | | |
| BB12359 | Flint | | | Black | | | Serrated flake (Broken) | | | 2.5x2x0.7 | thick flake with invasive retouch on edge of ventral face | Invasive | Y | | | | |
| BB12360 | Flint | | | White | | | Serrated flake | | | 2.3x1.7x0.5 | Leaf shaped flake with bulb at butt. Abrupt retouch around edges | Abrupt | | | | | |
| BB12361 | Flint | C | 0.50 | Honey | Nodular | | Blade | Scraper | Side and end scraper | 4.5X2.1 | Irregular blade with cortex over 95% of dorsal face. Distal end with invasive retouch to form scraping edge. Abrupt retouch along LH edge dorsal and abrupt retouch lower RH edge dorsal. | Invasive and abrupt | | | | | |
| BB12362 | Flint | C | 0.25 | Honey | Nodular | | Serrated flake | Scraper | Side scraper (both sides) | 3.2x2.4x1.5 | Leaf shaped thick flake with cortex covering RH lower dorsal face. Abrupt retouch upper RH edge at distal point. Invasive retouch lower LH edge dorsal face | Invasive and abrupt | | | | | |
| BB12363 | Flint | | | Lt grey | | | Serrated flake | Bladelet (broken) | Microdenticulate. Microlith | 2x1.4x0.2 | Butt end of bladelet snapped across width. Microdenticulate. | Abrupt | Y | | | | |
| BB12364 | Flint | C | 0.10 | Honey | Nodular | Patinated | Serrated flake | Scraper | Side (right side)and end scraper | 2.5x1.4x0.5 | Flake cortex upper LH of dorsal face. Nosed with small amt invasive retouch. Abrupt retouch along RH edge dorsal face. | | | | | | |
| BB12365 | Flint | C | 0.10 | Honey | Nodular | Patinated | Serrated flake | Blade | Microdenticulate | 3x1.8x0.6 | Narrow flake with cortex along upper RH edge from distal point on dorsal face and lower RH edge ventral face. Patinated on both surfaces. V fine serrations along upper LH edge towards distal point dorsal face. | | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------|---------|-----------|-------------------------|---|----------------|-------------|--|---------------------|--|--|--|--|
| BB12366 | Flint | C | 0.30 | Lt grey | Pebble | | Serrated flake (broken) | | Denticulate | 1.5x1.5x0.5 | Butt of flake with cortex along LH edge dorsal face. Tiny serrations at at RH lower edge of flake. Snapped across width. Bulb at butt end ventral | Y | | | | |
| BB12367 | Flint | C | 0.10 | Lt grey | Pebble | | Flake | Scraper | End scraper | 4x3.8x1.6 | Thick flake with cortex on dorsal face across butt. Some retouch along centre of RH edge dorsal. Small amt retouch dorsal at distal point | Invasive | | | | |
| BB12368 | Flint | C | 0.45 | Honey | Nodular | | Core (broken) | Bladelet core | | 3.4x3x1.8 | Core fragment with cortex over dorsal face. Evidence of bladelet removal | Y | | | | |
| BB12369 | Flint | C | 0.25 | Honey | Nodular | Patinated | Flake | Serrated flake | | 2.2x2.7x0.5 | Flake with cortex on dorsal face across butt end. V.small serrations lower RH edge of dorsal face, with large serrations on upper RH edge dorsal. | | | | | |
| BB12370 | Flint | C | 0.01 | L grey | Nodular | | Notched Flake | Serrated notched flake | Awl | 3x2x0.5 | Flake with thin cortex along LH edge dorsal. Abrupt retouch along length of RH edge dorsal face to form large notches up to distal point. Invasive retouch at distal point on ventral face to form awl | Abrupt and invasive | | | | |
| BB12371 | Flint | | | Mid grey | | Burned | flake (broken) | Serrated flake | Piercer | 1.5x1.7x0.4 | Butt end of flake. Direct retouch at LH and RH edges of dorsal face. Snapped across width RH distal point on dorsal face | Y | | | | |
| BB12372 | Flint | C | 0.01 | Honey | Nodular | | Flake | Side and end scraper (Microdenticulate) | Both sides | 3.4x2.8x1.2 | Long scraper with microdenticulation along left and right edges dorsal face. Small amt cortex at butt dorsal. Remains of core platform visible at distal end. Fine denticulations along distal edge of ventral face. 3 scraping edges. | Abrupt | | | | |
| BB12373 | Flint | | | Honey | | | Serrated flake | Scraper | Hollow scraper | 2.5x1.5x0.5 | Flake with abrupt retouch to form curved scraping edge at butt | Abrupt | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------------|---------|-----------|----------------|-------------------------|------------------------------|-------------|---|---------------------|---|--|--|--|
| BB12374 | Flint | C | 0.50 | Mid grey | Pebble | | Serrated flake | Scrap er | Double ended (nosed)scrap er | 3x2x1 | Thick pebble flake with cortex over 90% of dorsal face except for cortex removal at distal point to form nosed scraper. Invasive retouch around distal point dorsal to form scraping point. Retouch along upper LH edge dorsal. Heavy abrupt retouch at butt end dorsal to form wider scraping edge | Abrupt and invasive | | | | |
| BB12375 | Flint | C | 0.50 | Black | Nodular | | Flake | Core rejuvenation flake | Side scraper | 2.7x2.2x1 | Thick flake with cortex covering all of dorsal face. Evidence of core platform. Possible abrupt retouch around LH edge dorsal | | | | | |
| BB12376 | Flint | C | 0.40 | Lt grey | Pebble | | Serrated flake | Blade (broken) | | 3.5x2x0.6 | Blade snapped across width. Cortex over 50% of length dorsal face. RH edge dorsal face and butt with abrupt retouch | Abrupt | Y | | | |
| BB12377 | Flint | | | Lt grey | | | Flake | Bladelet (broken) | | 1.7x1.5x0.5 | Butt end of bladelet, snapped cross width | | Y | | | |
| BB12378 | Flint | C | 0.01 | Honey | Nodular | Patinated | Flake | Piercer | | 1.6x1.6x0.3 | Square shaped flake with abrupt retouch on 4 sides forming sharp distal point | Abrupt | | | | |
| BB12379 | Flint | C | 0.05 | Lt grey | Nodular | | Flake | Blade (broken) | | 2.2x2.3x0.5 | Flake broken across width. Narrow butt with natural notch RH edge ventral. Cortex along RH edge of dorsal. Abrupt retouch along LH edge dorsal, with narrowing at butt end (?Hafted) | Abrupt | Y | | | |
| BB12380 | Flint | C | 0,05 | Lt grey | Nodular | | Flake | Serrated flake | Microdenticulate | 1.2x1.3x0.2 | Tiny triangular shaped flake with cortex along RH edge dorsal. V fine denticulations along distal cutting edge | Abrupt | | | | |
| BB12381 | Flint | C | 0.05 | Cream | Nodular | | Blade (broken) | Serrated blade | | 2.5x1.5x1 | Narrow thick triangular cross section blade broken across width. 2 edges with invasive retouch | Invasive | Y | | | |
| BB12382 | Flint | C | 0.05 | Lt grey/yellow | Nodular | Patinated | Flake(broken) | | | 2.3x1.5x0.5 | Thick flake broken along length LH side dorsal. Small amt cortex at butt dorsal. Invasive retouch along RH edge and distal edge. Patinated both faces. | Invasive | Y | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-------------|---------|--------|------------------------|---------------------|------------------|-------------|---|----------|---|--|--|--|--|
| BB12383 | Flint | C | 0.30 | Lt grey | Pebble | Burned | Rod (broken) | | Microdenticulate | 1.3x0.5x0.5 | Piece of rod broken off at both ends. Triangular cross section. Cortex covering 80% of one face. Tiny denticulations along one edge (viewed and photographed on microscope) | Abrupt | Y | | | | |
| BB12384 | Flint | C | 0.50 | Lt grey | Pebble | | Serrated flake | Piercer | | 1.6x1.8x0.4 | Primary flake with cortex over most of dorsal face. Abrupt retouch, forming small sharp point | Abrupt | | | | | |
| BB12385 | Flint | | | Lt grey | | | Core | Bladelet core | | 2.5x1.4x1.1 | | | | | | | |
| BB12386 | Flint | | | Lt grey | | | Bladelet | Microdenticulate | Microdenticulate | 2x0.9x0.5 | Small point with microdenticulations along LH edge up to distal point dorsal face. Made on flake from core platform. ?Portland chert | | | | | | |
| BB12387 | Flint | | | White | | | Bladelet (broken) | | | 0.8x1x0.2 | Butt end of small bladelet. Abrupt retouch LH edge dorsal | Abrupt | Y | | | | |
| BB12388 | Flint | | | White | | | Flake | Scraper denticulate | Hollow scraper | 2x1.7x0.4 | Squareish shaped flake with denticulations along curved edge dorsal, forming scraper. | | | | | | |
| BB12389 | Flint | C | 0.05 | White | Nodular | | Fragment | Scraper | End scraper | 3x1.9x1.7 | Thick cuboid flint with cortex on lower RH dorsal face. Evidence of bulb. Abrupt retouch on two sides leading up to distal point | Abrupt | | | | | |
| BB12390 | Flint | C | 0.45 | Honey/white | Nodular | | Notched Flake | Thumb scraper | | 2.2x1.5x0.6 | Flake with cortex over 70% dorsal face. Slight notch with retouch along RH scraping edge. | Abrupt | | | | | |
| BB12391 | Flint | | | Cream | | | Serrated flake | Bladelet | Microdenticulate | 2x1.1x0.2 | Bladelet with microdenticulations along both edges dorsal face | | | | | | |
| BB12392 | Flint | C | 0.45 | Lt grey | Pebble | | Serrated/notched flake | Scraper | Side scraper | 2.2x2x0.9 | Thick flake with cortex across 50% of dorsal face, lengthwise. RH edge with sharp abrupt serrations and notch at lower butt end | Abrupt | | | | | |
| BB12393 | Flint | | | Cream | | | Flake | Bladelet | | 3.1x1.2x0.8 | Curved bladelet with invasive retouch along inside curve and lower LH edge of outside curve on ventral face | Invasive | | | | | |
| BB12394 | Flint | C | 0.05 | Pink | Nodular | Burned | Flake (broken) | | | 2x1.4x0.5 | Flake with cortex at butt end on dorsal face. Retouch across distal end. | Abrupt | Y | | | | |

| | | | | | | | | | | | | | | | | |
|---------|----------------|---|------|---------------|---------|-----------|----------------|------------------|------------------|-------------|--|---------------------|--|--|--|--|
| BB12395 | Flint | C | 0.45 | Honey/white | Nodular | Patinated | Serrated flake | Denticulate | | 1.5x1.4x0.2 | Triangular shaped flake with regular denticulations RH edge dorsal | Abrupt | | | | |
| BB12396 | Portland chert | C | 0.50 | Mid Grey | Nodular | | Serrated flake | Bladelet | Microdenticulate | 2.2x1x0.5 | Thick nodular flake with cortex over all of dorsal face. Smooth grey flint with one cutting edge with tiny retouch along cutting edge. | Abrupt | | | | |
| BB12397 | Flint | C | 0.30 | White/Lt grey | Pebble | | Serrated flake | Bladelet | Microdenticulate | 3.1x1.4x0.6 | Bladelet with curved shape towards left. Cortex on dorsal face along LH edge up to distal point. Fine retouch along RH edge dorsal and inside curve on LH edge dorsal. Waterworn | Abrupt | | | | |
| BB12398 | Flint | C | 0.50 | Lt grey | Pebble | | Core | Bladelet core | | 2.5x1.5x1 | Pebble flake. Evidence of platform. | | | | | |
| BB12399 | Flint | | | Lt grey | | | Flake | Blade (broken) | | 2.3x1.8x0.6 | Distal tip of blade + use wear | Invasive | | | | |
| BB12400 | Flint | C | 0.40 | White/honey | Nodular | | Flake | Scraper | Thumb scraper | 2x2x0.4 | Circular core rejuvenation flake with small bulb on ventral face. Abrupt retouch along RH edge ventral face. | Abrupt | | | | |
| BB12401 | Flint | C | 0.01 | honey | Nodular | | Bladelet | Microdenticulate | | 1.7x0.8x0.5 | Thick flake - triangular in cross section. Fine microdenticulation along LH edge dorsal. Tiny piece cortex at butt end dorsal | Invasive and abrupt | | | | |
| BB12402 | Flint | C | 0.10 | Lt grey | Nodular | Patinated | Core | Bladelet core | | 2.7x1.8x1.2 | Multi directional core | | | | | |
| BB12403 | Flint | C | 0.50 | Lt grey | Nodular | | Flake | Serrated flake | | 1.8x1.9x0.6 | Triangular shaped flake with thick cortex butt. Invasive retouch around distal point dorsal and ventral faces | Invasive | | | | |
| BB12404 | Flint | C | 0.25 | Honey | Nodular | | Serrated flake | Microlith | | 2x1.3x0.2 | Leaf shaped flake with cortex covering lower 50% dorsal face. Bulb evident on ventral face. Abrupt retouch around edges. ?Waisted | Abrupt | | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-----------------|---|------|---------|---------|-----------|-------------------------|--------------------------------|-----------------------------|-------------|--|---------------------|-----|--|--|--|--|
| BB12405 | Flint | C | 0.50 | Pink | Nodular | | Serrated flake | Scraper | Thumb scraper | 2.5x1.5x0.4 | Thick flake with use wear. Removal of cortex to make smooth surface for thumb holding. Tiny serrations along left hand upper edge dorsal. Weatherworn. Removal of bulb on ventral face. Retouch along RH edge dorsal | Abrupt | Yes | | | | |
| BB12406 | ?Portland chert | C | 0.05 | Lt grey | Nodular | Burned | Serrated flake | Bladelet | Microdentate | 2x1.1x0.5 | Pointed bladelet with microdenticulations along left and right edges up to distal point. Cortex at butt dorsal face. | | | | | | |
| BB12407 | Flint | C | 0.01 | Honey | Nodular | | Serrated flake (broken) | Scraper/awl (combination tool) | Side scraper/awl | 2.5x2.2x0.5 | Flake with retouch to form point. Abrupt retouch around RH curved edge. Bulb on ventral face with cortex along distal edge (curved) dorsal face. RH distal point | Abrupt | Y | | | | |
| BB12408 | Flint | C | 0.05 | Honey | Nodular | | Flake | Scraper | Side (both) and end scraper | 2.4x2.1x0.7 | Thick flake with cortex at butt. Abrupt retouch lower LH edge dorsal and lower RH edge dorsal near butt. Invasive retouch upper RH edge (curved) near distal end. | Abrupt and invasive | | | | | |
| BB12409 | Flint | C | 0.01 | Honey | Nodular | Patinated | Scraper | Side and end scraper | Microdentate | 2.5x1.5x1 | Scraper made on flake core. Tiny serrations along RH edge dorsal. | Abrupt | | | | | |
| BB12410 | Flint | C | 0.40 | Honey | Nodular | | Serrated flake (broken) | Side scraper/broken tool | Microdentate | 2.5x2x0.5 | Thin flake with white cortex over lower 40% of dorsal face. Tiny serrations along RH edge and LH edge dorsal face. Distal point snapped across width, missing | Abrupt | Y | | | | |
| BB12411 | Flint | | | Lt grey | | | Serrated bladelet | Bladelet | Microdentate | 1.2x1 | Bladelet point with tiny serrations along both edges. | Abrupt | | | | | |
| BB12412 | Flint | | | Dk grey | | | Piercer | | | 2x1.7x1 | Triangular shaped and triangular cross section flint with sharp distal point. Tiny retouch along edges up to distal point | Abrupt | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|---------------|---------|--------|--------------------------|----------------------------|--------------------------------------|-------------|--|-------------------|---|--|---|--|
| BB12413 | Flint | | | Lt grey | | | Notched flake | Notched Serrated bladelet | Microdenticate | 2.6x1.2x0.5 | Bladelet with wide notch in LH edge dorsal. Invasive retouch visible on ventral face + microdentification serrations along RH edge dorsal | Invasive & abrupt | | | | |
| BB12414 | Flint | | | Lt grey | | | Notched flake (broken) | | Piercer/scraper - (combination tool) | 2.7x1.3x0.7 | Thick flake broken lengthways. Sharp distal point with notch to RH side of point. Retouch along RH top edge. | Abrupt | Y | | Y | |
| BB12415 | Flint | | | Pink | | Burned | Flake(broken) | Serrated flake (broken) | | 1.5x2.2x0.5 | Butt end of thick flake. Broken across width. Retouch along RH edge dorsal | Abrupt | Y | | | |
| BB12416 | Flint | C | 0.40 | Pink | Nodular | | Notched flake | Scraper | Side scraper | 2.5x1.3x1 | Thick flake with frost damage. Thick white cortex. Notch in lower edge of cutting edge dorsal and retouch along upper edge of cutting edge dorsal. | Abrupt | | | | |
| BB12417 | Flint | | | Lt grey | | | Serrated flake (broken) | Serrated blade (broken) | | 2.3x1.4x0.3 | Bladelet with retouch along LH edge up to distal end (broken off). Retouch along RH edge up to distal end. Weatherworn | Abrupt | Y | | | |
| BB12418 | Flint | C | 0.50 | Lt grey/white | Nodular | | Serrated flake | Side and end scraper | Thumb scraper | 2.1x1.7x0.4 | Flake with cortex covering all of dorsal face. Distal edge and upper RH edge dorsal with small serrations - retouch- to form scraping edges. | Abrupt | | | | |
| BB12419 | Flint | C | 0.50 | Lt grey | Pebble | | Serrated flake | Scraper | End scraper (thumb scraper) | 2.2x2x0.5 | Primary flake with cortex over all of dorsal face. Abrupt retouch at distal end to form scraping edge | Abrupt | | | | |
| BB12420 | Flint | | | White | | Burned | Blade (broken) | Blade with retouch(broken) | | 2x1.2x0.5 | Blade with invasive retouch along RH edge dorsal. Snapped across width. Completely burned | | Y | | | |
| BB12421 | Flint | C | 0.10 | Lt grey | Nodular | | Bladelet (broken) | Bladelet (broken) | Microdenticate | 1.6x1.0.4 | Bladelet snapped across width at distal end. Fine serrations along RH edge dorsal.Cortex along LH edge dorsal. | | Y | | | |
| BB12422 | Flint | | | White | | Burned | Bladelet Core (tortoise) | Scraper | Scraper (discoidal) | 2.2x1.2 | Small bladelet core (tortoise) - round with flake removed at top of cone for easier holding. Burned completely . Retouch around edges. | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|---------------|---------|--------------------|-------------------|---|--------------------------|-------------|--|-------------------|---|---|--|--|
| BB12423 | Flint | C | 0.10 | Lt grey | Pebble | | Flake | Scraper | Side and end scraper | 2.4x1.6x0.5 | Thick flake with cortex along LH edge dorsal face. Retouch along RH edge dorsal and at butt edge of ventral face | Invasive | | | | |
| BB12424 | Flint | C | 0.50 | Lt grey | Pebble | | Bladelet (broken) | Microlith | Microlith | 1.4x1.4x0.3 | Mesial segment of broken bladelet. Dorsal face covered with cortex. Retouch around distal end | Abrupt | Y | | | |
| BB12425 | Flint | | | White | | | Notched Flake | Notched Serrated flake | | 2x1.5x0.5 | Flake point with serrations on upper RH edge dorsal face, up to distal point. Notch at lower RH edge near butt on dorsal face. (?Hafted) Waterworn | Invasive | | | | |
| BB12426 | Flint | C | 0.10 | White | | | Serrated flake | Microdenticulate | Piercer/ | 1.5x1.5x0.4 | Short wide flake with thick butt. Fine denticulation along RH edge dorsal. Cortex at distal point. Invasive retouch along short LH edge dorsal. Bulb scar at butt end ventral face. | Invasive & abrupt | | | | |
| BB12427 | Flint | C | 0.10 | Grey | Nodular | Burned & patinated | Flake (broken) | ?Scraper | Side & end scraper | 1.9x1.9x0.5 | Squareish flake, broken across width. Patinated dorsal face, burned ventral face. Abrupt retouch across distal end and along LH edge dorsal. | Abrupt | Y | | | |
| BB12428 | Flint | | | Dk grey | | | Serrated Flake | Blade-serrated | | 2.5x1.5x0.5 | Thick flake with conchoidal rings (hard hammer struck). Narrow at butt end, wide at distal end. Fine retouch upper right edge of distal end, dorsal. Invasive retouch along LH edge ventral face. | Invasive | | | | |
| BB12429 | Chert | | | Lt grey/cream | | | Serrated flake | | | 1.6x1x0.2 | Leaf-shaped serrated flake. Fine serrations along LH curved edge dorsal face | | | | | |
| BB12430 | Flint | C | 0.40 | Honey | Nodular | | Notched Flake | Scraper and piercer .Combined tool Burin | Side scraper and piercer | 2.5x1.5x0.7 | Thick long flake with cortex over 45% of dorsal face. Upper RH corner missing - notch to form sharp point at RH edge dorsal face. Invasive retouch upper LH edge dorsal. Invasive retouch at lower LH edge on ventral face to form scraping edge | Invasive | Y | Y | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-----------------|---------|-----------|-------------------|----------------------------|----------------------|-------------|---|---------------------|-----|--|--|--|--|
| BB12431 | Flint | C | 0.10 | Lt grey | Pebble | | Flake | Scraper | Side and end scraper | 2.5x1.5x0.4 | Flake with cortex along LH edge dorsal face. Abrupt retouch across distal end to form scraping edge. Fine serrations along RH edge dorsal. Fits in hand. Use wear | Abrupt | Yes | | | | |
| BB12432 | Chert | | | Cream | | | Flake | Notched Bladelet | | 2.4x1.1x0.2 | Bladelet with slight notch at lower RH edge dorsal face. LH edge dorsal curved with fine serrations | Abrupt | | | | | |
| BB12433 | Flint | C | 0.10 | Pink | Nodular | | Serrated Flake | Bladelet | | 2.1x1.1x0.4 | Narrow flake with abrupt retouch across distal end. Cortex along RH edge dorsal face. Invasive retouch upper RH edge ventral face. | Abrupt and invasive | | | | | |
| BB12434 | Flint | | | White | | | Serrated flake | Serrated bladelet | Microdenticate | 2.4x0.5x0.4 | Narrow bladelet triangular cross section. Fine serrations along RH edge | | | | | | |
| BB12435 | Flint | C | 0.10 | Lt grey | | | Serrated bladelet | knife | | 2.2x1.1x0.4 | Curved flake with retouch along LH edge dorsal, RH edge ventral. V. fine cortex along RH edge probably used as backing for knife blade. | Abrupt | | | | | |
| BB12436 | Flint | | | Lt grey mottled | | | Serrated flake | Scraper | Double edged scraper | 3.5x2.5x0.7 | Thick flake with central ridge. Protrusion on LH edge dorsal. Retouch around left and right edges leading up to distal point | | | | | | |
| BB12437 | Flint | C | 0.45 | Honey | Nodular | Patinated | Flake | Scraper | End scraper | 2.5x1.6x1.0 | Narrow thick flake with cortex over 45 % on dorsal face. (for holding) Small amt retouch at distal edge for scraping | Abrupt | | | | | |
| BB12438 | Flint | C | 0.30 | Lt grey | Nodular | | Flake | Serrated bladelet | Microdenticate | 2.1x1.2x0.3 | Bladelet with cortex on dorsal face along RH edge. Fine serrations along LH edge up to distal end. (seen on microscope) | Abrupt | | | | | |
| BB12439 | Flint | C | 0.45 | Lt grey | Pebble | | Flake | Serrated Bladelet (broken) | | 1x1x0.5 | Butt end of bladelet , snapped across width. Cortex along RH edge dorsal. Serrations along LH edge. | Invasive | Y | | | | |
| BB12440 | Flint | C | 0.01 | Black mottled | Nodular | | Flake | | Piercer | 1.1x1.4x0.2 | Square flake with small amt cortex upper RH corner dorsal face. Sharp point midway along RH edge dorsal. Abrupt retouch | Abrupt | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|---------|---------|-----------|-------------------------|--------------------------|-----------------------------|-------------|--|--------|---|---|--|--|
| BB12441 | Flint | | | White | | | Flake | Serrated flake | Microdenticulate | 1.2x1.0x0.2 | Tiny rounded flake with fine serrations along distal edge - seen on microscope | Abrupt | | | | |
| BB12442 | Flint | | | Lt grey | | | Serrated Flake | Scraper Microdenticulate | Side and end scraper | 1.3x1.1x0.4 | Square flake with fine serrations along LH edge and along upper distal edge dorsal. | Abrupt | | | | |
| BB12443 | Flint | C | 0.25 | Black | Nodular | | Serrated flake (broken) | Serrated flake (broken) | | 1x1.2 | Butt of flake, serrations along RH edge dorsal. Cortex over 50% of dorsal face near butt end. Retouch along RH edge up to broken edge | Abrupt | Y | | | |
| BB12444 | Flint | | | White | | | Serrated flake (broken) | | | 1.5x1.7 | Broken flake with abrupt retouch along LH edge dorsal | Abrupt | Y | | | |
| BB12445 | Flint | | | White | | Burned | Blade (broken) | | Fabricator (broken) | 2.4x1.4x0.7 | Point of thick blade. Triangular in cross section.. Possible end of fabricator | | | Y | | |
| BB12446 | Flint | C | 0.05 | Lt grey | Pebble | Patinated | Flake (broken) | Scraper | End scraper | 2.2x1.4x0.9 | Thick flake with small amt cortex lower 30% of dorsal face. Abrupt retouch along distal edge ventral. LH edge dorsal retouched to make backed edge. | Abrupt | Y | | | |
| BB12447 | Flint | | | Dk grey | | | Flake (broken) | Bladelet (broken) | Microburin | 1x1.4x0.4 | Butt end of bladelet, snapped across width | Abrupt | Y | | | |
| BB12448 | Flint | C | 0.50 | White | Nodular | | Flake | Serrated flake | Point? | 2.5x1.5x0.8 | Thick pointed flake with cortex over 90% dorsal face. Small amt retouch on LH edge | Abrupt | | | | |
| BB12449 | Flint | C | 0.10 | Pink | Nodular | Patinated | Core Fragment | Scraper/awl | Side scraper | 2x1.8x1.4 | Squareish core fragment with small amt cortex on dorsal face. Curved edge dorsal with retouch to form scraping edge. Combination tool: Point opposite edge to scraper. | Abrupt | | | | |
| BB12450 | Flint | C | 0.90 | | Nodular | | Flake | Blade (Burin) | ?arrowhead | 2.2x1.5x0.5 | Blade made entirely of cortex. Distal end with sharp point - abrupt retouch LH and RH edge to form sharp point. Possible "waisting" with slight notch lower RH edge dorsal | Abrupt | | | | |
| BB12451 | Flint | | | Lt grey | | | Serrated Flake | Blade | serrated blade. Denticulate | 3.3x1.6x1.2 | Thick flake with thick distal end, with abrupt retouch across distal end. Bulb at ventral face at butt end. Fine retouch around edges | Abrupt | | | | |

| | | | | | | | | | | | | | | | | |
|----------|-------|---|------|-----------------|---------|-----------|-------------------------|---------------------------|---------------------------|-------------|--|---------------------|-----|---|--|--|
| BB12452 | Flint | C | 0.20 | White | Pebble | Patinated | Flake | Scraper | End and side scraper | 2.4x2x0.5 | Core tablet with cortex around LH and lower edges dorsal. Very smooth surface - totally patinated. Fine retouch along curved scraping RH edge. Bulb and bulb scar visible on ventral face | Abrut | | | | |
| BB12453 | Flint | | | Dk grey/Lt grey | | | Flake | Awl | Awl | 2.8x1.7x1 | Thick irregular flake with polished ventral face (use wear). Distal point with signs of crushing wear. | | | Y | | |
| BB12454 | Flint | C | 0.10 | Black | Nodular | | Flake (broken) | Serrated flake (broken) | | 1.4x2.3 | Butt end of flake broken across width. Small amt cortex at distal edge. Abrupt retouch RH edge ventral | Abrupt | Y | | | |
| BB12455 | Flint | | | Lt grey | | | Flake | Serrated flake | Microdenticulate | 2.7x2.2x0.8 | Triangular point with microdenticulations around 3 edges. Ventral face polished (use wear) | Invasive & Abrupt | | Y | | |
| BB12456 | Flint | | | White | | Burned | Flake | Arrowhead | | 2.4x1.8x1.0 | Thick flake point with crests/ridges along length dorsal face. Flat ventral face. Completely burned white. | | | | | |
| BB12457 | Flint | C | 0.05 | DK grey mottled | Nodular | | Fragment | Piercer + use wear | Double-sided nose scraper | 3x2x1.3 | Thick long fragment with triangular cross section. Long ridges butt to distal end, dorsal face. Small amt cortex lower RH edge near butt. Invasive retouch along RH edge dorsal. Butt end with serrated edge. LH edge dorsal with fine abrupt retouch. Some polish on ventral face (use wear?) | Invasive & abrupt | Yes | | | |
| BB12458 | Flint | C | 0.10 | Lt grey | Nodular | | Serrated Flake | Scraper. Microdenticulate | Side and end scraper | 2.7x2.0x0.4 | Oval flake with concave ventral face. Small amt cortex at butt end and along LH edge dorsal. V fine serrations along RH edge dorsal and along distal edge. | Abrupt | | | | |
| BB122459 | Flint | | | Lt pink | | | Serrated flake (broken) | Microdenticulate | | 1.7x1.2x0.4 | Curved flake with distal end snapped off. Tiny denticulations along LH edge ventral. (Invasive). Abrupt retouch along LH edge dorsal | Abrupt and invasive | Y | | | |

| | | | | | | | | | | | | | | | | |
|----------|-------|---|------|-----------------------------------|---------|--------|-------------------------|------------------------|--------------------------|-------------|--|----------|---|--|--|--|
| BB122460 | Chert | C | 0.05 | Lt grey mottled with red staining | Nodular | | Serrated flake (broken) | Blade (broken) | | 2.2x2.1x0.4 | Butt end of blade, snapped across width. Small amt cortex upper LH edge dorsal. Opposite RH edge dorsal with fine denticulations. Hard hammer struck - conchoidal rings. | | Y | | | |
| BB122461 | Flint | C | 0.30 | White/honey | Nodular | | Serrated flake (broken) | | | 1.8x1.6x0.5 | Roundish flake (broken) with cortex on 45% dorsal face. Some abrupt retouch at distal edge | Abrupt | Y | | | |
| BB12462 | Flint | C | 0.45 | Mid grey | Nodular | | Serrated flake | Blade | microdenticulate | 2.2x1.3x0.3 | Rectangular sharp blade with serrations along LH edge dorsal, including patch of cortex. V fine denticulations along RH edge dorsal. | Abrupt | | | | |
| BB12463 | Chert | C | 0.10 | Dk brown | Nodular | | Serrated flake | Scraper/piercer | Side scraper/end scraper | 2x1.0x0.8 | Thick flake with narrow butt. Cortex along RH edge dorsal. Fine serrations along RH edge ventral face. Sharp point upper RH edge dorsal. Platform evident at butt | Invasive | | | | |
| BB12464 | Flint | | | Lt grey | | | fragment | Awl | | 2x1x0.6 | Thick fragment with point formed by abrupt retouch at distal end. Also retouch at butt end for scraping | Abrupt | | | | |
| BB12465 | Flint | | | Lt grey | | | Serrated flake | | Microdenticulate | 2x2x0.4 | Roundish flake with central ridge from butt to distal end. V fine serrations around all edges. Prominent bulb on butt ventral face | Abrupt | | | | |
| BB12466 | Flint | C | 0.50 | Grey | Pebble | Burned | Serrated flake | Scraper | Side and end scraper | 2x1x0.8 | Thick curved flake with curved scraping edge | Invasive | | | | |
| BB12467 | Flint | | | Lt grey/cream + inclusion | | | Serrated flake | Blade | Microdenticulate | 3x1.6x0.7 | Blade with 2 ridges along length from butt to distal end. Fine serrations along LH edge dorsal and up to 50% along RH edge dorsal. Bulb on butt end ventral face. | | | | | |
| BB12468 | Flint | | | Grey | | Burned | Serrated flake (broken) | | | 2x2.3x0.5 | Butt end of broken flake with evidence of retouch to RH edge of butt. Broken across width. Burned. | | Y | | | |
| BB12469 | Flint | | | White | | | Notched flake | Notched Blade (broken) | | 2x1.3x0.2 | Smooth bladelet with notched distal end. Notch each side. Abrupt retouch | Abrupt | Y | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|---------------|---------|--------|---------------------------------|------------------------|--------------|-------------|---|---------------------|---|--|--|--|
| BB12470 | Flint | C | 0.05 | Lt grey | | | Serrated flake | | Microdentate | 1.6x1.3x0.7 | Thick flake made from bladelet core. V fine serrations around distal end | Abrupt | | | | |
| BB12471 | Flint | | | White | | Burned | Serrated flake | | Microdentate | 1.4x0.7x0.4 | Leaf-shaped flake with central ridge dorsal face. Flat ventral face. Tiny serrations along LH edge dorsal. Burned | Abrupt | | | | |
| BB12472 | Flint | C | 0.05 | Lt grey | Pebble | | Serrated flake | | Microdentate | 1.8x1.5x0.4 | Flake with possible "waisting" at butt end RH dorsal face. Small amt cortex along Lh edge (?backed piece). Tiny serrations along RH edge dorsal up to and including distal end. | Abrupt | | | | |
| BB12473 | Flint | C | 0.01 | Lt grey | Pebble | Burned | Serrated flake (broken) | | | 1.8x1.2x0.3 | Piece of core tablet with small amt cortex on LH edge. RH edge dorsal with regular retouch along edge | Abrupt | Y | | | |
| BB12474 | Flint | | | Honey | | | Notched Serrated flake (broken) | Notched Blade (broken) | Burin | 1.5x1.4x0.4 | Mesial segment of blade with notch in LH edge dorsal. Abrupt retouch along RH edge dorsal face. Snapped across width | Abrupt | Y | | | |
| BB12475 | Flint | | | Lt grey | | | Serrated flake (broken) | Burin | | 2x1.2x0.3 | Thin flake broken across width. Retouch along RH edge dorsal. | Abrupt | Y | | | |
| BB12476 | Flint | C | 0.01 | Lt grey/white | Nodular | Burned | Core fragment - serrated | Scraper | Side scraper | 3x2x1.5 | Leaf shaped point - thick flake with evidence of flake removal. Burned white. Some retouch along upper RH edge dorsal. Ventral face smooth with indentation central. | | | | | |
| BB12477 | Flint | | 0.01 | Lt grey | | | Serrated flake | Scraper | Side scraper | 2.5x1.4x0.4 | Thick flake (core tablet) with small amt cortex lower RH edge by butt. Narrow distal end with abrupt retouch upper LH edge | | | | | |
| BB12478 | Flint | C | 0.05 | Lt grey | Nodular | Burned | Serrated flake (broken) | | | 1.6x1.5x0.5 | Flake broken across width with cortex on lower butt dorsal face. Abrupt retouch on RH and LH edges. | Abrupt | Y | | | |
| BB12479 | Flint | | | Lt grey | | | Notched Serrated flake | | | 1.5x1.2x0.2 | Fan shaped flake with slight notch upper LH edge dorsal face. Retouch along upper distal edge. Bulb on ventral face | Abrupt and invasive | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-------------------|---------|-----------|--------------------------|-------------------|----------------------|-------------|---|----------|-----|---|--|--|
| BB12480 | Flint | C | 0.10 | White | Nodular | | Rod | Microdenticulate | | 2.5x0.7x0.7 | Long narrow flint with cortex point at distal end. Triangular in section. 2 of 3 edges with microdenticulate retouch. (Seen on microscope) | | | | | |
| BB12481 | Flint | C | 0.10 | Cream | | | Serrated flake | | | 2.7x1.3 | Narrow flake with bulb on dorsal face. Cortex upper distal edge. Fine retouch along upper RH edge dorsal | Abrupt | | | | |
| BB12482 | Flint | C | 0.20 | Dk pink and cream | Nodular | | Serrated flake | Piercer | | 2.4x2.1x0.1 | Thick triangular flake with cortex covering width of butt end. Abrupt retouch along RH edge from butt up to distal point (dorsal). Concave ventral face. Removal of tiny flake at distal point to form piercer. | Abrupt | | | | |
| BB12483 | Flint | | | Red | | Patinated | Flake | Scraper | Double-ended scraper | 2x1.5x0.5 | Slight patination dorsal face. Retouch to form scraping edge | Abrupt | | | | |
| BB12484 | Flint | C | 0.20 | Lt grey | Nodular | Burned | Core (flake) | Bladelet core | | 2.8x2.2x1.6 | Thick flake with evidence of burning. Traingle shaped with cortex at butt and distal end (dorsal). | | | | | |
| BB12485 | Chert | | | Lt grey/beige | | | Serrated flake (Notched) | Blade | Denticulate | 3.5x1.1x1.0 | Blade curving to the left (dorsal). Notch in LH edge . Inverse retouch along curved cutting edge. Polish from use wear on ventral face. | Inverse | Yes | Y | | |
| BB12486 | Flint | | | White | | | Serrated flake | Bladelet (broken) | Microdenticulate | 1.5x0.9x0.2 | Butt end of narrow bladelet. Large serrations on LH edge dorsal; tiny serrations along RH edge dorsal. | | Y | | | |
| BB12487 | Flint | | | Lt grey | | | Serrated flake (broken) | | | 1.8x1.1x0.2 | Narrow flake with inverse retouch on both RH and LH edges (ventral). Upper RH corner distal end missing. | Invasive | Y | | | |
| BB12488 | Flint | C | 0.50 | White | Nodular | Burned | Flake | Bladelet (broken) | | 1.6x1.3x0.7 | | | | Y | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------------------------|---------|-----------|-------------------------|--------------------------|----------------------|-------------|---|---------------------|---|---|--|--|
| BB12489 | Flint | C | 0.01 | Honey | | | Flake | Scraper/piercer | combination tool | 2.6x2.8x0.8 | Roundish flake with thick butt . Tiny amt cortex lower RH edge dorsal. Retouch along RH edge forming sharp point 50% along RH edge dorsal. Possible piercer. Abrupt retouch along LH edge dorsal. Invasive retouch LH edge ventral up to sharp point. | Invasive and abrupt | | | | |
| BB12490 | Flint | | | White/orange | | | Serrated flake | | | 1.2x1.8x0.2 | Fan shaped flake with tiny bulb at butt end ventral face. Retouch along distal edge. | Abrupt | | | | |
| BB12491 | Flint | | | Honey | | | Serrated flake (broken) | ?Piercer | | 1.9x0.9x0.5 | Narrow flake with large serrations (notches) LH edge up to distal point. | Abrupt | Y | | | |
| BB12492 | Flint | | | Honey | | | Serrated flake | Microdenticulate | Unclassified tool | 1.4x1.1x0.5 | Rounded flake with narrow butt. Tiny serrations around edges. Thick proximal point at butt. Possible piercer | | | | | |
| BB12493 | Flint | | | Grey | | Patinated | Notched Serrated flake | Microdenticulate | Microburin | 1.5x1.10.2 | Leaf shaped flake with abrupt retouch along LH edge dorsal. Patinated on both faces | | | | | |
| BB12494 | Flint | C | 0.20 | Lt grey | | | Serrated flake (broken) | | | 2x2.5x0.7 | Butt end of thick flake. Cortex remaining at butt and on centre of dorsal face. Broken across width. Retouch along LH edge dorsal. | Abrupt | | Y | | |
| BB12495 | Flint | C | 0.10 | Pink with cream inclusions | Nodular | | Serrated notched blade | Serrated notched blade | Side scraper (right) | 3.5x1x1.4 | Narrow blade with triangular cross section. Cortex at lower LH edge dorsal ridge. Notch in lower RH edge dorsal with retouch up RH edge to distal point to form scraping edge | | | | | |
| BB12496 | Flint | C | 0.10 | Lt grey | Pebble | | Serrated Flake | Scraper Microdenticulate | Side scraper (left) | 3.9x2.9x1.2 | Oval shaped thick flake with cortex at butt dorsal. LH edge dorsal with fine denticulation , also lower RH edge dorsal with retouch | Abrupt | | | | |

| | | | | | | | | | | | | | | | | |
|---------|--------|---|------|----------|---------|-----------|-------------------------|-------------------------|-------------------|-------------|--|---------------------|---|---|--|--|
| BB12497 | Flint | C | 0.25 | Lt grey | Pebble | | Serrated flake | Scraper | Side scraper | 2.5x1.9x0.8 | Oval flake with cortex acovering RH dorsal face from butt to proximal end. Also cortex at lower LH butt dorsal. Retouch along LH edge from butt up to distal point. Abrupt retouch to RH side of distal point dorsal. Butt end concave with possible use wear. | Abrupt | Y | Y | | |
| BB12498 | Flint | | | Honey | | Patinated | Serrated flake (broken) | serrated flake (broken) | | 2.6x2x0.5 | Flake with distal end missing. Honey flint with total white patination. Left and right edges dorsal wth abrupt retouch | Abrupt | Y | | | |
| BB12499 | Flint | C | 0.10 | Lt grey | Pebble | | Serrated blade | Scraper | Side scraper | 2.3x1.2x0.4 | Blade with serrated LH edge dorsal. Cortex along RH edge dorsal. | Abrupt | | | | |
| BB12500 | Flint | C | 0.10 | Lt grey | Nodular | | Serrated bade (broken) | Serrated blade (broken) | | 2.6x1.5x0.9 | Blade with cortex on dorsal face at buttend. Serrations along both left and right hand edges dorsal. Broken across distal end. | | Y | | | |
| BB12501 | Flint | | | Pink | | | Serrated flake | Microdenticultate | Microburin | 1.2x1.2x0.2 | Round flake with tiny serrations along RH edge dorsal and abrupt retouch at lower LH edge ventral and at distal end. | Abrupt | | | | |
| BB12502 | Flint | | | Lt grey | | | Serrated flake | Bladelet (broken) | | 1.5x1x0.2 | Butt end of narrow flake (bladelet) with distal end missing. Abrupt retouch along LH edge dorsal | Abrupt | Y | | | |
| BB12503 | Quartz | | | Clear | | | Crystal | | | 0.8x0.8x0.4 | Squarish clear quartz crystal | | | | | |
| BB12504 | Flint | | | Lt grey | | | Serrated Flake (broken) | Bladelet (broken) | | 1.3x1.0x0.3 | Distal point of bladelet (rest missing). Tiny serrations along RH and Lh edges dorsal. Invasive retouch at right side distal end | Abrupt and invasive | Y | | | |
| BB12505 | Flint | | | White | | | Flake (broken) | Bladelet (broken) | | 1.5x1.0x0.3 | Butt end of broken bladelet. Broken across width | | Y | | | |
| BB12506 | Flint | C | 0.10 | Dlk grey | Nodular | | Serrated Flake | | | 1x0.7x0.2 | Tiny flake with cortex along butt edge. Retouch at lower LH edge dorsal | Invasive | | | | |
| BB12507 | Flint | | | Grey | | | Serrated flake | Bladelet (broken) | Microdenticultate | 1.2x1x0.2 | Butt end of bladelet, snapped across width. Tiny serrations along LH edge dorsal | Abrupt | Y | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-------------|---------|-----------|----------------------------------|--------------------------|-----------------------------------|--------------|---|---------------------|---|--|--|--|--|
| BB12508 | Flint | | | Dk grey | | | Serrated flake | Bladelet (broken) | | 1.4x1x0.5 | Butt end of bladelet. Invasive retouch along LH edge dorsal. Abrupt retouch along RH edge dorsal. Snapped across width | Invasive and abrupt | Y | | | | |
| BB12509 | Flint | C | 0.10 | Lt grey | Pebble | | Serrated flake | Denticulate | Thumbnail Scraper | 1.5x2.1x0.4 | Semi circular flint flake with cortex along butt edge. Invasive retouch around RH edge dorsal and abrupt retouch at LH edge dorsal face. | Abrupt + invasive | | | | | |
| BB12510 | Flint | | | Brown | Nodular | | Notched flake | Awl (hafted) | | 2.5x1.5x0.8 | Thick flake point with notch 75% along LH edge dorsal. Thin cortex along upper RH edge of point leading up to distal point. Invasive retouch lower RH edge ventral face. Possible awl. Possibly hafted. | | | | | | |
| BB12511 | Flint | | | Pink | | | Notched, serrated flake (broken) | Piercer (broken) | | 1.4x0.8x0.2 | Tiny flake broken diagonally across width. Sharp distal point | | Y | | | | |
| BB12512 | Flint | C | 0.10 | Lt grey | Nodular | | Notched Serrated flake | Scraper | End/side scraper (both sides) | 2x1.2x0.4 | Oval flake with cortex at upper LH edge of distal end (dorsal). Small notch at upper RH edge dorsal. Retouch along RH edge dorsal and across butt edge dorsal. | | | | | | |
| BB12513 | Flint | C | 0.10 | Honey | Nodular | Patinated | Serrated flake (broken) | | | 1.9x1.5x0.4 | Flake broken across width. Possible notch lower LH edge dorsal. Cortex at butt end dorsal. Retouch along RH edge dorsal. | Abrupt | Y | | | | |
| BB12514 | Flint | C | 0.01 | Honey | Nodular | Patinated | Bulb | | | 2..4x1.3x0.8 | Complete bulb - evidence of flint knapping on site. Tiny amt cortex at butt | | | | | | |
| BB12515 | Flint | C | 0.05 | Honey | Nodular | Patinated | Flake | Scraper | End and side scraper - Right side | 3.2x2.5x0.7 | Triangular shaped flake with cortex lower RH of dorsal face. Retouch at distal point on both faces. (invasive). Invasive retouch upper RH edge dorsal. | Invasive | | | | | |
| BB12516 | Flint | | | Honey/white | | Patinated | Serrated Flake | Scraper-microdenticulate | Side scraper - left | 2.1x1.8x0.4 | Core tablet with thick RH edge dorsal. LH edge with fine serrations | Abrupt | | | | | |

| | | | | | | | | | | | | | | | | |
|----------|-------|---|------|---------------|---------|-----------|---------------------------|-------------------------|-----------------|-------------|---|---------------------|---|--|---|--|
| BB12517 | Flint | C | 0.01 | White | ? | | Serrated flake | Scraper | End scraper | 1.8x1.2x0.5 | Thick flake at butt, made on half flake. Distal curved edge thin and with retouch to form scraping edge | | | | | |
| BB12518 | Flint | C | 0.01 | Lt grey | Nodular | Patinated | Serrated flake | Blade (complete) | | 2.2x1.2x0.2 | Complete blade with serrations along LH edge dorsal. RH edge retouched to form "backed" blade. Bulb evident on ventral face. Small amt cortex upper RH edge dorsal and upper LH face ventral | | | | | |
| BB122519 | Flint | C | 0.05 | Lt grey | Pebble | | Serrated flake | ?Piercer | | 2.3x1.8x0.5 | Triangular shaped flake with cortex across wide butt dorsal. LH edge serrated up to sharp distal point. Retouch to upper RH edge dorsal and invasive retouch at upper LH edge around distal point ventral. Possible piercer | Invasive | | | | |
| BB12520 | Flint | C | 0.20 | Lt grey | Pebble | | Serrated flake | Blade (backed) - broken | | 1.9x1.1x0.4 | Narrow blade (broken across width). Backed blade with cortex along length of blade RH edge dorsal. LH edge with abrupt retouch dorsal and invasive retouch ventral. | Abrupt and invasive | Y | | | |
| BB12521 | Flint | | | Lt grey | | | Notched Serrated bladelet | Denticulate | | 1.8x0.8x2 | Narrow bladelet with triangular cross section. Notch in lower LH edge dorsal. Abrupt retouch along both edges dorsal | | | | | |
| BB12522 | Flint | | | Lt grey | | | Scraper | Thumb nail scraper | | 2.2x2x1 | Thick flake with steep retouch around two sides. . Flake removal on dorsal face for holding. | | | | | |
| BB12523 | Flint | | | Lt grey | | | Core fragment | Scraper/awl | End scraper/awl | 3.2x0.8x1.2 | Narrow, thick, curved core fragment with triangular cross section. Remains of core platform. Steep retouch around distal point and at proximal (squared) end. Combination tool | | | | Y | |
| BB12524 | Flint | | | Lt grey/white | | | Serrated flake | Piercer | | 1.6x1.0x0.2 | Flake with prominent bulb on ventral face at butt. Sharp distal point with abrupt retouch at upper RH distal edge and along LH edge dorsal. Piercer | abrupt | | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-----------------|---------|-----------|--|------------------|--|-------------|---|-------------|---|--|--|--|--|
| BB12525 | Flint | | | Lt grey | | | Notched Serrated flake (broken and waterworn) | | | 2x1.3x0.3 | Flake with serrations along LH edge up to distal end. Distal end with piece missing. Notch upper LH edge dorsal face. Retouch midway along LH edge ventral. Whole flake WATERWORN | Abrupt | Y | | | | |
| BB12526 | Flint | | | Honey | | | Serrated flake | Denticulate | | 1.5x2.2x0.3 | Semi circular flake with denticulation around circular edge. Fits in hand | Abrupt | | | | | |
| BB12527 | Flint | C | 0.05 | Pink | Nodular | Patinated | Serrated flake | | | 1.4x1x0.3 | Fan shaped flake with cortex along straight butt. Distal edge with invasive retouch along edge | Invasive | | | | | |
| BB12528 | Flint | | | Lt grey | | | Serrated flake (broken) | Microdenticulate | | 1x0.9 | Tiny flake with distal end missing. Fine serrations along both edges | Abrupt | Y | | | | |
| BB12529 | Flint | | | Dk pink | | | Serrated flake | Blade (broken) | | 2.1x1.1x0.4 | Blade with distal end snapped across . Invasive retouch along both edges ventral face | Invasive | | | | | |
| BB12530 | Flint | | | Lt grey/dk grey | | | Serrated flake - (broken) | Microdenticulate | | 1.5x1.5x0.3 | Wide flake with narrow distal end missing. Fine denticulation around LH edge dorsal up to distal end. | Abrupt | Y | | | | |
| BB12531 | Flint | | | Cream | | | Serrated flake (broken) | | | 1.x0.36x1.4 | Flake with distal end missing. Abrupt retouch along LH edge dorsal | Abrupt | Y | | | | |
| BB12532 | Flint | | | Lt grey | | | Serrated flake (broken and waterworn) | | | 1.3x1.4 | Flake with distal end missing. Abrupt retouch along RH edge dorsal and invasive retouch along RH edge ventral. WATERWORN | | Y | | | | |
| BB12533 | Flint | C | 0.10 | Lt grey | Nodular | Burned | Serrated flake | | | 1.3x1.5x0.5 | Triangular shaped flake with thick butt. Cortex at butt end. Fine serrations along LH edge up to distal point dorsal. | Abrupt | | | | | |
| BB12534 | Flint | C | 0.05 | Lt grey | Nodular | | Serrated flake | | | 1.5x1.9x0.4 | Triangular shaped flake with cortex covering straight edge of butt. Retouch along RH edge dorsal up to and including distal end. | Semi-abrupt | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-------------------------|---------|-----------|--------------------------|---------------------------|---|-------------|---|----------|---|--|--|---|
| BB12535 | Flint | C | 0.01 | Honey + inclusions | Nodular | | Notched flake | Scraper | End/side scraper RH | 2.9x1.6x0.5 | Narrow thick flake with small amt cortex at butt RH edge of dorsal face. Triangular cross section. Large notch in LH upper edge dorsal. Retouch at distal end to form scraping edge. Smaller notch on ventral face on lower RH edge | Use wear | | | | |
| BB12536 | Flint | C | 0.05 | Honey + large inclusion | Nodular | | Serrated blade | Scraper/micro denticulate | Side/end (nose)scraper | 3.3x1.3x0.5 | ?Orleigh Court. Blade with thin cortex along LH edge from butt up to 75% of length. RH edge dorsal with fine serrations up to distal point. Distal end with steep retouch at LH edge of scraping edge. Curved profile. Fits in hand | | | | | |
| BB12537 | Flint | | | Brown/white | | Patinated | Serrated flake (damaged) | | | 2.7x1.6x0.6 | Leaf shaped flake heavily patinated white. Distal LH edge missing. Heavily serrated RH edge dorsal. Fine denticulations along LH edge dorsal. | Abrupt | Y | | | |
| BB12538 | Flint | | | Mid grey + inclusion | | | Flake | Microlith | Microdenticulate | 1x1.5x0.4 | Square shaped flake with thicker butt including inclusion. Fine direct retouch along RH edge dorsal. Fine retouch along RH edge ventral. Abrupt retouch across distal end from ventral face, with slight notch. | | | | | |
| BB12539 | Flint | | | Lt grey | | | Flake | Notched, serrated flake | Microdenticulate ?Transverse arrowhead | 2x2x0.2 | Thin flake with wide distal end with central notch in distal edge from ventral face (invasive retouch on ventral face) Abrupt retouch on dorsal face along LH edge up to distal edge. Abrupt retouch along RH edge dorsal up to 50% of edge. Rest of edge with microdenticulation | | | | | |
| BB12540 | Flint | | | Dk grey | | | Bladelet (broken) | Denticulate | | 1.6x1x0.2 | Butt end of narrow bladelet Broken across width Fine retouch along RH edge ventral face. Large serrations along LH edge ventral face. | | | | | Y |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-----------------------------------|---------|--|-------------------------|------------------------------|-----------------------------|-------------|---|----------------------------|---|--|--|--|
| BB12541 | Flint | C | 0.25 | Lt grey | Pebble | | Flake | Thumb Scraper | Side/end scraper | 2.6x1.6x0.9 | Flake from pebble with cortex along LH side and upper face of dorsal face. Sharp abrupt retouch along distal end . Steep retouch along RH edge dorsal to form scraping edge. | Abrupt | | | | |
| BB12542 | Flint | C | 0.10 | Lt grey | | | Flake (broken) | Notched flake (broken) | | 1.7x0.8x0.2 | Broken flake point with cortex along straight edge of butt dorsal. Notch in Lh edge ventral face. Distal point broken across LH edge dorsal | | Y | | | |
| BB12543 | Flint | C | 0.10 | Black | Nodular | | Flake | Flake with retouch | | 1.9x1x0.6 | Triangular in cross section with thick distal end. Small amt cortex on crest at distal end and at lower RH edge of butt. Small bulb at butt of ventral face. Invasive retouch along lower half of RH ventral edge | Invasive | | | | |
| BB12544 | Flint | | | White | | | Serrated flake | | | 1.6x1.2x0.1 | Thin white flake with wide curved distal end. RH edge with fine retouch from butt to distal end. | Abrupt | | | | |
| BB12545 | Flint | | | Honey/white | | | Serrated flake (broken) | Microdentical ate | Microburin | 1.4x1x0.2 | Butt end of narrow flake. Fine serrations along LH edge dorsal | Abrupt | Y | | | |
| BB12546 | Flint | | | Cream | | | Serrated flake | Microdentical ate | | 2x1.1x0.3 | Narrow thin flake with fine serrations along RH edge dorsal , invasive retouch along LH edge dorsal up to distal point. | Invasive and abrupt | | | | |
| BB12547 | Flint | C | 0.20 | Lt grey mottled with red staining | Pebble | | Serrated flake | Scraper | Side scraper Left and right | 2.8x2.5x1 | Thick flake with cortex over 50% of dorsal face. Steep retouch along distal edge dorsal and at lower RH edge dorsal (invasive) | Invasive and steep retouch | | | | |
| BB12548 | Flint | C | 0.01 | Lt grey | | | Serrated flake | Bladelet (broken) | Microdentical ate | 1.2x1.1 | Tiny straight bladelet broken across distal end. V thin cortex along bottom edge of butt. V fine serrations along edges. | Abrupt | Y | | | |
| BB12549 | Flint | | | Lt grey | | | Serrated flake | Bladelet (broken) Microburin | Microdentical ate | 1.8x0.9x0.3 | Small bladelet with uppe RH edge of distal end missing. Direct retouch along both edges | Abrupt | Y | | | |

| | | | | | | | | | | | | | | | | |
|---------|--------|---|------|-------------|---------|-----------|-------------------------------|----------------------|----------------------|-------------|--|----------|---|--|--|--|
| BB12550 | Quartz | | | White | | | | point | | 1.2x0.4 | Smooth quartz point - weather worn ?use wear | | | | | |
| BB12551 | Flint | C | 0.25 | Lt grey | Pebble | | Serrated flake | Piercer | Microdentic ulate | 1.5x1.5x0.4 | Square shaped flake with cortex over lower 50% dorsal face. (for holding). Distal edge with tiny denticulations to left and right of sharp distal point. | Abrupt | | | | |
| BB12552 | Flint | | | Cream | | | Serrated flake | Piercer | Microdentic ulate | 2.1x1.5x0.5 | Square shaped thick flake with sharp distal point. Tiny denticulaions on left and right edges leading up to distal point. Piercer | Abrupt | | | | |
| BB12553 | Flint | C | 0.20 | Lt grey | | | Serrated flake (broken) | Denticulate | | 2.3x2x0.8 | Triangular shaped flake with thick butt. Cortex at butt end, dorsal and ventral. RH edge dorsal with denticulate serrations. LH edge also with retouch | Abrupt | Y | | | |
| BB12554 | Flint | C | 0.25 | Honey | Nodular | Patinated | | Notched Bladelet | Microdentic ulate | 2x1x0.6 | Narrow bladelet with cortex covering left hand 50% of dorsal face. Right hand upper edge dorsal with tiny serrations Microdenticulate. Possibly hafted - small notch at lower RH edge | Abrupt | | | | |
| BB12555 | Flint | | | White | | | Serrated flake (broken) | | Denticulate | 1.5x1.4 | Squareish flake with with upper LH edge with serrations | Abrupt | Y | | | |
| BB12556 | Flint | | | Lt grey | | Patinated | | Bladelet (broken) | | 1x0.5x0.2 | Mesial segment of bladelet (microlith) | | Y | | | |
| BB12557 | Flint | C | 0.20 | Honey/white | Nodular | Patinated | Serrated core fragment | Awl | | 2.8x1.6x1 | Thick core fragment, patinated ventral face. Cortex on RH edge and lower LH of dorsal face. Upper LH end of distal edge forms sharp point with flake removal around point, invasive retouch at distal point on ventral face. Butt end with flake removal. Possible use as scraper/tool | Invasive | | | | |
| BB12558 | Flint | | | Lt grey | | | Serrated flake | Blade (broken) | Denticulate | 1.6x1.3x0.2 | Section of blade broken across width at distal and proximal ends. Serrations along both edges | Abrupt | Y | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-----------------------------|---------|-----------|----------------|--------------------|-------------------|-------------|---|----------|--|--|--|--|
| BB12559 | Flint | C | 0.30 | Dk pink | Nodular | | Serrated flake | Microlith | Microdenticate | 1.2x1.9x0.6 | Flake with thick butt with cortex along edge of butt dorsal. Thin cutting distal edge. Abrupt retouch along cutting edge ventral face | Abrupt | | | | |
| BB12560 | Flint | C | 0.25 | Black | Pebble | | Flake | Point | Unclassified tool | 3.2x1.8x1.1 | Thick flake (bulb) lozenge-shaped. Cortex covering LH 50% of dorsal face with hollow indentation covered in thin cortex on RH face dorsal. Distal point with possible retouch dorsal and ventral. Butt end with flake removal on ventral face. | Use wear | | | | |
| BB12561 | Flint | | | Brown (with black staining) | | | Flake | ?Awl Microburin | | 1.4x1.6x0.3 | Thin flake with bulb on ventral face at butt. Abrupt retouch on 3 edges leading up to distal point, which is stained black (through burning?). | | | | | |
| BB12562 | Flint | | | Honey + inclusions | | | Blade | Knife | Microdenticate | 3.7x1.5x1 | Long narrow blade with triangular cross section. Thick butt made of inclusion. Evidence of several flake removals on length of dorsal face. Steep retouch upper RH edge dorsal to form cutting edge. Fine microdentifications along LH cutting edge dorsal. | | | | | |
| BB12563 | Flint | C | 0.50 | Lt grey | Pebble | | Serrated flake | Piercer | | 2.1x1.5x0.5 | Primary pebble flake with LH and RH upper edges dorsal retouched to form distal point. | Abrupt | | | | |
| BB12564 | Flint | C | 0.10 | Lt honey | Nodular | Patinated | Serrated flake | (Backed) Blade | Knife | 3.5x1.9x0.7 | Flake with cortex along LH edge dorsal (for holding). RH lower edge with serrations. Upper RH edge with microdentification. | Abrupt | | | | |
| BB12565 | Flint | | | Cream | | | Serrated flake | | | 1.7x1.3x0.3 | Leaf shaped flake with tiny butt on ventral face. Abrupt retouch along edges | Abrupt | | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-------------------------|---------|-----------|---------------------------------|------------------------|----------------------|-------------|---|---------------------|-----|---|--|--|--|
| BB12566 | Flint | C | 0.25 | Red | Nodular | Burned | Flake (broken) | Blade (broken) | | 1.3x1 | Tip of broken blade with cortex along RH upper edge dorsal and on upper dorsal face. Burned | Abrupt | Y | | | | |
| BB12567 | Flint | | | Lt grey/white | | | Flake (core rejuvenation flake) | Serrated Blade | Utilised piece | 4.6x2.2x1.5 | Thick flake (core rejuvenation flake). LH edge dorsal with slight notch in Lh edge | Abrupt | | | | | |
| BB12568 | Flint | | | Honey + inclusions | | Patinated | Notched Flake (broken) | Notched Blade (broken) | | 2.3x1.7x0.5 | Blade broken across width. Notch 50% along LH edge dorsal. Serrations along length of RH edge dorsal. Invasive retouch RH edge ventral face. | Abrupt and invasive | Y | Y | | | |
| BB12569 | Chert | C | 0.05 | Honey + orange staining | Nodular | | Notched flake | | Microdentulate | 2.8x1.9x0.4 | Flake with cortex at distal end of dorsal face. Direct retouch along RH edge with slight notch dorsal. Direct retouch upper LH edge, followed by microdentulation along LH edge dorsal. | Abrupt | | | | | |
| BB12570 | Flint | C | 0.20 | Lt grey | Pebble | | Serrated flake | Blade | | 3.2x1.5x0.8 | Curved blade with thick cortex along LH edge dorsal. RH edge with abrupt retouch to form cutting edge. | | | | | | |
| BB12571 | Flint | | | Lt grey + inclusions | | | Serrated flake (broken) | Blade (broken) | | 3.2x2.4x0.5 | Thick heavy flake broken across width. Abrupt retouch along LH and RH edges dorsal face | Abrupt | Y | | | | |
| BB12572 | Flint | C | 0.05 | Honey + inclusions | Nodular | Patinated | Core fragment | Scraper | Side and end scraper | 4.5x2.5x2.5 | Triangular in section fragment with narrower distal end. Narrow cortex along upper ridge dorsal. Left dorsal surface patinated. Distal end with invasive retouch on ventral face. RH dorsal edge with some serrations | Invasive | Yes | | | | |
| BB12573 | Flint | C | 0.20 | Lt grey | Pebble | | Serrated Flake (broken) | Scraper | End scraper | 2.5x1.1x0.5 | Mesial section of flake with cortex covering 30% lower dorsal face. Opposite (distal end) with abrupt retouch to form scraping edge. Cortex worn smooth | Abrupt | Yes | Y | | | |

| | | | | | | | | | | | | | | | | |
|----------|-------|---|------|-----------------|---------|-----------|-------------------------|-----------------------|-----------------------|-------------|---|--------|-----|--|--|--|
| BB12574 | Flint | | | Honey | | Patinated | Serrated flake (broken) | Blade (broken) | | 1.5x1.3 | Butt end of blade, broken across width. Patinated both faces . Abrupt retouch along both edges | Abrupt | Y | | | |
| BB12575 | Flint | C | 0.45 | Dk grey | Nodular | | Core | Bladelet core | Mesolithic | 1.9x2.2x1.1 | Tiny core with flake removals in one direction on ventral rounded face. Dorsal face with thin cortex across centre of face | | | | | |
| BB12576 | Flint | C | 0.25 | Honey | Nodular | | Core fragment | Scraper | End/side scraper | 2.7x1x1 | Thick flake with triangular cross section. Evidence of flake removal (bladelet core) across upper 50% dorsal face. . Cortex across upper 50% dorsal face. Possible abrupt retouch at distal end for scraping. Gloss along 2 upper ridges ventral. | Abrupt | Yes | | | |
| BB12577 | Flint | C | 0.01 | Lt grey/dk grey | Pebble | | Serrated Flake | Scraper | Side scraper | 2.5x2.5x0.5 | Thick flake with cortex at butt end dorsal face. Abrupt retouch across distal edge and along Rh Eedge dorsal. | Abrupt | | | | |
| BB12577A | Flint | | | Cream | | | Serrated Flake (broken) | Bladelet | Microlith | 1.5x0.8x0.2 | Short bladelet with abrupt retouch along RH edge dorsal | Abrupt | Y | | | |
| BB12578 | Flint | | | Lt honey | | Patinated | Flake | | Microlith. Mesolithic | 1.6x1.0x0.3 | Leaf shaped flake with abrupt retouch at LH edge dorsal, across distal edge and along RH edge dorsal. | Abrupt | | | | |
| BB12579 | Flint | C | 0.48 | White | Pebble | | Serrated flake | Bladelet (broken) | | 1.4x1.3x0.1 | Mesial section of bladelet broken across width in 2 places. V smooth cortex over 80% of dorsal face. RH edge dorsal with fine serrations | Abrupt | Y | | | |
| BB12580 | Flint | C | 0.01 | Lt grey | Pebble | Burned | Flake | Thumb Scraper/piercer | End scraper | 2.2x2x0.4 | Squareish flake with thicker butt. Thin cortex along butt edge. Burned. Distal edge thinner to from scraping edge with LH distal point. Flake removal along LH lower edge dorsal. Removal of bulb on ventral face | Abrupt | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------|---------|-----------|-------------------------------|----------------------------------|----------------------|-------------|---|--------|---|--|--|--|
| BB12581 | Flint | | | Honey | | | Serrated Flake | Combination tool | Scraper/awl | 2.5x2x0.6 | Squareish flake with protruding distal point Upper LH of dorsal face. Lower edge dorsal serrated. Distal edge dorsal serrated. Flake removal around distal point. | Abrupt | | | | |
| BB12582 | Flint | | | Lt grey | | | Flake (broken) | Bladelet (broken) | | 0.8x1.4x0.3 | Distal end of bladelet. Hinge fracture at butt end | | Y | | | |
| BB12583 | Chert | | | Lt grey | | | Serrated Flake | Backed blade | | 2.1x110.4 | Leaf shaped flake with serrations along Lh edge drosal, up to distal point. Steep retouch along RH edge dorsal as backing | | | | | |
| BB12584 | Flint | | | Cream | | | Serrated flake | | | 2.3x0.5 | Flake with evidence of platform and bulb on ventral face at butt. Abrupt retouch along length of LH edge dorsal and also right hand edge dorsal | | | | | |
| BB12585 | Flint | C | 0.05 | Lt honey | Nodular | | Notched flake (damaged) | Notched bladelet (damaged) | | 2.3x1x0.2 | Narrow thin bladelet with cortex along lower edge of butt. Notch in lower Left hand edge dorsal face. Broken at distal end across width | Abrupt | Y | | | |
| BB12586 | Flint | C | 0.05 | Pink | Nodular | Patinated | Serrated flake | Piercer/scrape r | Combination tool | 2.1x1.5x0.5 | Thick flake point with cortex in centre of dorsal face. Half patination on lower dorsal face. Steep retouch around distal point | Abrupt | | | | |
| BB12587 | Flint | | | White | | Burned | Flake (broken) | | | 1.8x1.6x0.4 | Oval shaped flake with distal end missing. Burned white | | Y | | | |
| BB12588 | Flint | | | Dk grey | | Burned | Serrated flake (broken) | | Unclassified tool | 3.2x3.4x1.1 | Thick, heavy flake (distal end point) with polished ventral face . Large serrations along RH edge up to point. Some patination on ventral face. | Abrupt | Y | | | |
| BB12589 | Flint | | | Lt honey | | | Serrated flake | | Microdentic ulate | 1.3x1.0x0.3 | Flake point with fine serrations along LH edge dorsal face and lower RH edge dorsal face | Abrupt | | | | |
| BB12590 | Flint | | | Cream | | | Serrated flake (broken) | | | 1.8x1.2x0.2 | Oval flake with distal end missing. Abrupt retouch along both edges dorsal face | | Y | | | |

| | | | | | | | | | | | | | | | | |
|----------|-------|---|------|-----------------------|---------|-----------|-------------------------|----------------|----------------------|-------------|--|---------------------|-----|---|--|--|
| BB12591 | Flint | C | 0.45 | Lt grey | Pebble | | Serrated flake | Scraper | Double ended scraper | | Primary flake from pebble. Dorsal face covered with cortex except at distal end and lower LH edge dorsal with flake removal to form scraping edges. | Invasive and abrupt | | | | |
| BB122592 | Flint | C | 0.25 | Honey | Nodular | Patinated | Serrated blade (broken) | Scraper | Side scraper(broken) | 2.5x1.8x0.5 | Blade broken across width. Cortex across butt end (dorsal) and up RH edge dorsal. Dorsal face patinated. LH edge dorsal (RH edge ventral) with semi abrupt retouch. Dorsal face and cortex smooth ? Use wear | Semi abrupt | Yes | Y | | |
| BB12593 | Flint | | | Lt honey | | | Serrated flake | Bladelet | Microdentulate | 1.7x0.9x0.2 | Tiny bladelet with abrupt retouch along RH edge dorsal and along upper LH edge dorsal. | Abrupt | | | | |
| BB12594 | Flint | | | Cream | | | Serrated flake | Blade | | 2.6x1.2x0.3 | Thick flake blade point curving to left (dorsal). Heavy abrupt retouch along RH edge dorsal. Finer abrupt retouch along LH curved cutting edge dorsal, and around distal point. | Abrupt | | | | |
| BB12595 | Flint | C | 0.30 | Dk grey mottled | Pebble | | Flake (core tablet) | Blade | Piercer | 2.8x1.1x1.7 | Thick curved flake (core tablet) with cortex covering complete left hand edge. Invasive retouch along cutting edge ventral face. Ventral face with polish ? use wear. Invasive retouch around distal point | Invasive. | Yes | | | |
| BB122596 | Flint | | | Lt grey /pink mottled | | | Blade | | | 3x1.1x1.0 | Thick flake with retouch | Abrupt and invasive | | | | |
| BB12597 | Flint | C | 0.10 | Lt grey mottled | Pebble | | Serrated flake | | | 2.8x1.5x0.4 | Flake with cortex along lower RH edge dorsal. Heavy use wear | Abrupt | Y | | | |
| BB12598 | Flint | | | White | | | Serrated flake (broken) | Blade (broken) | | 2x1.2x0.3 | White flake broken across width. Distal end missing. Abrupt retouch along left and right edges dorsal. | | Y | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-----------------|---------|-----------|--------------------------|-------------------|------------------|-------------|--|---------------------|---|--|--|--|--|
| BB12599 | Flint | | | Honey | | Patinated | Serrated flake (damaged) | Scraper (damaged) | End scraper | 2.8x1.8x0.5 | Thick flake with use wear | | Y | | | | |
| BB12600 | Flint | | | White/lit brown | | | Serrated flake | | | 2.8x1.7x0.3 | Leaf-shaped flake with narrow butt. Flake with heavy use wear RH distal edges. Mesolithic | Abrupt | Y | | | | |
| BB12601 | Flint | C | 0.45 | Lt red | | Patinated | Serrated flake | Blade | | 3.2x1.1x0.5 | Curved flake with cortex covering whole of dorsal face. Curved cutting edge with invasive retouch. Slight patination | Invasive | | | | | |
| BB12602 | Flint | C | 0.50 | Cream | Pebble | | Notched flake (broken) | Blade (broken) | | 3.5x1.5x0.4 | Primary flake with cortex covering all of dorsal face except for flake removal at butt end (?for hafting). Notch in RH edge 50% along edge dorsal. Broken across distal end. | Abrupt | Y | | | | |
| BB12603 | Flint | C | 0.20 | Black | Nodular | | Serrated flake | Scraper | Side scraper | 1.8x1.7x0.9 | Squareish flake with small amt thin cortex covering half of butt. Left hand edge of ventral face with Invasive and abrupt retouch to form scraping edge | Invasive | | | | | |
| BB12604 | Flint | C | 0.01 | White/grey | Pebble | | Serrated flake | Blade | Microdenticulate | 2.5x1.1x0.5 | Blade with narrow butt and wide distal end. Fine denticulations along RH edge dorsal (invasive) | Invasive and abrupt | | | | | |
| BB12605 | Flint | | | Cream | | | Serrated flake | Bladelet | Denticulate | 2.7x1.0x0.3 | Narrow bladelet with distal end curving to right. Fine denticulations along RH and LH edges dorsal face. | Abrupt | | | | | |
| BB12606 | Flint | | | Honey/white | | Patinated | Serrated flake (broken) | Blade (broken) | | 1.7x1.4x0.3 | Flake broken across width. Patinated both faces. Semi abrupt retouch RH edge ventral face. Abrupt retouch LH edge ventral face. | Abrupt/semi abrupt | Y | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|---------------------------|---------|--|-------------------------|----------------|------------------------------------|-------------|---|---------------------|---|--|--|--|
| BB12607 | Flint | C | 0.05 | Red + inclusion | Nodular | | Serrated flake | scraper | End scraper | 3.4x1.8x1.2 | Thick flake (core tablet) with thin cortex across distal thick end. Butt of cream coloured inclusion. Hard hammer stuck. Ventral distal end with tiny flake removal plus old platform | Invasive | | | | |
| BB12608 | Flint | C | 0.40 | Pink + white under cortex | Nodular | | Serrated flake (broken) | Blade (broken) | Piercer/scraper - combination tool | 2.2x1.7x0.5 | Broken blade (broken across width) with cortex covering RH 50% of dorsal face. Sharp serrations along RH edge dorsal face. Bulb evident on ventral face. Semi abrupt retouch on RH edge ventral face. Small point at distal end | | Y | | | |
| BB12609 | Flint | | | Dk grey | | | Serrated flake | Microburin | | 2x1.2x0.3 | Leaf shaped flake with abrupt retouch upper LH edge dorsal. Bulb on ventral face at butt and a little invasive retouch on RH lower edge ventral | Abrupt and invasive | | | | |
| BB12610 | Flint | | | Honey + inclusions | Nodular | | Serrated flake | Blade | Microdenticulate | 3.2x1.3x0.3 | Complete denticulated blade. Narrow butt with hinge fracture at distal end ventral face. | Abrupt | | | | |
| BB12611 | Flint | C | 0.40 | Toffee(Orleigh Court) | Pebble | | Serrated flake (broken) | | | 1.7x1.6x0.5 | End of broken flake with thin cortex along (45%) of dorsal face. Fine retouch along RH edge Dorsal face. Broken across width. Orleigh Court flint | Semi abrupt | Y | | | |
| BB12612 | Flint | C | 0.40 | White | Nodular | | Serrated flake (broken) | Blade (broken) | Microdenticulate | 1.9x1.6x0.3 | Flake with cortex across RH face dorsal. Narrow butt with slight notch on RH edge dorsal (?hafted).Abrupt retouch along LH edge dorsal. Some invasive retouch on RH edge ventral | Abrupt and invasive | Y | | | |
| BB12613 | Flint | | | Translucent lt grey | | | Serrated flake | | ?arrowhead | 2x1.8x0.5 | Thick flake point. Steep retouch along RH edge up to distal point dorsal face. Invasive retouch along Lh edge dorsal face. Ventral face withinvasive retouch lower RH edge | Abrupt and invasive | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-------------------------------------|---------|-----------|---------------------------------|--------------------------------|----------------------|-------------|--|---------------------|---|--|--|--|
| BB12614 | Chert | | | Lt grey/sandy with white inclusions | | | Serrated flake | Scraper | Side scraper | 2.8x2.1x1.0 | Thick flake with curved LH edge dorsal. Thick at butt. Hard hammer conch rings on ventral face. Semi abrupt retouch along curved LH cutting edge dorsal. | Semi abrupt | | | | |
| BB12615 | Flint | | | Lt honey + white inclusions | | | Notched Serrated flake (broken) | Notched Blade (Hafted)(broken) | | 2.5x1.8x0.4 | Blade broken across width (?in antiquity), with large notch lower LH edge above butt dorsal face. Invasive retouch LH edge dorsal..Ventral face with invasive retouch along Lh edge | Invasive | Y | | | |
| BB12616 | Flint | C | 0.45 | Grey/brown | Nodular | Patinated | Serrated flake | Blade | | 3x1.7x0.5 | Narrow blade with cortex over 80% of dorsal face.Bulb on ventral faceatbutt. Slight patination on ventral face. Steep retouch along Lh edge dorsal | Steep retouch | | | | |
| BB12617 | Flint | C | 0.30 | Lt grey | Pebble | | Serrated flake | | | 1.8x1.6x0.3 | Small squareish flake with cortex covering 60% of dorsal face. LH edge with abrupt retouch to make cutting edge | Abrupt retouch | | | | |
| BB12618 | Flint | | | Honey | | Patinated | Serrated flake | | Denticulate | 2.3x1.9x0.5 | Thick flake with partial patination LH face of dorsal face. Hinge fracture at distal end with invasive retouch.Serrations with abrupt retouch along lower Lh edge dorsal. | Abrupt and invasive | | | | |
| BB12619 | Flint | C | 0.05 | Dk pink | Nodular | | Notched Flake (broken) | | | 1.6x1x0.2 | Broken flake | | | | | |
| BB12620 | Flint | C | 0.25 | Black | Nodular | | Serrated blade | Scraper | Side and end scraper | 3.3x1.7x0.7 | Thick flake with cortex covering 25% LH side dorsal face. Hinge fracture at thick distal end. Proximal flatter end with abrupt retouch on curved cutting edge Retouch along RH edge dorsal face. | Abrupt | | | | |

| | | | | | | | | | | | | | | | | |
|----------|-------|---|------|----------------------------|---------|-----------|-------------------------|---------------------|----------------|-------------|--|-------------------|---|--|--|--|
| BB12621 | Flint | C | 0.10 | Honey | Nodular | Patinated | Blade | Unclassified tool ? | End scraper? | 3.5x2x0.9 | Thick flake point with cortex along RH edge and lower edge at butt (dorsal). Patinated on both faces. Long flake removal leading up to distal point.dorsal). Ventral face RH edge with invasive retouch. Invasive retouch around distal pont.Invasive retouch on RH ridge line leading up to distal point (ventral). | Invasive | | | | |
| BB12622 | Flint | C | 0.50 | Grey/yellow + inclusion | Nodular | | Serrated flake | Unclassified tool | ?hafted | 3.2x2.1x0.7 | Leaf shaped flake with thick round inclusion (white) in cortex which covers 100% of dorsal face. . Abrupt retouch along LH edge ventral face up to sharp distal point.. Yellow staining under (next to cortex) at butt. Square notch at lower RH edge next to butt ventral face (?for hafting). | | | | | |
| BB12623 | Flint | C | 0.25 | Grey | Pebble | | Serrated flake | Scraper | Hollow scraper | 2.3x1.5x1.0 | Thick flake with cortex over LH half of dorssal surface. Prominent bub on ventral face. Distal end curved (hollow) with abrupt retuch to formscraping edge. Invasive and abrupt retouch at distal edge | Invasive + abrupt | | | | |
| BB122624 | Flint | C | 0.10 | Lt grey + white inclusions | Nodular | | Notched Serrated flake | Notched flake | | 2.1x1.2x0.3 | Oval shaped flake with small amt cortex at butt end. Bulb and bulb scar evident ventral face. Small notch LH lower edge dorsal (?hafting). Abrupt retouch cross distal end and along LH edge dorsal | abrupt | | | | |
| BB12625 | Flint | | | Dk grey | | | Serrated flake (broken) | Piercer | | 1.3x1.0x0.3 | Section of bladelet broken across width (oblique truncation). Sharp distal point on Lh side of dorsal face. | Abrupt | Y | | | |
| BB12626 | Flint | | | Grey + yellow staining | | | Flake (broken) | Bladelet (broken) | Microburin | 1x1x0.2 | Butt end of bladelet. Retouch along RH edge dorsal.Mesolithic | Abrupt | Y | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-------------------------|---------|--------|-------------------------|------------------------|------------------|-------------|---|--------|---|--|--|--|--|
| BB12627 | Flint | | | White | | Burned | Flake (broken) | Bladelet (broken) | | 1x1.1x0.2 | Mesial section of bladelet completely burned. Mesolithic | | Y | | | | |
| BB12628 | Flint | C | 0.05 | Honey + cream inclusion | Nodular | | Flake | Scraper Microdenticate | End scraper | 2.1x1.6x0.2 | Thin translucent flake with small amt cortex along LH edge dorsal. Abrupt retouch to left of butt and microdentification to right of butt. | Abrupt | | | | | |
| BB12629 | Flint | | | White | | | Flake (broken) | Bladelet (broken) | | 1.4x0.7x0.3 | Narrow bladelet broken across width. Abrupt retouch along edges dorsal face. Weatherworn. Mesolithic | Abrupt | Y | | | | |
| BB12630 | Flint | C | 0.30 | Cream | Nodular | | Fragment | Unclassified tool | | 2x1.5x1.0 | Thick squareish fragment with cortex over lower half of dorsal face. RH edge dorsal with abrupt retouch...?expedient scraper | Abrupt | | | | | |
| BB12631 | Flint | | | Cream | | | Serrated flake | Bladelet (broken) | Microdenticate | 1.4x1.0x0.3 | Narrow bladelet with microdentification retouch along left and right edges including distal point. Mesolithic | Abrupt | Y | | | | |
| BB12632 | Flint | | | Dk pink | | | Serrated flake (broken) | Scraper | Side/end scraper | 2.2x1.70.3 | Triangular shaped flake with frost fracture surface dorsal face. LH edge with retouch for scraping. Distal end curved | Abrupt | Y | | | | |
| BB12633 | Flint | | | Lt grey | | | Serrated flake | | | 2x1.1x0.3 | Narrow flake with central ridge dorsal. Abrupt retouch along RH edge dorsal. Weatherworn | Abrupt | | | | | |
| BB12634 | Flint | C | 0.40 | Lt red | Nodular | | Flake | Scraper | End scraper | 2.8x1.6x1.3 | Thick flake with thin cortex covering butt end and along ridge up to distal point (dorsal). Abrupt retouch along distal end to form scraping edge | Abrupt | | | | | |
| BB12635 | Flint | C | 0.40 | Lt grey/white | Nodular | Burned | Flake (broken) | Blade (broken) | | 1.3x1.3x0.3 | Butt end of blade, broken across width. Burned white. Evidence of retouch RH edge ventral. Mesolithic | Abrupt | Y | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-------------------------------------|---------|--|-------------------------------|------------------------------------|----------------------|-------------|---|--------|---|--|--|--|
| BB12636 | Flint | | | Lt grey | | | Notched Flake | Notched Bladelet | | 2.0x0.8x0.2 | Narrow bladelet with notch lower RH edge dorsal. Abrupt retouch along RH edge dorsal and lower LH edge dorsal. Mesolithic | Abrupt | | | | |
| BB12637 | Flint | C | 0.10 | Lt grey | Pebble | | Serrated flake (broken) | Microdenticulate | | 1.1x1.3x0.3 | Piece of flake with cortex along LH edge dorsal. Broken across width. Microdenticulation along RH edge dorsal | Abrupt | Y | | | |
| BB12638 | Flint | | | Lt grey | | | Flake (broken) | Blade (broken) | | 1.4x1.6x3 | Butt end of flake broken across width. 2 parallel ridges from butt to distal end. Slight point on RH edge dorsal | | Y | | | |
| BB12639 | Flint | C | 0.05 | Lt honey | | | Serrated Flake | Unclassified tool | Microlith | 1.1x1.2 | Very thin flake with cortex along LH edge. Bulb evident on ventral face. RH lower edge dorsal with fine denticulations. Microlith. Mesolithic | Abrupt | | | | |
| BB12640 | Flint | C | 0.01 | Lt red | Nodular | | Notched flake | End and side notched Scraper | End scraper | 1.5x1.5x0.7 | Squareish flake with thicker butt. Fine cortex along butt edge. Abrupt retouch along RH edge dorsal. Curved notch in distal edge | Abrupt | | | | |
| BB12641 | Chert | | | Lt grey | | | Notched serrated flake | Notched blade (hafted) | Unclassified tool | 2.6x1.8 | Flake with narrow butt and notch on RHS of butt (dorsal). RH edge with abrupt retouch dorsal. Possibly hafted. | Abrupt | | | | |
| BB12642 | Flint | | | Lt pink with cream inclusions | | | Serrated flake | | | 1.7x1.1 | Small thick flake with bulb at butt ventral face. Regular retouch lower RH edge dorsal | Abrupt | | | | |
| BB12643 | Flint | | | Lt grey/white | | | Serrated flake (broken) | | | 1.5x3.0x1.0 | Butt end of flake broken across width. Abrupt retouch lower LH edge dorsal. Negative flake removal at butt on ventral face | | Y | | | |
| BB12644 | Flint | | | White/yellow staining | | | Serrated flake (broken) | Bladelet (damaged) | | 2.1x1x0.2 | Narrow bladelet with distal end missing. Slight bulb at butt ventral face. Abrupt retouch lower LH edge dorsal. Mesolithic | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------------------------|---------|----------------------|-------------------------|----------------------------|-----------------------------|-------------|---|--------|---|--|--|--|
| BB12645 | Flint | | | Lt grey | | | Serrated flake (broken) | Mesial segment of bladelet | | 1.0x1.2 | Mesial segment of bladelet, broken across both ends. Retouch along both lateral edges. Mesolithic | Abrupt | Y | | | |
| BB12646 | Flint | C | 0.45 | Lt grey | Pebble | | Serrated flake | Scraper | End/side scraper both sides | 3.2x2.7x1.0 | Thick flake with thick butt. Flake removal of cortex at butt for holding on dorsal face. Cortex covering 0.45% of dorsal face. Heavy retouch(abrupt) around edges to form scraping edges. | Abrupt | | | | |
| BB12647 | Flint | C | 0.10 | Mid grey | Pebble | | Serrated flake (broken) | Blade - waisted (broken) | | 2.0x1.8x0.4 | Butt end of flake broken across width.nCortex along upper LH edge dorsal. Narrow butt. LH lower edge and RH edge with abrupt retouch dorsal. | Abrupt | Y | | | |
| BB12648 | Flint | C | 0.10 | Lt grey | Nodular | Patinated | Serrated flake (Broken) | Blade (broken) | Microdenticulate | 2.2x1.5x0.4 | Narrow blade patinated on all surfaces. Thin cortex across butt and at upper RH edge dorsal. Distal end missing. Fine retouch along LH edge dorsal. | Abrupt | Y | | | |
| BB12649 | Flint | | | Lt grey with dk grey spots | | | Notched Serrated flake | Notched Bladelet | Denticulate | 2.1x1.1x0.5 | Narrow blade with curve to right (dorsal). Slight notch mid way along RH edge dorsal. Denticulate | Abrupt | | | | |
| BB12650 | Flint | | | Pink | | Burned and patinated | Serrated flake | Microlith | Denticulate | 1.1x1.0x0.2 | Tiny flake with abrupt denticulation. Burned and patinated. Microlith. Mesolithic | Abrupt | | | | |
| BB12651 | Flint | C | 0.40 | Lt pink | Nodular | | Notched serrated flake | Blade | ?hafted blade | 2.4x1.1x0.3 | Blade with cortex (fine sandy with fossil embedded) over 40% right side of dorsal face. Slight notch at Rh butt edge dorsal (hafting?).Slight notch upper LH edge dorsal. Abrupt retouch across distal end.Mesolithic | Abrupt | | | | |

| | | | | | | | | | | | | | | | | |
|----------|-------|---|------|--------------------------------------|---------|--|-------------------------------|--------------------------------------|---|-------------|--|--------|-----|--|--|--|
| BB12652 | Flint | C | 0.15 | White | Nodular | | Serrated flake(blade) | Scraper | Side and end scraper (both sides) | 3.4x1.8x0.5 | Flake with narrow butt of cortex. Small amt cortex on dorsal face at upper RH edge. Abrupt retouch around all edges | Abrupt | | | | |
| BB12653 | Chert | C | 0.45 | Brown "chocolate" | Pebble | | Core fragment | Piercer/scrape r | Combination tool | 4.2x1.6x1.1 | Thick pebble tool with smooth (polished) flat ventral face. Cortex covering whole of dorsal face. Evidence of platform on LH edge dorsal with flake removal scars Distal point with flake removal .Butt end ventral face with retouch to form scraping point. | | Yes | | | |
| BB12654 | Flint | | | Mid grey with white inclusions | | | Serrated flake | Scraper | Side scraper (both sides) | 3.5x3.5x1.0 | Thick heavy flake with large serrations | Abrupt | | | | |
| BB12654A | Flint | C | 0.05 | Mid grey with white inclusions | Nodular | | Serrated flake | ?Transverse arrowhead | Burin | 2x1.8x0.3 | Flake with thin cortex at butt end. Distal end thinner and wider with abrupt retouch across .Ventral face with slight bulb and slight notch upper LH distal corner. Possible transverse arrowhead | Abrupt | | | | |
| BB12655 | Flint | | | Lt beige | | | Serrated flake (broken) | Denticulate/m icrodenticulat e | | 3.0x1.5x0.6 | Flake with narrow butt. LH lower edge dorsal with microdenticulation . Upper LH edge with denticulation. | Abrupt | Y | | | |
| BB12656 | Flint | C | 0.45 | Honey/pink | Nodular | | Serrated flake | Scraper | End scraper | 2x1.5x0.8 | Thick flake with cortex over most of dorsal face. Thin line of red staining directly under cortex on ventral face. Distal end with retouch | Abrupt | | | | |
| BB12657 | Flint | C | 0.01 | Black + white spots | Nodular | | Notched Serrated flake | Notched blade . Scraper | Side scraper (both sides) | 4x2.1x0.5 | Long flake with large notch ?natural with cortex) on LH edge dorsal. Upper Right edge dorsal missing but with cortex ?natural. Lower RH edge retouched dorsal. Hinge fracture at distal end.Retouch upper Left edge dorsal | Abrupt | | | | |
| BB12658 | Flint | | | Pink | | | Serrated flake | | | 1.7x1x0.7 | Thick flake point with triangular cross section.RH edge ventral with tiny retouch | Abrupt | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|------------------------------------|--------|--|---|------------------------|---|-------------|--|--------|---|--|--|--|
| BB12659 | Flint | | | White/black | | | Tanged, Serrated flake (hafted) damaged | Burin piercer (tanged) | | 3.2x2.5x0.4 | Flake with narrow tang central to butt. Distal point at LH edge dorsal (black). Direct abrupt retouch along RH edge ventral up to distal point. Sharp retouch around tang at butt | Abrupt | | | | |
| BB12660 | Flint | | | Lt grey | | | Serrated flake | Bladelet | | 2x1x0.4 | Bladelet with abrupt retouch along both edges dorsal and across distal end. Mesolithic | Abrupt | | | | |
| BB12661 | Flint | C | 0.25 | Lt grey | Pebble | | Serrated flake | Blade (mesial segment) | Microdenticate | 1.5x1.10.5 | Mesial segment of blade with microdentulation along RH edge dorsal, angular cross section. Cortex covering Lower LH of dorsal face. Snapped across width at both ends. Mesolithic. | Abrupt | | | | |
| BB12662 | Flint | | | White | | | Tanged Serrated flake (broken) | | | 1x1.3 | Butt end of serrated flake. Small tang at centre of butt. Serrations along LH edge up to broken distal end dorsal | Abrupt | Y | | | |
| BB12663 | Flint | | | White | | | Notched Serrated flake | Microlith Microburin | | 1.7x1.1 | Oval flake with slight notch upper RH edge dorsal. Abrupt retouch around all edges dorsal. Microlith. Mesolithic | Abrupt | | | | |
| BB12664 | Flint | | | Lt grey | | | Notched flake (broken) | Blade (broken) | | 3.3x1.3x0.6 | Long narrow straight blade with 2 parallel ridges from butt to distal end (broken across width). Slight notch RH lower edge dorsal. Mesolithic | Abrupt | Y | | | |
| BB12665 | Flint | | | Lt honey/grey with cream inclusion | | | Flake with retouch | Notched flake | | 3.2x2x0.3 | Flake with oblique retouch across butt.(for hafting?). Direct retouch around all edges | Abrupt | | | | |
| BB12666 | Flint | C | 0.40 | Lt grey with white inclusions | | | Serrated flake | Scraper/piercer | Side and end scraper (left). Combination tool | 2.7x2.1x0.5 | Oval flake covered with cortex dorsal face except for removal of flake along LH edge forming thin scraping edge.. Direct retouch upper RH edge of distal point. Abrupt retouch along LH cutting edge dorsal. Scraper/piercer | Abrupt | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|--|---------|-----------|-------------------------|------------------------|------------|-------------|--|-------------------|---|--|--|--|
| BB12667 | Flint | C | 0.45 | Lt grey + white inclusions | Pebble | | Serrated blade | Backed blade | knife | 4.5x2.1x1.0 | Primary flake - oval with cortex over 45% of dorsal face. Cortex removed from face lower RH quarter of dorsal face. Invasive retouch along cutting edge | Invasive | | | | |
| BB12668 | Flint | | | Lt grey + white inclusions and yellow staining | | | Notched Serrated flake | Notched Bladelet | | 2.3x1x0.7 | Complete bladelet with triangular cross section. Notch on both LH and RH edges dorsal, ? For hafting. Square distal end. Retouch along both edges and across distal end. | Abrupt | | | | |
| BB12669 | Flint | C | 0.01 | Lt grey + white inclusions | Pebble | | Serrated blade | Blade | | 3.9x1x1 | Plunging fracture blade with small amt cortex at butt. Triangular cross section and curved outline. Invasive retouch on 2 edges | Invasive | | | | |
| BB12670 | Flint | C | 0.05 | Pink + orange stain | | | Flake (broken) | Microlith (broken) | | 1x1.5 | Tiny flake with butt. Cortex across butt. Distal end damaged. | | Y | | | |
| BB12671 | Flint | | | White/yellow | | | Serrated flake | Microdentulate | | 2.3x1.3x0.3 | Flake point with yellow staining at distal point. Fine retouch along RH edge up to distal point | | | | | |
| BB12672 | Flint | | | Lt grey + red stain | | | Serrated flake (broken) | Bladelet (broken) | Microburin | 1.2x1.5x0.3 | Butt end of bladelet broken across width. Retouch along RH edge dorsal face | Abrupt | Y | | | |
| BB12673 | Flint | C | 0.01 | Lt grey | | Burned | Flake (broken) | Bladelet section | | | Mesial section of bladelet with small amt cortex on lateral edge. Mesolithic | | Y | | | |
| BB12674 | Flint | C | 0.05 | Red | Nodular | Patinated | Core fragment (broken) | Bladelet core (broken) | | 3x1.5x1.3 | Long narrow bladelet core (Cortex on lower LH dorsal face. Both faces patinated. Damaged). | | Y | | | |
| BB12675 | Flint | | | Dk grey | | | Serrated flake | Backed blade | | 3x1.5 | Long flake with narrow butt ? Hafted. Abrupt and invasive retouch along LH edge dorsal face up to distal point. Blunt retouch along RH edge dorsal. | Abrupt + invasive | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|---------------------------------|---------|--|------------------------|------------------------|---|-------------|--|------------------------|-----|--|--|--|
| BB12676 | Flint | C | 0.05 | Dk grey + white inclusions | Nodular | | Flake | Scraper | Side/end scraper | 3x2x0.9 | Oval thick flake with thin cortex on RH lateral edge upper dorsal. LH edge with fine microdentulations on lower edge dorsal, invasive retouch upper edge ventral up to distal end. Evidence of crushing at distal end. | | Yes | | | |
| BB12677 | Flint | | | White | | | Serrated flake | Bladelet | | 1.7x0.7x0.2 | Narrow tiny flake with abrupt retouch on both lateral edges up to distal point and across butt. Mesolithic | | | | | |
| BB12678 | Flint | C | 0.30 | Black | Nodular | | Serrated flake | Bladelet (broken) | Microlith | 1.1x0.1 | Mesial section of bladelet. Cortex across 50% dorsal face. Abrupt retouch on RH edge dorsal. Snapped across width Mesolithic | Abrupt | Y | | | |
| BB12679 | Flint | C | 0.10 | Honey | Nodular | | Serrated flake | Blade | | 2.4x1.6x0.3 | Flake with cortex along RH lower edge dorsal. (backing for holding). LH edge with invasive retouch lower edge and abrupt retouch upper LH edge and across distal end. Fits in hand | Abrupt and invasive | | | | |
| BB12680 | Flint | | | Black | | | Notched flake (broken) | Notched blade (broken) | Notched Blade (broken) + microdentulation | 2x1.4x0.3 | Butt and lower half of blade - broken across width. Slight notch on both left and right hand edges dorsal. Frost fracture pitting on dorsal face. Invasive retouch LH edge ventral face. | Invasive | Y | | | |
| BB12681 | Flint | C | 0.10 | Honey | Nodular | | Notched Serrated flake | Scraper | Side scraper | 3.2x2.4x1.0 | Thick oval flake with cortex along RH edge dorsal. Notch in LH edge dorsal. Semi abrupt and abrupt retouch along cutting edge dorsal. | Abrupt and semi abrupt | | | | |
| BB12682 | Flint | C | 0.50 | Light grey with white inclusion | Pebble | | Blade. | scraper | Side scraper | 2.2x1.4x1.0 | Thick blade with cortex covering 90% of dorsal face. Triangular cross section. Upper LH edge with cortex removed and tiny retouch along lateral edge | Abrupt | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------------------------------|---------|-----------|------------------------|----------------|--------------------------------|-------------|--|---------------------|---|--|--|--|
| BB12683 | Flint | C | 0.15 | Honey/cream with large inclusion | Nodular | | Flake | scraper | Side and end scraper | 4.2x2.6x1.6 | Thick cortical flake with cortex along upper RH edge dorsal. RH half of piece with white under-cortex stained orange on dorsal face. LH edge with cortex removed to provide honey flint cutting edge with abrupt retouch. Distal point with abrupt retouch to form scraping end. | Abrupt | | | | |
| BB12684 | Flint | C | 0.15 | Lt grey | Pebble | Patinated | Serrated flake | Microlith | Microdeniculate | 1.9x1.5x0.4 | Oval flake with white patination over upper half dorsal face. Cortex lower half dorsal face. Abrupt retouch around RH edge up to distal end. Mesolithic | Abrupt | | | | |
| BB12685 | Flint | | | Cream + orange staining | | | Notched Serrated flake | Notched Blade | | 3x1.7x0.4 | Long flake with notch in RH edge ventral face. Abrupt retouch along LH edge ventral face up to distal end | | | | | |
| BB12686 | Flint | | | Lt honey with large inclusion | | | flake (broken) | | | 2.2x2.9x0.5 | Flake with thick butt (old platform). LH edge dorsal with retouch. Upper RH edge dorsal missing | Abrupt | Y | | | |
| BB12687 | Flint | | | White | | | Flake (broken) | Blade (broken) | | 1.7x1.5 | Butt end of broken blade. Broken across width | | Y | | | |
| BB12688 | Flint | | | Lt honey | | | Flake | Scraper | Thumb scraper | 2.5x1.9x0.7 | Thick flake with invasive retouch at both ends dorsal and abrupt retouch along LH edge dorsal. | Invasive and abrupt | | | | |
| BB12689 | Flint | C | 0.50 | Lt grey | Nodular | Patinated | Flake (damaged) | Scraper | End and side scraper (damaged) | 3.4x2.5x1.0 | Thick flake covered 90% with cortex on dorsal face. Some cortex removal lower RH edge and upper left distal end dorsal. Abrupt retouch lower RH edge dorsal. Distal end missing | Abrupt | Y | | | |
| BB12690 | Flint | | | White | | Burned | Flake (broken) | Blade (broken) | | 1x1.4x0.5 | Butt end of flake (blade) | | Y | | | |
| BB12691 | Flint | C | 0.05 | Toffee(Orleight Court) | Nodular | | Core fragment | Bladelet core | | 2.2x1.7x1.4 | Pyramid shape flint - lustrous fine quality toffee coloured flint with small amt cortex. Evidence of flake removal | | | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|------------------------|---------|-----------|-------------------------|-------------------|----------------------|-------------|--|---------------------|---|--|--|--|--|
| BB12692 | Flint | C | 0.50 | White | Pebble | | Flake (broken) | | | 2.1x3.2x0.7 | Butt end of wide primary flake with cortex over 100% of dorsal face. Small amt invasive retouch on ventral face, lower RH edge | Invasive | Y | | | | |
| BB12693 | Flint | | | White | | Burned | Flake (broken) | | | 1.7x1.1x0.2 | Small piece of flake with abrupt retouch. Burned | Abrupt | Y | | | | |
| BB12694 | Flint | C | 0.50 | Dk grey/Lt greymottled | Pebble | | Core | Bladelet core | Single platform core | 2.9x3.0x1.7 | Bladelet core with single platform. Cortex over 100% of dorsal face. Mottled grey flint | | | | | | |
| BB12695 | Flint | C | 0.10 | Lt grey | Pebble | | Flake (broken) | | | 1.8x1.5x0.3 | Flake with cortex along LH edge dorsal. Broken across width. Abrupt retouch around distal end and along RH edge dorsal | Abrupt | Y | | | | |
| BB12696 | Flint | | | Lt honey/white | | Patinated | Serrated flake | | | 2.2x1.2x0.2 | Leaf-shaped flake patinated on both surfaces. Bulb evident on ventral butt end. Abrupt retouch from butt RH edge dorsal up to and including distal point | Abrupt | | | | | |
| BB12697 | Flint | | | White | | | Flake (damaged) | Bladelet (broken) | | 1.7x1.1x0.5 | Small bladelet with complete bulb. Broken across width. Mesolithic | | Y | | | | |
| BB12698 | Flint | C | 0.15 | mid grey | Pebble | | Notched flake | | | 3.5x1.2x0.6 | Long, narrow flake with cortex covering dorsal face. Large notch in centre on RH cutting edge of ventral face | Semi abrupt | | | | | |
| BB12699 | Flint | | | White | | | Serrated flake (broken) | Bladelet (broken) | Microdenticate | 1.5x1.5x0.4 | Butt end of bladelet broken across width. Microdentulation along LH edge dorsal. Abrupt retouch along RH edge dorsal face. | | Y | | | | |
| BB12700 | Flint | C | 0.10 | Honey | Nodular | | Flake | Scraper | Side and end scraper | 3..6x1.90.8 | Thick flake with opposing platforms at distal and proximal ends. Cortex on upper LH edge dorsal face. Invasive retouch at distal end. Abrupt retouch along RH edge dorsal. | Abrupt and invasive | | | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|------------------------------|---------|-----------|--------------------------|--------------------------------|--------------------|-------------|---|-------------|---|--|--|--|--|
| BB12701 | Chert | | | Yellow with white inclusions | | | Flake (broken) | Hafted blade (broken) | | 2.7x1.3x0.3 | Proximal end of narrow blade with very narrow butt (hafted). Broken across width. Semi abrupt retouch along RH edge ventral face. | Semi abrupt | Y | | | | |
| BB12702 | Flint | | | White/lit grey | | | Serrated flake | | | 2.3x1.5x0.4 | Leaf shaped flake with abrupt retouch around all edges up to sharp distal point. One central ridge dorsal face. | Abrupt | | | | | |
| BB12703 | Flint | | | Red/pink | | | Flake (damaged) | Transverse arrowhead (damaged) | | 2.1x1.5x0.3 | Flake with narrow butt, widening at distal end (damaged). Retouch along LH edge dorsal up to distal point. Red flint with pink inclusion stripe diagonal. Conchoidal rings evident on ventral face. (hard hammer). Transverse arrowhead | Semi abrupt | Y | | | | |
| BB12704 | Flint | | | Cream | | | Fragment | Blade | Awl/graver | 4.2x1.2x1.5 | Long thick narrow blade with square cross section. Sharp distal end with point with flake removal. Upper LH edge ventral with invasive retouch to form scraping edge. | Invasive | | | | | |
| BB12705 | Flint | C | 0.10 | Black | Nodular | | Serrated Flake (damaged) | | | 2.7x2.2x1.0 | Flake with use wear | Abrupt | Y | | | | |
| BB12706 | Flint | C | 0.10 | Honey | Nodular | Patinated | Flake | Scraper | Side + end scraper | 2.5x1.5x0.4 | Patinated flake with cortex over lower /RH side of dorsal face. LH edge dorsal face with abrupt retouch along edge up to and including distal end. Frost fractures on ventral face | Abrupt | | | | | |
| BB12707 | Flint | | | White | | | Serrated Flake | Microlith | | 1.2x1.3x0.2 | Squareish flake with small bulb at butt. Distal edge and RH edge dorsal with abrupt retouch | Abrupt | | | | | |
| BB12708 | Flint | | | Lt grey/white | | | Serrated flake (broken) | | | 0.8x2.1x0.3 | Butt end of broken flake broken across width. Abrupt retouch along LH edge dorsal | Abrupt | Y | | | | |
| BB12709 | Flint | | | Honey | | Patinated | Notched flake (broken) | bladelet (broken) | | 1.2x1.0 | Butt end of broken bladelet. Mesolithic. Snapped across width. Slight notch on RH edge dorsal face. | Abrupt | Y | | | | |

| | | | | | | | | | | | | | | | | | |
|---------|-------|---|------|--------------------|---------|-----------|----------------|------------------------|------------|--|-------------|---|--------------------------|---|---|--|--|
| BB12710 | Flint | C | 0.25 | Red | Nodular | Patinated | Flake | Unclassified tool | | | 2.2x1.3x0.6 | Thick flake with cortex over 60% dorsal face. Thick flake with high central ridge. Lower RH edge dorsal with retouch along edge. Upper LH distal edge with retouch up to distal point. Smooth patinated ventral face. | Abrupt | | | | |
| BB12711 | Flint | C | 0.05 | Honey + inclusions | Nodular | Patinated | Flake | Flake point ?arrowhead | ?arrowhead | | 2.5x1.7x0.4 | Leaf-shaped flake with thin cortex along LH edge towards distal point dorsal. Cortex removed beside distal point for sharpness. .Bulb evident on ventral face.. Abrupt retouch at butt end | Abrupt | | | | |
| BB12712 | Flint | C | 0.10 | Mixed grey | Pebble | | Serrated Flake | Flake point ?arrowhead | ?arrowhead | | 1.7x1.6x0.5 | Thick flake point with cortex along whole length Lh edge dorsal face. Regular retouch along RH edge dorsal face up to distal point. Some invasive retouch LH edge distal point ventral face | Semi abrupt and invasive | | | | |
| BB12713 | Flint | | | Dk grey/wite | | | Flake | Flake point | Microlith | | 1.5x1.0x0.2 | Tiny leaf shaped point. Abrupt retouch around edges | | | | | |
| BB12714 | Chert | | | Green/grey | | | Serrated Flake | Blade | | | 2.5x1.5x0.4 | Blade with abrupt retouch on both lateral edges and around distal end dorsal. Mesolithic | Abrupt | | | | |
| BB12715 | Flint | C | 0.05 | Lt pink | Nodular | | Flake | Unclassified tool | Microlith | | 1.5x1.0x0.2 | Squareish flake with sall amt cortex on opposing edges. Thicker butt with invasive retouch LH lower edge dorsal .Polish on LH dorsal face beside invasive retouch. Distal edge with central point . Upper RH and LH edge distal end abruptly retouched. | Abrupt and invasive | Y | Y | | |
| BB12716 | Flint | C | 0.10 | Lt grey | Pebble | | Flake (broken) | | | | 1.0x0.7x0.4 | Flake with cortex along LH edge dorsal.. RH edge with abrupt retouch | Abrupt | Y | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-------------------------------|---------|--|------------------------|-------------------------|------------------------------|---------------|---|---------------------|-----|--|--|--|
| BB12717 | Flint | C | 0.40 | Red | Nodular | | Flake | Scraper | End scraper | 4.2x3x2.0 | Thick red flake with cortex over 80% dorsal face. Cortex removed along centre of flake dorsal to provide for thumb holding. Distal squareish end with heavy invasive retouch ventral face to form scraping edge. | Invasive | Yes | | | |
| BB12718 | Flint | C | 0.40 | Honey | Nodular | | Core flake | Double-ended piercer | | 3.7x2.6x1.3 | Oval, thick core flake with thin cortex along LH of dorsal face. Sharp point at distal end dorsal with invasive retouch to right of distal point.. Invasive retouch RH upper edge distal point ventral face. Invasive retouch to LH of proximal point dorsal. | Invasive | | | | |
| BB12719 | Flint | C | 0.05 | Honey + cream spot inclusions | Nodular | | Flake | Core rejuvenation flake | End scraper | 3.5x3.2x1.2 | Thick core rejuvenation flake. Small amt cortex at butt.. Evidence of old platform. Upper distal edge with invasive retouch for scraping edge. <i>Small part with scraper retouch</i> | Invasive | | | | |
| BB12720 | Flint | C | 0.05 | Honey + cream inclusions | pebble | | Serrated Flake | Blade | Backed blade | 4 x 1.9 x 0.7 | Blade with thin cortex along upper LH edge dorsal. Retouch along lower LH edge dorsal for holding. RH edge dorsal with denticulations (Invasive). Abrupt retouch along distal end. | Invasive and abrupt | | | | |
| BB12721 | Flint | C | 0.10 | Dk grey | Pebble | | Flake | Scraper | <i>End scraper (damaged)</i> | 3x2.4x0.7 | Oval flake with cortex on upper LH edge dorsal. Invasive retouch (steep) around lower lh edge near butt. Abrupt retouch around upper distal edge, removing cortex. | Invasive and abrupt | | | | |
| BB12722 | Flint | | | Lt pink | | | Notched Serrated Flake | <i>Possible piercer</i> | | 3.5x2.1 | <i>Retouch around LH and RH edges and point.</i> Slight tang lower left of butt. | Invasive and abrupt | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-----------|---|------|-------------|-----------------|--------|------------------------|---------------------------|------------------------|-------------|---|---------------------|---|-----|---|--|
| BB12723 | Flint | | | White | | Burned | Notched Serrated flake | Notched Bladelet (broken) | | 2.4x1.2x0.5 | Narrow bladelet broken across width. Completely burned white. Slight notch in RH edge dorsal. | | Y | | | |
| BB12724 | Flint | C | 0.50 | White | Nodule | Burned | Fragment | | | 4x1.8x1.3 | Partial nodule - long and narrow with cortex covering whole of dorsal face. Flat ventral face. Burned. | | | | | |
| BB12725 | Flint | | | Honey/white | | | Notched flake | Flake point | | 4.6x2.5x1.2 | Thick core flake with notch in low LH edge dorsal. Abrupt retouch half way along RH edge dorsal. Invasive retouch at distal end ventral and lower edge beside butt. | Invasive and abrupt | | | | |
| BB12726 | Flint | C | 0.40 | Honey | Nodule | | Serrated flake | Flake with use wear | | 3.4x3.0x0.4 | Wide flat flake with cortex across lower half of dorsal face. Wide distal end (hollow) with abrupt retouch. Abrupt retouch around LH edge. | Abrupt | Y | | | |
| BB12727 | Quartz | | | White | | | | Blade | Rubbing stone | 3.2x1.5x1.1 | Long narrow quartz piece. Completely smooth. Possible rubbing stone/use wear | | | Yes | | |
| BB12728 | Quartz | | | White | | | | Possible Blade | | 8x4.3x2.5 | Thick heavy piece with cortex covering complete flat dorsal face. Thick narrow butt. Distal end with possible abrupt retouch in inverted V shape.. Vein quartz with possible modification | Abrupt | | Yes | | |
| BB12729 | Sandstone | | | Brown | Cobble (broken) | | Cobble (broken) | | Cupped pebble (broken) | 5.9x7.4x2.8 | Note: Found in 2016 by Phil Collins. Oval smooth rubbing stone with hole (attempted?) through middle. (Hole made from both faces; circular depression centre of both faces. Use wear (v. smooth surface on both faces). Pecking marks around oval end and along edges. Mesolithic cupped pebble | | Y | | Y | |
| BB12730 | Flint | C | 0.30 | Lt grey | Pebble | | Core | Core fragment | | 3.5x3x2 | Core broken with white cortex | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------------------------|---------|-----------|-------------------------|------------------------|-----------------------|-------------|---|--|--------|--|--|--|
| BB12731 | Flint | C | 0.50 | Black | Pebble | Patinated | Core | Bladelet core | | 3.5x2.8x1.5 | Broken pebble with cortex over all of dorsal face. Patination at one end ventral face. Flake removal of small bladelets | | | | | |
| BB12732 | Flint | | | Beige with orange staining | | | Core | Bladelet core | | 3.2x2.5x1.5 | Single platform core | | | | | |
| BB12733 | Flint | C | 0.40 | Dk grey mottled | Nodular | | Core | Bladelet core | | 2.8x2.3x1.2 | Core with cortex over 90% dorsal face. Platform. Flake removals on ventral face | | | | | |
| BB12734 | Flint | C | 0.30 | Lt grey | Pebble | | Core | Bladelet core | ?Thumb Scraper | 2.9x2.6x1.3 | Round flake with cortex covering flat and rounded edge of dorsal face. . Single platform. Reused as scraper. Very smooth surfaces. | | Yes | | | |
| BB12735 | Flint | C | 0.20 | Lt/mid grey | Pebble | Patinated | Core | Bladelet core | | 3.2x3x1.2 | Thick flake with cortex over 0.25% dorsal face. Single platform. Bladelet removal scars ventral face | | | | | |
| BB12736 | Flint | | | White | | Burned | Core fragment | | | 2.4x1.6x1.3 | | | | | | |
| BB12737 | Flint | C | 0.50 | Honey with orange staining | Nodular | | Core | Bladelet core | | 3.5x2.2x1.2 | Thick flake with cortex over all of dorsal face. Single platform. Negative flake removal scars | | | | | |
| BB12738 | Flint | | | White | | Burned | Core | | | 3.5x3x1.8 | Thick burned flake with evidence of flake removal on dorsal face | | | | | |
| BB12740 | Flint | C | 0.20 | White | Nodular | Burned | Core (broken) | | | 2.7x2.2x2.2 | Broken core with cortex. Burned | | | | | |
| BB12741 | Flint | | | White | | Burned | Core (broken) | Bladelet core (broken) | | 1.8x2x1.5 | Broken bladelet core - burned | | | | | |
| BB12742 | Flint | | | Dk honey/white | | | Serrated flake and core | Scraper | End and sides scraper | 4x2.5x1.1 | Large flake with heavy butt . Hard hammer struck. Evidence of flake removal at butt end (core). Abrupt retouch around all edges and including distal end. | | Abrupt | | | |
| BB12743 | Flint | | | White | | Burned | Core(broken) | | | 2.2x2x2 | Pyramid shaped core (damaged) | | | | | |
| BB12744 | Flint | C | 0.10 | White | Nodular | Burned | Bladelet core | | | 1.5x3x1.8 | Small core with small amt cortex. Burned | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------------------------|---------|-----------|--------------------|-----------------------|-----------------|-------------|--|----------|--|--|--|--|
| BB12745 | Flint | C | 0.05 | White | Nodular | Burned | Blade | Backed blade | | 4.5x1.8x0.9 | Thick flake with cortex upper RH edge dorsal face. Burned. Long flake removal scars from butt to distal end dorsal. Tiny narrow flake removals LH edge of butt | | | | | |
| BB12746 | Flint | C | 0.45 | Dk honey/white | Nodular | | Core | Multidirectional core | | 2.2x3x2.5 | Nodular core with cortex in 2 patches dorsal face. Multidirectional flake removal | | | | | |
| BB12747 | Flint | C | 0.30 | Honey + white inclusions | Nodular | Patinated | Core fragment | | | 3.2x3.2x1.6 | Thick nodular flake with cortex across centre dorsal face. Slight patination on exposed flint on one side of dorsal face. Flake removal evident on dorsal face. | | | | | |
| BB12748 | Flint | C | 0.45 | Black | Nodular | | Core | Bladelet core | | 3x2.2x1.5 | Thick nodular flake with cortex over 80% dorsal face. Single platform with negative flake removal scars ventral face | | | | | |
| BB12749 | Flint | C | 0.05 | Lt honey/white | Pebble | | Core | Bladelet core | Worked out core | 2.5x1.3x1.0 | Tiny cone shaped bladelet core. Small amt white cortex beside point. Single platform | | | | | |
| BB12750 | Flint | C | 0.45 | Lt grey/white | Pebble | Burned | Flake (damaged) | | | 4.2x2.6x1.3 | Thick oval flake with cortex over LH half and upper portion of dorsal face. Distal end missing. Negative flake removal scars on RH face dorsal. | | | | | |
| BB12751 | Flint | C | 0.05 | Lt honey + orange staining | Nodular | | Core made on flake | Bladelet core | | 1.9x2.2x0.5 | Small flake with small amt cortex upper (distal) edge. Narrow flake removal scars on dorsal face. | | | | | |
| BB12752 | Flint | C | 0.05 | Red/grey | Nodular | | Core fragment | Core tablet (damaged) | | 3x2x1 | Core tablet with small amt cortex visible on outer dorsal face. | | | | | |
| BB12753 | Flint | C | 0.45 | Lt honey/white | Nodular | | Flake | Scraper | Nosed scraper | 4.1x1.7x1.0 | Narrow flake with cortex over 60% of dorsal face. Natural twist/curve LH edge. Distal end with cortex removed and invasive retouch at distal end on ventral face | Invasive | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|---------------------------|---------|-----------|-------------------------|-------------------------|--|-------------|---|-------------|-----|--|--|--|
| BB12754 | Flint | | | Lt grey/white | | Burned | Flake | Scraper | End scraper | 4x3x1.5 | Thick flake "waisted" at butt end. Wide shallow distal edge with invasive retouch along distal edge ventral face. ?Hafted tool | Invasive | | | | |
| BB12755 | Flint | C | 0.45 | Grey/white | Pebble | Burned | Core | Bladelet core | | 3.2x2.2x1.3 | Triangular shaped thick flake with cortex over 100% dorsal face.. Burned. Evidence of negative flake scars ventral face | | | | | |
| BB12756 | Flint | C | 0.45 | Dk grey mottled | Pebble | | Flake | Scraper | End scraper | 3.3x2.5x1.0 | Thick flake with cortex over 75% dorsal face. LH edge ventral face with retouch to form backing for holding. Opposite edge ventral face with invasive retouch to form scraping edge. Use wear | | Yes | | | |
| BB12757 | Flint | C | 0.01 | White | | Burned | Flake | Core tablet (damaged) | | 2.8x2x1.0 | Burned core tablet | | | | | |
| BB12758 | Flint | C | 0.10 | White | Nodular | | Flake (broken) | Scraper | Side scraper | 2.8x2.3x0.5 | White flake broken across distal tp. Cortex along LH edge dorsal. Opposite edge with semi abrupt retouch to form scraping edge | Semi abrupt | | | | |
| BB12759 | Flint | C | 0.20 | Lt grey + yellow staining | Nodular | | Core tablet (damaged) | Scraper | Side scraper | 3x2.2x0.6 | Thick flake (core tablet) with cortex around rounded edge. Invasive retouch along cutting edge (ventral face) | Invasive | | | | |
| BB12760 | Flint | | | Lt grey | | | Core (damaged) | Bladelet core (damaged) | | 1.9x2.2x1.1 | Small single platform core (damaged) | | | | | |
| BB12761 | Flint | C | 0.05 | White | Nodular | Burned | Serrated flake (broken) | | | 2x2x0.5 | Flake broken across width. Burned | | | | | |
| BB12762 | Flint | C | 0.05 | Dk grey mottled | Nodular | Patinated | Notched flake | | | 2.8x2.8x0.4 | Squareish flake with large notch in LH edge dorsal. Small amt cortex upper RH edge dorsal face. Bulb | | | | | |
| BB12763 | Flint | | | Lt grey + cream mottling | Pebble | | Flake | Core | Bladelet core/piercer (combination tool) | 2.3x2.0x0.7 | Thick flake with tiny amt cortex along one edge dorsal. Flake removal scars (bladelet removal). Sharp point upper RH edge ventral. Invasive retouch around point on ventral face. Core re-used as piercer | Invasive | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|-----------------|---------|--------|--------------------|----------------------|-----------------------------|-------------|--|--------|--|--|--|--|
| BB12764 | Flint | C | 0.50 | Lt grey mottled | Pebble | | Core | Bladelet core | | 3.4x1.9x1.5 | Pebble core with cortex covering dorsal face. Single platform | | | | | |
| BB12765 | Flint | | | White | | | Flake | Microdenticulate | | 2.3x2.3x0.8 | Triangular shaped flake (hinge fracture at butt edge ventral face). Microdenticulation along RH and LH edges up to distal point. | Abrupt | | | | |
| BB12766 | Flint | | | Grey/white | | Burned | Blade (broken) | | | 2x1.2x0.5 | Burned blade broken across distal end | | | | | |
| BB12767 | Flint | | | Lt grey | | Burned | Blade (broken) | ?possible fabricator | | 2.5x1.5x0.9 | Butt end of thick blade with triangular cross section. Broken across width. ?Possible fabricator | | | | | |
| BB12768 | Flint | | | Lt honey | | | Flake with retouch | | | 2.1x1.4x0.4 | Flake with abrupt retouch around RH edgedorsal. Narrow butt ?Hafted | Abrupt | | | | |
| BB12769 | Flint | C | 0.05 | Lt honey | Nodular | | Flake (broken) | Core | Bladelet core | 3x2x1 | Core rejuvenation pflake. Cortex aroundouter curved edge dorsal. Tiny bladelet removal dorsal face | | | | | |
| BB12770 | Flint | C | 0.50 | Lt grey | Pebble | | Flake (broken) | Blade (broken) | | 1.5x1.4x0.3 | Primary flake blade broken across width. Dorsal covered with cortex. Bulb on ventral face | | | | | |
| BB12771 | Flint | | | Lt grey | | | Flake point | | | 1.7x1x0.5 | Tiny flake point wiht central ridge dorsal. ?waising for hafting? | | | | | |
| BB12772 | Flint | | | Lt grey | | | Flake (broken) | Flake with retouch | | 1.2x1.1x0.2 | Tiny flake snapped across width. Abrupt retouch on both edges | Abrupt | | | | |
| BB12773 | Flint | | | White | | Burned | Flake | Blade (broken) | | 1.8x1.4x0.3 | Blade broken across width. Burned | | | | | |
| BB12774 | Flint | | | White | | Burned | Flake | Blade tip (broken) | | 2.5x1.2x0.4 | Tip of blade broken across width. Burned | | | | | |
| BB12775 | Flint | | | White | | Burned | Notched flake | | | 2.1x1.3x0.5 | Burned flake with 2 notches in LH edge dorsal | Abrupt | | | | |
| BB12776 | Flint | | | Lt grey | | | Serrated flake | Scraper | End/side scraper both sides | 3.2x2.3x0.7 | Thick oval flake with abrupt retouch around all edges including butt. Flake removal on dorsal face for holding | Abrupt | | | | |
| BB12777 | Flint | | | Mid grey | | | Serrated flake | Microdenticulate | | 1.3x1.0x0.4 | Small thick flake with microdenticulations along both edges | | | | | |

| | | | | | | | | | | | | | | | | |
|---------|-------|---|------|----------------------------|---------|--|-----------------------------|-------------------|----------------|-------------|--|--------|--|--|--|--|
| BB12778 | Flint | C | 0.50 | Mid grey | Nodular | | Flake with retouch (broken) | Blade (broken) | | 2.8x1.2x0.5 | Long narrow flake snapped across width at distal end. Cortex covering 90% dorsal face. Retouch halfway along LH edge | Abrupt | | | | |
| BB12779 | Flint | | | White with orange staining | | | Flake with retouch | Microdenticulate | | 1.7x1.3x0.3 | Squareish flake with microdenticulations along RH edge dorsal | Abrupt | | | | |
| BB12780 | Flint | | | Dk pink | | | Flake | Bladelet (broken) | Mesial segment | 0.7x1.1 | Mesial segment of bladelet | | | | | |

Appendix 2


Waste Assemblage Record 2012

| Appendix 2 BURYMOOR BRIDGE (HUISH), NORTH DEVON SITE CODE: BB12 | | | | North Devon Archaeological Society | |
|---|-------|--------------------------------|-------|------------------------------------|---|
| WASTE ASSEMBLAGE RECORD | | Finder: Phil Collins/Dave Lock | | 2012 | Assessor: Derry Bryant |
| | Flint | Chert | Other | Total | Notes |
| Count of pieces | 325 | | | 325 | |
| Cortex assessment: | | | | | Pink and red = Nodular with light sandy cortex |
| Nodular origin | 122 | | | | Pebble cortex = creamy white or light grey |
| Pebble origin | 53 | | | | Pebble flint colours: dark brown/grey spotted with white/mostly light grey |
| Nodules broken | 81 | | | | Raw material broken nodules: some creamy white flint with creamy white cortex |
| Pebbles broken (fragments) | 53 | | | | |
| ?Raw material | 15 | | | | |
| Chips | 61 | | | | |
| Burned pieces | 90 | | | | |
| Colours | | | | | |
| Black | 5 | | | | |
| White | 9 | | | | |
| Pink/red | 25 | | | | |
| Honey | 5 | | | | |
| Lt grey |) | | | | |
| Dk grey |) 181 | | | | |
| Cream |) | | | | |
| Dark brown (pebble) | 1 | | | | |

Appendix 3


Illustrations 2012

Microburin




BB12 290

Blade with use wear at distal tip




BB12 399




BB12 135

Bladelet with fine retouch




BB12 231

Bladelet with double notch




BB12 245

Broken bladelet with use wear



BB12 03

Microdenticate




BB12 41

Mesial segment




BB12 582

Broken bladelet




BB12 232

Spall/chip



BB12 137

Rod-shaped microlith




BB12 160

Backed microlith




BB12 323


Spall/chip




Microlith with backing




Denticulate




Microlith with backing




Flake with heavy use wear




Flake with use wear




Flake with use wear




Piercer




End/side scraper



Chert scraper



BB1227




BB12422




Exhausted bladelet core


Bladelet core (burned)



BB1288A




Bladelet core




BB12737

Bladelet core




BB1294

Chert blade with use wear




Notched tool; possible burin detachment

BB1210




Notched flake

BB12698




Bladelet with little use wear; distal tip as piercer

BB12107




Nosed scraper

BB12753




Irregular blade with invasive retouch

BB1204




End scraper + use wear

BB12224




Double-ended scraper


BB12483




Piercer



Blade with fine retouch



Double-ended piercer



Chert piercer

Appendix 4

Lithic Collection from Fieldwalk at Bury Moor Bridge 2016

Appendix 4

LITHIC COLLECTION FROM FIELDWALK AT BURYSMOOR BRIDGE, NEAR HUISH, (MERTON), NORTH DEVON 2016

Grid Ref.. SS526109 Site Code: BB16

Aim:

Following the collection of lithic pieces from this location during 2011 by Phil Collins and Dave Lock (now recorded as BB12), it was decided to return to the field to look for evidence of flint raw material, as several pieces of possible raw material were found in 2011. It was hoped to back up the suggestion that the Petrockstowe Basin might be a source of raw material flint deposits. (Edmonds et al (1969, 78) and Edwards and Freshney (1982, 222-31). Also, DAS Proceedings No. 60 2002 Inland Flint in Prehistoric Devon; Sources, Tool-making Quality and Use", John Newberry.)

Location/Topography:

Field at Burymoor Bridge, Huish, South of Merton, North Devon. **SS526109**.

Field slopes down from East to West, approximately 100m East of Little Mere river. Field edged by forest to the West. South facing slope, ploughed field with heavy ruts. Northern end of field abuts road to Petrockstowe - heavily waterlogged with collection of water/pool.



Photograph of field viewed from South West

Soil conditions: Dark brown clay soil, wet at the beginning of the day, drying out in sun and wind. Bands of yellow sandy sticky clay in patches North-South across field. At Southern margin, band of whitish/grey thick clay East-West packed tightly with small angular sharp edged stones (no rounded pebbles). Main stones in field - angular sandstones, some with red/black interior, plus shale and small quartz pieces. Evidence of liming/North Devon lead-glazed pot sherds (small), white glazed china and glass. Farm manure and straw.

Note: Bowl Barrow MDV307 sited within forest to the West.

Methodology:

15th April ; 3 members (Bob Shrigley, Nigel Dymond, Derry Bryant) laid out a gridded section at the SW corner of field at the junction of the track and forest. 3 rows of 6 x 20m grids, North to South, totalling 18 grids.

16th April: 3 members: Sarah Mcrae, Di Warmington, Derry Bryant walked each grid looking for raw material flint (nodules or pebbles). Some worked flint and chert pieces found but no raw material. Pieces placed in one bag per grid. Some small pebbles (worked).

Finds:

61 lithic pieces collected. Mostly small (under 3.5cm) flint flakes. The two largest pieces were damaged pebble cores (BB1620) and a larger thick broken flake (BB1631). 1 chert blade (microdenticulate) and 2 quartz pieces with possible use wear.

Collection included:

4 notched pieces
3 burned pieces
3 patinated pieces

4 bladelets
7 blades
8 primary flakes (some re-used as scrapers)
3 cores
7 core fragments
1 chert blade (denticulated)

Microliths:

1 burin
1 blade segment
1 bladelet tip
1 piercer
1 leaf shaped microdenticulate flake

Scrapers:

2 side/end scrapers
3 end scrapers
7 side scrapers

Cortical flakes, core rejuvenation pieces, denticulates, microdenticulates and small cores indicate a Mesolithic date. Small scrapers; end scrapers, side scrapers, side and end scrapers.

Retouch

24 pieces with abrupt retouch.
1 abrupt and invasive
1 semi abrupt
2 invasive

Colours; honey translucent, black, pinky/purple, red, light brown, light grey, mid grey, dark grey, grey mottled, green-grey, cream, white, some with cortex. Pebble tools. 1 white quartz and 1 honey quartz. 1 dark brown chert.

Cortex: mostly cream coloured but several dark grey (on pebble)

Origin:

Where the origin could be discerned, 19 pebble, 15 nodular; 26 non-cortical

Examples of curation/ reworking:

Evidence of core reworking: 1 crested blade BB1657 (plunging fracture), core rejuvenation flake BB1610, core tablet BB1651

Summary:

No flint nodules/raw material found, but some worked pieces of riverine pebbles - possibly from small river on site or river Torridge close by to the East.

NB: A further walk by Phil Collins in 2016 found a broken cupped pebble, see photograph in this report.

- 1: Fieldwalking Plan 2016
- 2: Photographs of cupped pebble
- 3: Photograph of sample of lithics 2016
- 4: Lithic Assemblage Analysis

Derry Bryant
2016

Acknowledgments


Clinton Estates
Mark Stephens, farmer
Henrietta Quinnell
Sue and Trev Dymond, Tiverton Archaeology Group
Phil Collins and Dave Lock
John Bradbeer (NDAS) for help with geology
NDAS members (walkers)

References

Edmonds et al (1969, 78) and Edwards and Freshney (1982, 222-31).
Newberry J, DAS Proceedings No. 60 2002 "Inland Flint in Prehistoric Devon; Sources, Tool-making Quality and Use",
Devon Historic Environment Service Listings: MDV307 Bowl Barrow Late Bronze Age – 2500 BC to 701 BC

1.

FIELDWALKING PLAN – BURYS MOOR BRIDGE, HUISH 16.4.2016



NOT TO SCALE.

Grids labelled A1, A2, A3 etc South – North

Distance to corner of grid A from Fence post 1 = 5.25m

Distance to corner of grid A from Fence post 2 diagonally = 3m

2.

Photo of Cupped Pebble found in 2016



Use wear/pecking marks



Cross section showing hole

3.

Sample of Huish Lithics from 2016



Appendix 5

Lithic Assemblage Analysis 2016

| 5: Lithics Assemblage Analysis Burymoor Bridge, Huish, Merton 2016 Archaeological Society | | | | | | | | | | | | North Devon | | | | | Site Code: Prefix BB16 | | | | |
|--|--------------------|----------------|-------------|---------------|----------------|----------------------|-------------------|----------------|-----------------------|------------------|-----------|---|---------------------|--------------|-----------|------------|------------------------|--|--|--|--|
| Small Find No. | Location (grid no) | Material | Cortex type | Cortex amount | Colour | Origin (e.g. pebble) | Burned/patinated? | Flake/fragment | Tool type | Sub tool type | Size (cm) | Comments | Retouch type | Tool broken? | Use wear? | Multi-tool | Date | | | | |
| BB1601 | A1 | Flint | N/C | 0.00 | Dk grey | | | Flake | Blade | | 4 x 1.4 | Complete notched blade with retouch.Curved | Abrupt | | | | 16.4.16 | | | | |
| BB1602 | A1 | Flint | N/C | 0.00 | Lt brown | | | Flake | Tip of blade (broken) | | 1 x 0.7 | Distal end of fine bladelet | | Y | | | " | | | | |
| BB1603 | A3 | Quartz | | 0.00 | Yellow | | | Crystal | ?Utilised | | 3.5x2 | Crystal quartz with striation marks | | | Y | | " | | | | |
| BB1604 | A3 | Quartz | | 0.00 | White | | | Fragment | ?utilised | Rubbing stone | 4x1.5x1.5 | Quartz point with square base - smooth at pointed end. Possibly utilised piece | | | Y | | " | | | | |
| BB1605 | A3 | Flint | N/C | 0.00 | Honey | | | Flake | Notched Blade | | 2x1 | Short notched blade with bulb on ventral face . Abrupt retouch LH edge +small notch | Abrupt | | | | " | | | | |
| BB1606 | A3 | Flint +cortex | C | 0.40 | Lt brown/white | Nodular | | Primary Flake | Rough scraper | | 2.5x2.5 | Thick flake with cortex across dorsal face except for removal of flake along length. Some retouch at bottom LH edge | Abrupt | N | | | " | | | | |
| BB1607 | A3 | Flint+cortex | C | 0.50 | Lt grey | Pebble | | Primary Flake | | | 2.2x1.2 | Cortical flake tiny | | | | | | | | | |
| BB1608 | A3 | Flint | N/C | 0.00 | Lt grey | | | Flake | Blade | | 3.4x1 | Curved blade with retouch at RH distal end. Invasive retouch along LH upper edge | Abrupt and invasive | N | Y | | " | | | | |
| BB1609 | A4 | Flint + cortex | C | 0.05 | Honey | Nodular | N | Flake | Scraper | Nose scraper | 3.5x3 | Wide flake with cortex around distal edge dorsal face. Abrupt retouch at distal point to form scraper | Abrupt | N | Y | | " | | | | |
| BB1610 | A4 | Flint + cortex | C | 0.10 | Mid grey/white | Pebble | N | Flake | Scraper | Side /endscraper | 3.4x1.8 | Curved thick flake from core rejuvenation.Small amt white cortex on dorsal face.Evident flake removal and edge of core platform.Sharp RH edge with rough abrupt retouch and around distal point | Abrupt | N | Y | | " | | | | |
| BB1611 | A4 | Flint+cortex | C | 0.45 | Light grey | Pebble | N | Primary Flake | Scraper | Side scraper | 4x2.8 | Primary flake with white cortex covering 75%of dorsal face. Oval shape.Bulb. Abrupt retouch LH edge and distal RH edge to form scraping edge | Abrupt | N | | | " | | | | |

| | | | | | | | | | | | | | | | | | | |
|--------|----|----------------|-----|------|----------------|---------|---|-----------------------|-----------------------------|----------------|---------|---|--------|---|---|--|--|---------|
| BB1612 | A4 | Flint+cortex | C | 0.50 | Lt brown/cream | Pebble | N | Primary Flake(broken) | | | 2.5x2.5 | Primary flake with cortex covering all of dorsal face.Broken across width.Large bulb | | Y | | | | " |
| BB1613 | A4 | Flint+cortex | C | 0.30 | Lt grey | Nodular | N | Flake | Scraper | Side scraper | 2.5x1.7 | Thick flake with cortex on RH upper edge up to distal point. LH edge with v.fine abrupt retouch | Abrupt | N | | | | " |
| BB1614 | A4 | Flint | C | 0.05 | Dk grey | Pebble | N | Flake broken | ?piercer | | 2x2.5 | Butt of broken flake. Possibly re-used as piercer | | | Y | | | 16.4.16 |
| BB1615 | A5 | Chert | N/C | | Dk brown | | P | | Blade | Microdentulate | 3.6x14 | Narrow blade with v.fine abrupt retouch along both edges | Abrupt | | | | | " |
| BB1616 | A5 | Flint | N/C | | Dk green/grey | | | Flake broken | | | 2.3x2 | Flake with abrupt retouch around edges on dorsal face | Abrupt | | | | | 16.4.16 |
| BB1617 | A5 | Flint + cortex | C | 0.25 | Lt honey | Nodular | | Notched flake | | | 2.5x1.7 | Small narrow flake with cortex at butt and at distal tip on dorsal face. Slight notch on LH edge dorsal. Bulb scar on ventral face.Abrupt retouch | Abrupt | | | | | 16.4.16 |
| BB1618 | A5 | Flint+cortex | C | 0.25 | Lt grey | Pebble | | Blade broken | Micro burin | | 1.5x1.3 | Squarish blade broken with cortex across RH side of dorsal face. Broken at both ends across width | | | | | | 16.4.16 |
| BB1619 | A5 | Flint | | | Lt pink/grey | | | Fragment | | | 2.3x1.4 | Rough fragment | | | | | | 16.4.16 |
| BB1620 | A5 | Flint | C | 0.30 | Lt grey | Pebble | | Pebble core | Core | | 3.5x4x3 | Raw material pebble with flake removal | | | | | | 16.4.16 |
| BB1622 | A5 | Flint+cortex | N/C | 0.10 | Lt grey | Nodular | | Core fragment | Fragment of core | | 4.4x2.5 | Evidence of platform remaining | | | | | | 16.4.16 |
| BB1621 | A5 | Flint | C | 0.50 | Lt grey | Pebble | | Primary Flake | Side scraper.Microdentulate | Microlith | 2.2x3.0 | Half pebble with cortex over 75% of dorsal face. Flake removal on dorsal face plus abrupt retouch at distal end.LH edge v.fine serrations for scraping edge | Abrupt | | | | | 16.4.16 |
| BB1623 | A6 | Flint+cortex | C | 0.50 | Lt grey | Pebble | | primary Flake | End scraper | | 2.5x2.1 | Pebble flake (snapped across width of blade). Abrupt retouch at distal end. Probably scraper | | | | | | 16.4.16 |
| BB1624 | A6 | Flint+cortex | C | 0.50 | Lt grey | Pebble | | Flake broken | | | 2x1.5 | | | | | | | |

| | | | | | | | | | | | | | | | | | |
|--------|----|--------------|-----|-------|------------------|---------|-------|-----------------------|-----------------------------------|-------------|-------------|---|-------------|--|-----|--|---------|
| BB1625 | A6 | Flint+cortex | C | 0.05 | Lt brown | Nodular | | Flake broken | Blade broken | | 2.5x2.1 | Blade with small amt cortex at proximal end RH side dorsal face. Snapped across width. Abrupt retouch along RH edge | Abrupt | | | | |
| BB1626 | A6 | Flint | N/C | 0.00 | Dk grey | | | Flake broken | Bladelet broken | | 1.5x1.2 | Tiny bladelet snapped across width | | | | | |
| BB1627 | A6 | Flint | N/C | 0.00 | Cream | | | Flake | Leaf shaped flake(microdenticate) | | 2.3x1.2 | Leaf shaped thin flake. V.fine retouch along RH edge and LH edge | Abrupt | | | | |
| BB1628 | A6 | Flint+cortex | C | 0.15 | Lt brown | Nodular | | Flake | Backed knife blade | Denticulate | 2x1 | Narrow blade backed with cortex along LH edge. Fine retouch on RH edge of distal point. Triangular cross section | Abrupt | | | | |
| BB1629 | A6 | Flint+cortex | C | 0.50 | L grey | Nodular | | Primary Flake notched | Notched flake | | 2x2 | Flake with whole of dorsalface covered in cortex. Small notch (5mm) abrupt | Abrupt | | | | |
| BB1630 | A6 | Flint+cortex | C | 0.20 | Grey | Pebble | | Core fragment | Core broken | | 3x2 | Small pebble core broken. | | | | | |
| B1631 | A6 | Flint | N/C | 0.05 | brown+cortex | | | Flake broken | | | 4.5x3x1 | Thick flake broken. | | | | | |
| BB1632 | B1 | Flint+cortex | C | 0.05 | Lt grey | Pebble | B & P | Flake broken | | | 1.8x2.3 | | | | | | 16.4.16 |
| BB1633 | B1 | Flint | N/C | | White | | B | Flake | | | 3.2x2 | Completely burnt flake | | | | | 16.4.16 |
| BB1634 | B2 | Flint | N/C | | Red | | | Flake notched | Notched flake.Microlith | Microburin | 2.5x1.7 | Translucent red flake with large notch on RH edge. Abrupt retouch around LH edge. Bulb on ventral face | Semi abrupt | | | | 16.4.16 |
| BB1635 | B2 | Flint | N/C | | Lt grey | | | Flake | Bladelet broken | | 1.1x0.8 | Broken narrow bladelet piece | | | | | |
| BB1636 | B3 | Flint | C | 0.15 | Dk grey + cortex | Nodular | | Flake | Bladelet | | 2.3x1 | Narrow bladelet with cortex at distal end dorsal face. Retouch long RH edge dorsal | Abrupt | | | | 16.4.16 |
| BB1637 | B3 | Flint | N/C | | Black | | | Flake broken | Waste | | 1.4x1.2 | Piece of broken flake. | | | | | 16.4.16 |
| BB1638 | B3 | Flint | C | 50.00 | Lt grey + cortex | Pebble | | Core fragment | Bladelet Core | | 3.5x3.5 x 2 | Very light grey flint with cream waterwon cortex. | | | | | 16.4.16 |
| BB1639 | B4 | Flint | N/C | | White | | | Flake broken | | | 2x2 | Broken flake | | | | | 16.4.16 |
| BB1640 | B5 | Flint | N/C | | Dkgrey | | | Flake broken | Blade segment | Microolith | 2.3x2.2 | Segment of blade with denticulated edge (use wear?) | Abrupt | | Yes | | 16.4.16 |

| | | | | | | | | | | | | | | | | | |
|--------|----|------------------|-----|-------|----------------------------------|---------|--|---------------------|------------------|-------------------------|-----------------|---|--------|--|-----|--|---------|
| BB1641 | B5 | Flint | C | 50.00 | Dk grey/l grey+cortex | Nodular | | Flake | Primary flake | | 3x2.5x1 .2 | Thick primary flake.Poor quality flint.Discarded | | | | | 16.4.16 |
| BB1642 | B5 | Flint | N/C | | Lt grey | | | Core damaged | Bladelet core | | 2.8x2.2 x1.5 | Small bladelet core (damaged) burned and patinated | | | | | 16.4.16 |
| BB1643 | B6 | Flint | C | 45.00 | Honey | Nodular | | Primary Flake | Core tablet | Bladelet core | 3.2x3x1 .5 | Thick flake, dorsal face mostly covered in thin cortex - cream/sandy. Multidirectional removal of flakes | | | | | 16.4.16 |
| BB1644 | B6 | Flint | N/C | | Lt grey | | | Flake | Waste | | 1x1.5x0 .8 | | | | | | 16.4.16 |
| BB1645 | B6 | Flint | N/C | | Dk grey | | | Flake | Bladelet | Microdentic ulate | 2.2x1.2 | Bladelet with wider base and narrow proximal end (broken). Fine retouch around all edges | Abrupt | | | | 16.4.16 |
| BB1646 | B6 | Flint | N/C | | Lt grey | | | Flake | Microburin | Microlith | 1.2x1.0 | Bulb end of bladelet with retouch around edges | Abrupt | | | | 16.4.16 |
| BB1647 | B6 | Flint | C | 45.00 | Lt grey+cortex | Pebble | | Primary Fragment | Core fragment | | 3x3x1.4 | Pebble core broken | | | | | 16.4.16 |
| BB1648 | B6 | Flint | C | 0.01 | Honey | Nodular | | Fragment | Core fragment | Utilised piece | | Core fragment with tiny piece of cortex. Retouch/Use wear along one edge | Abrupt | | Yes | | 16.4.16 |
| BB1649 | B6 | Flint | C | 0.20 | Dk grey + white inclusions | Nodular | | Flake | Burin | | 2.2x3.5 x1.0 | Thick flake with cortex bottom LH of dorsal face. Burin spall removal top LH edge by distal point. | | | Yes | | 16.4.16 |
| BB1650 | C1 | Flint | C | 0.05 | Dk grey | Nodular | | Flake | Scraper | Side scraper | 2.5x1.6 | Butt of flake, snapped across width.Small amt of cortex on RH edge. LH edge with fine retouch on ventral face to form serrations | Abrupt | | | | 16.4.16 |
| BB1651 | C1 | Flint | N/C | | Lt grey | | | Flake | Core tablet | | 2.3x2.1 | Thick flake showing remains of core platform and flake removal | | | | | 16.4.16 |
| BB1652 | C2 | Flint+cort ex | C | 0.45 | Honey + white band | Pebble | | Flake secondary | Scraper | Side and end scraper | 3 x1.8 | Concave thick flake.oval. Cortex alongRH side of dorsal face. White band next to cortex . Flnt narrows to thin cutting edge. Abrupt retouch at proximal end dorsal. Invasive retouch distal end ventral face. | | | | | |

| | | | | | | | | | | | | | | | | | |
|--------|----|----------------|-----|-------|------------------------|---------|-------------|---------------|-------------------------|-----------------------------|--------------|---|----------|--|--|--|---------|
| BB1653 | C2 | Flint + cortex | C | 0.01 | Honey + white band | | | Flake | Scraper | Side scraper microdentulate | 2.5x1.5 | Oval flake with tiny cortex upper Lh edge. Serrations along RH edge dorsal. Microdentulate | | | | | 16.4.16 |
| BB1654 | C2 | Flint | N/C | | Black | | | Flake | Flake point broken | | 1.2x1.6 | Retouched around edges - abrupt | Abrupt | | | | |
| BB1655 | C3 | Flint + cortex | C | 15.00 | Dk grey + grey cortex | Pebble | | Flake | Scraper | End scraper | 2.7x2.2 x0.5 | Thick flake with grey cortex all along RH edge. Distal broad end thin and retouched to form cutting edge | Abrupt | | | | |
| BB1656 | C3 | Flint + cortex | C | 20.00 | Black + cortex | Nodular | | Flake | Piercer | Denticulate | 2.3x1.3 | Oval flake point with cortex along LH edge dorsal. Retouch along RH edge and around distal point. | Abrupt | | | | 16.4.16 |
| BB1657 | C4 | Flint + cortex | C | 10.00 | Lt grey + white cortex | Pebble | | Flake | Notched Blade - Scraper | Side scraper | 4.5x1.5 x1 | Crested blade. Thick blade - triangular section. Curved/concave profile. Plunging fracture. Invasive retouch along RH edge on dorsal face. Notch on LH edge dorsal. | Invasive | | | | 16.4.16 |
| BB1658 | C5 | Flint | | | green- grey | | | Fragment | Core fragment | Scraper | 2.5x2x1 .2 | Bladelet core fragment - platform evident. Edge reused invasive retouch ventral face | Invasive | | | | |
| BB1659 | C5 | Flint | N/C | | Pink | | + patinated | Flake | | | 2.4x1.7 x0.8 | Thick flake - burned, frost fractured and patinated | | | | | |
| BB1660 | C5 | Flint+cortex | C | 0.10 | Lt grey + inclusions | Pebble | | Fragment | Core fragment | | 5x3x3.5 | Heavy fragment of pebble core with cortex (white mottled), yellow staining on flint and large inclusion in centre. Probably rejected. poor quality | | | | | |
| BB1661 | C6 | Flint+cortex | C | 0.50 | Dk grey | Pebble | | Primary flake | Bladelet core | Bladelet core broken | 2.5x2.1 | Fragment of bladelet core. Whole of dorsal face covered in cortex - half white, half dk grey. | | | | | 16.4.16 |

Appendix 6

Geophysics Survey 2018

Appendix 6

NORTH DEVON ARCHAEOLOGICAL SOCIETY

GEOPHYSICAL SURVEY OF FIELD AT PETROCKSTOWE MOOR, HUISH, NORTH DEVON - OCTOBER 2018

INTRODUCTION

It was brought to the attention of NDAS by Phil Collins of Merton, that a 1940's aerial photo of a field beside the Little Mere river at Huish showed some circular crop marks. The field is adjacent to Burymoor woods, the location of a known barrow (MDV307 Bowl Barrow). The field is known as Petrockstowe Moor.

Location SS526105

(Note: Petrockstowe Moor is adjacent to the field known as Huish Moor, where a collection of flint artefacts (found by Phil Collins and Dave Lock) has been analysed by the author. The collection is identified as the Burymoor Bridge collection BB12, in a separate report by Derry Bryant.)

On visiting the field after ploughing, a raised circular area was noted to the left of the entrance gate. This raised area seemed to be circular and was of a different colour and texture to the rest of the ploughsoil – it was darker and appeared to be of a finer texture.

On a further visit, when the field was in grass and with wet conditions, water had collected in a shallow area around the “bump”.

With the permission of Clinton Estates and the tenant farmers, it was agreed that NDAS could carry out a geophysical survey over three days in October 2018. The survey area would be East- West, just inside the entrance gate, in line with the river hedgeline, as far as the corner of the field by the woods. The aim was to include the raised mound and a strip of field as far as the woods, hoping to pick up features shown on the aerial photo.

Methodology

Starting on 19 October, a small group of volunteers set out 2 lines of 9 grids, 20m x 20m, 18 grids in total. Grids were marked out with washing lines into 1m strips. A survey was then carried out using the Society's earth resistance equipment, a TR resistance meter. Data readings taken at 1m intervals.

In good weather, (a heavy autumn mist in the morning followed by hot sun on all three days), in total 12 grids were surveyed. It was not possible to complete all 18 grids due to lack of volunteers. The information was downloaded by Bob Shrigley and interpreted by Derry Bryant using Snuffler software.

The survey was also used as a geophysics training exercise for NDAS members and several volunteers. Number of walkers: 6 Friday, 6 Saturday, 3 Sunday.

Field conditions:

Field had been ploughed, harrowed and set with grass which was about 3-4 inches high. The ground was soft but not wet except for a few patches in places (the corner near the woods, as it was shaded by trees). Other parts were dry and firmer. Areas of the ground showed whitish clay in patches. There were a lot of smallish quartz pieces.

RESULTS

Initial results show a dark linear feature in a curve around the obvious mound, which was as expected. Regular narrow linear features were noted North-South (grids 11, 12, 3, 4, 5) which may be the remnants of ridge and furrow. It was noted whilst surveying that there was another rectangular raised feature (East-West) in line with, and close to, the river/hedgeline). This also shows up on the geophysical results (grids 5,6,7,8: - area of high resistance). There are also indications on the results of further activity in the Southern edge of grids 7,8 (a linear “corner”).

History of filters used in Snuffler:

Despike: Threshold=3.9 Action=Moose

Interpolate

Interpolate

Snuffler display using 95% of readings.

Range of readings: low 23.9 up to 39.20 high.

Display process: Linear

Display type: Greyscale


Comments on the results suggest that the features may be associated with historical management of the river, with a levee (the long area of high resistance, and the subcircular feature being a paleochannel of a bend in the river, before the river was straightened (Stephen George pers.comm.).



Area of survey

Petrockstow Moor, Huish, Merton, North Devon
 Geophysical survey 19-21st October 2018
 PLAN OF GRIDS (12 grids surveyed, marked 'x') Grid size: 20m x 20m

RIVER HEDGELINE



| | | | | | | | | |
|---------|---------|---------|--------|--------|--------|--------|--------|--------|
| 1 x | 2 x | 3 x | 4 x | 5 x | 6 x | 7 x | 8 x | 9 x |
| 10 x | 11 x | 12 x | | | | | | |


EARTH RESISTANCE SURVEY RESULTS



Interpretation:

Low resistance "ditch" around subcircular mound

High resistance long mound. ? Levee from river restructuring



Regular lines of low resistance. ?Drainage or ridge and furrow

Angular return of low resistance (unnatural)



Terry Green standing on the raised circular feature. View to East.



Laying out cables, river hedgeline in background



Surveying with the TR meter



Walking the grids. View to South West

FURTHER STUDY

It was noted that GoogleEarth images show the field in dry conditions in 2010, with further circular and linear features in the field to the South, indicating possible roundhouses. At this stage it is not known whether NDAS will pursue further exploration of these anomalies.

Results to be reported to the landowners, the Devon Historical Environment Service, the museum of Barnstaple and North Devon

Derry Bryant
October 2018

ACKNOWLEDGMENTS

Phil Collins for bringing these features to the attention of NDAS
Clinton Estates (Adrian Pitts), and the tenant farmers Mark and Elliott Stephens
Bill Horner, Devon Historical Environment Service
NDAS members: Derry Bryant, Bob Shrigley, Terry Green, Nigel Dymond, Pat Hudson, Steve George, Julie Pepworth, Sarah Macrae, Phil Belcher
Volunteers: Simon Saunders, Joe Penfold (North Devon AONB)
SouthWest Archaeology, South Molton

References

From Historic Environment Record:
Aerial photo 19 April 1946
HER Monument ID MDV307
Tithe map (online)